For KCC Use: 4-39-07
Effective Date: 4-39-07
District #

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date May 1, 2007	Spot
month day year	NIW SE SW 16 24S 10
5056 4	
OPERATOR: License# 5056	leet from N / V S Line of Section
Name: F.G. Holi Company, L.L.C. Address: 9431 E. Central, Suite 100	feet from ☐ E / ✓ W Line of Section  Is SECTION ✓ Regular Irregular?
Address: Wichita, Kansas  City/State/Zip: Wichita, Kansas	is Section ——Regular ——Irregular?
City/State/Zip: Contact Person; Franklin R. Greenbaum	(Note: Locate well on the Section Plat on reverse side)
Phone: (316) 684-8481	County: Edwards
	Lease Name: WHEATON "A" Well #: 1-16 Field Name: Wildcat
CONTRACTOR: License# 5929	
Name: Duke Drilling Company, Rig 5	Is this a Prorated / Spaced Field?  Target Formation(s): Marmaton, Cherokee sand & Mississippi
	Nearest Lease or unit boundary: 990'
Well Drilled For: Well Class: Type Equipment:	0.50
Oil / Enh Rec Infield / Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Public water supply well within one mile:  Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 280'
Seismic;# of Holes Other	Depth to bottom of usable water: 280'
Other	Surface Pipe by Alternate: 1 2
If CMBACO, and wall information on fallows.	Length of Surface Pipe Planned to be set:
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 4750'
Well Name:	Formation at Total Depth: Viola
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drining Operations.
If Yes, true vertical depth:	DWR Permit #; (Contractor will apply)
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
7/4 #/ 4/4	Will Cores be taken? Yes ✓ No
	If Vas proposed zone:
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT  Ligging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh and the strongh and the strongh all the strongh and the strongh an	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If the plugged is a plugged in all cases is not provided by the plugged in all cases is not plugged. In all cases is not plugged in all cases is not plugged in all cases is not plugged. In all cases is not plugged in all cases in the plugged in all cases is not plugged in all cases in the plugged in all cases is not plugged in all cases in the plugged in all cases in the plugged in the plugged in all cases in the plugged in the plugged in the plugged in the plugged in all cases in the plugged in t
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	DAVIT  Ligging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Istrict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  It is 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  The proper baum
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh and the strongh and the strongh all the strongh and the strongh an	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If the plugged is a plugged in all cases is not provided by the plugged in all cases is not plugged. In all cases is not plugged in all cases is not plugged in all cases is not plugged. In all cases is not plugged in all cases in the plugged in all cases is not plugged in all cases in the plugged in all cases is not plugged in all cases in the plugged in all cases in the plugged in the plugged in all cases in the plugged in the plugged in the plugged in the plugged in all cases in the plugged in t
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	DAVIT  Ligging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Istrict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  It is 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  The proper baum
The undersigned hereby affirms that the drilling, completion and eventual pleated that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the sec	baying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In strict office on plug length and placement is necessary prior to plugging;  In ged or production casing is cemented in;  In differ the following and usable water to surface within 120 days of spud date.  In 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  In R. Streenbaum.  Title: Exploration Manager
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is dry hole, an agreement between the operator and the description of the set of the	DAVIT  larging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office and the district office will be a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OY7 - A I SSI - OWO  Conductor pipe required.	DAVIT  larging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual pleating is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all the well is dry hole, an agreement between the operator and the description of the sent through the spin and the description of the spin date or the well shall be completed within 30 days of the spud date or the well shall be remarked by the spin and to the best of the spin and the statements made herein are true and to the best of the spin and the statements made herein are true and to the best of the spin and the statements made herein are true and to the best of the spin and the statements of the spin and the statements of the spin and the statements of the spin and the spin an	DAVIT  larging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  In the street of the set
The undersigned hereby affirms that the drilling, completion and eventual pleating is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the well is either plug for the set of the	DAVIT  larging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plug for the specific prior of Agent:    Date: 04/18/2007	DAVIT  larging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  In R. Greenbaum  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set o	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  In R. Greenbaum.  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plug for the specific prior of Agent:    Date: 04/18/2007	DAVIT  larging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  In R. Greenbaum  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface pipe shall be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be remarked by that the statements made herein are true and to the best of the properties of the spud date or the well shall be rectified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rectified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be remarked by the spud date or the well shall be remarked by the spud date or the well shall be remarked by the spud date or the well shall be remarked by the spud date or the well shall be remarked by the spud date or the well shall be remarked by the spud date or the spud date or the well shall be remarked by the spud date or the spud date or the well shall be remarked by the spud date or the spud da	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set o	DAVIT  larging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  In R. Greenbaum  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 047-21556-0000	Location of Well: County: Edwards
Operator: F.G. Holl Company, L.L.C.	990 feet from N / S Line of Section
Lease: WHEATON "A"	990 feet from N / S Line of Section  1650 feet from E / W Line of Section
Well Number: 1-16	Sec. 16 Twp. 24S S. R. 18 East ✓ Wes
Field: Wildcat	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW - SE - SW -	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1650								
1650				•				
1650				•		•		•
1650	ļ	-	-	•		•	•	-
1650								
1650								
1650	İ			•		•	•	•
1650		•	•	•		•	•	•
1650		·				·		
1650						_		
1650			•					•
1650	ł			•				
1650								
1650	1							
1650						-		•
1650						-	- ,	•
1650				. 16	6	•		•
1650	ļ							,
1650							. ,	
1650						•		•
1650								
1650					' ' '			
	1	•		•		•		•
		•	•	•		-		•
						·		`
	ŀ							
	ከ650 -			•				
			. <b>4</b>					
- 066	l	'	i					
	' ' '		. 1					
			. <u>-</u>	•			. ,	
		•	. 06			•		•
		•	. <u>9</u>			•		



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

WOHLLY KE CONSEGNATION DIVISION

- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0.7.6. CG-8 for gas wells).

KANSAS CORPORATION COMMISSION **SECEINED** 

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: F.G. Holl Company, L.L.C.			License Number: 5056		
Operator Address: 9431 E. Central, Suite 100, Wichita, Kansas 67206					
Contact Person: Franklin R. Greenbaum			Phone Number: ( 316 ) 684 - 8481		
Lease Name & Well No.: WHEATON			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW _ SE _ SW		
Emergency Pit Burn Pit	✓ Proposed ☐ Existing		Sec. 16 Twp. 24S R. 18 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		990 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)	500	(bbls)	Edwards County		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration: mg/l		
Le the hetter hotour ground lovel?	Artificial Liner?		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Yes 🗸	No	How is the pit lined if a plastic liner is not used?		
V 165   140			Mud and natural clays		
Pit dimensions (all but working pits):1	50 Length (fe	eet)150	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		,	edures for periodic maintenance and determining nocluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water27feet.		
Source of info		Source of infor			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
Producing Formation:		1	al utilized in drilling/workover: Fresh Mud		
Number of producing wells on lease:		Number of wor	king pits to be utilized: 3		
Barrels of fluid produced daily:		Abandonment procedure: Backfill rotary pits, rip and smooth location			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
4/18/2007 Date  Evanklin R. Greenbaum  Signature of Applicant or Agent					
	KCC	OFFICE USE OI	· · · · · · · · · · · · · · · · · · ·		
Date Received: 4/19/07 Permit Number: Permit Date: 4/24/07 Lease Inspection: 4/24/0					



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

April 24, 2007

Mr. Franklin R. Greenbaum F.G. Holf Company, LLC 9431 E. Central, Ste 100 Wichita, KS 67206

RE: Drilling Pit Application Wheaton A Lease Well No. 1-16 SW/4 Sec. 16-24S-18W Edwards County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File