

For KCC Use: Effective Date: Yes X No SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009030

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: 05/01/2007 month day year 5150	Spot Description: NW SW NE NW NW Sec. 11 Twp. 33 S. R. 17 XE W (\alpha \text{Variable} \text{V} \text{V} \text{V} \text{V} \text{V} \text{S. Line of Section}
OPERATOR: License#	leet IIIIII
Name: Colt Energy Inc	iset from / W cire of Section
Address 1: P.O. Box 388	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Iola State: KS Zip: 66749 +	County: Labette
Contact Person: DENNIS KERSHNER Phone: 620-365-3111	Lease Name: L McNICKLE Well #: 4-11
	Field Name: COFFEYVILLE-CHERRYVALE
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling Company, Inc.	Target Formation(s): PENNYSLANIAN COALS
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 400
	Ground Surface Elevation: 851 feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water: 200
	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISSISSIPPI
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: DISPOSAL WATER TANK
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSIO
	APR 2 5 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	y circulating cement to the top; in all cases surface pipe shall by Lay DIVISION underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: Production Clink
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and to the best of my Date: 4-23-07 Signature of Operator or Agent:	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. Title: Production Clink Hemember to:
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and to the best of my Date: 4-23-07 Signature of Operator or Agent:	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: Production Click Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and to the best of my Date: 4-23-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099-24/199-0000	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and to the best of my Date: 4-23-07 Signature of Operator or Agent: For KCC Use ONLY API #15 - 099-24/199-0000 Conductor pipe required 0 feet	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: Production Click Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and to the best of my Date: For KCC Use ONLY	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief, Title: Production: Click Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-d) after plugging is completed (within 60 days):
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and to the best of my Date: For KCC Use ONLY	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. **Knowledge and belief, **Completion Form ACO-1 with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure in the statements made herein are true and to the best of my Date: 4-23-07 Signature of Operator or Agent: For KCC Use ONLY API #15 - 099 - 24/199 - 0000 Conductor pipe required 0 feet Minimum surface pipe required 20 feet per ALT. I NIII Approved by: Left 4-25-07	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. **Knowledge and belief.** **Title: Production: Click **Hemember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and to the best of my Date: For KCC Use ONLY	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. **Knowledge and belief, **Title: Production: Click **Title: Production: Click
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and to the best of my Date: 4-23-07 Signature of Operator or Agent: For KCC Use ONLY API #15 - 099 - 24/199 - 0000 Conductor pipe required 0 feet Minimum surface pipe required 20 feet per ALT. I I III Approved by: 44-25-07 This authorization expires: 10-25-07	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. **Knowledge and belief, **Title: Production: Click **Title: Production: Click
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and to the best of my Date: 4-23-07 Signature of Operator or Agent: For KCC Use ONLY API #15 - 099 - 24/199 - 0000 Conductor pipe required 0 feet Minimum surface pipe required 20 feet per ALT. I I III Approved by: 44-25-07 This authorization expires: 10-25-07	3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. **Knowledge and belief, **Cry.** **File Drill Pit Application (form CDP-1) with Intent to Drill; **File Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to field proration orders; **Notify appropriate district office 48 hours prior to workover or re-entry; **Submit plugging report (CP-4) after plugging is completed (within 60 days); **Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24199-0000	
Operator: Colt Energy Inc	Location of Well: County: Labette
Lease: L McNiCKLE	400 feet from N / S Line of Section
Well Number: 4-11	800 feet from E / X W Line of Section
Field: COFFEYVILLE-CHERRYVALE	Sec. <u>11 Twp. 33</u> S. R. <u>17</u> 🔀 E 🗌 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		400 f	t.		_			
800 ft. –		0						

				1	1			
			•••••		********	••••	,,,,,	
			********		•••••			
			•••••					
	:			:				



NOTE: In all cases locate the spot of the proposed drilling locaton.

APR 2 5 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, WICHITA, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009030

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Colt Energy Inc			License Number: 5150				
Operator Address: P.O. Box 388			Iola KS 66749				
Contact Person: DENNIS KERSHNER			Phone Number: 620-365-3111				
Lease Name & Well No.: L McNICKLE 4-11			Pit Location (QQQQ):				
Type of Pit:	Pit is:		SW _ NE _ NW _ NW				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 11 Twp. 33 R. 17 East West				
Settling Pit Drilling Pit	If Existing, date constructed:		400 Feet from North / South Line of Section	on			
Workover Pit Haul-Off Pit	Pit capacity:		800 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	80	(bbls)	Labette				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	1			
	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	4			
Is the bottom below ground level? Yes No	Yes X	No	NATIVE CLAY SOIL				
Pit dimensions (all but working pits):	SO Length (fe	eet)15	Width (feet) N/A: Steel Pits	\exists			
t tt amionolio (am pat trattailig pilo).	om ground level to de	_	(feet) No Pit				
If the pit is lined give a brief description of the		Describe proce	edures for periodic maintenance and determining	寸			
material, thickness and installation procedure) ,	liner integrity, i	ncluding any special monitoring.				
				K			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.	┦,			
Source of t		Source of infor	mation:	ŀ			
leet Deptit of water well _		Drilling Work	over and Haul-Off Pits ONLY:				
		ı	aterial utilized in drilling/workover: NATIVE SOIL				
		king pits to be utilized: 1	_				
1		procedure: PUMP OUT - PUSH IN					
Does the slope from the tank battery allow all spilled fluids to			-				
		be closed within 365 days of spud date.					
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief. KANSAS CORPORATION COMMISS	SIC			
// \	($C \cap \mathcal{A}_2$	(A) APR 2 5 2007				
<u>4-23-07</u> Date		shully:	Signature of Applicant or Agent CONSERVATION DIVISION				
KCC OFFICE USE ONLY RFAC RFAS							
Date Received: 4/25/07 Permit Num	ber:	Perm	it Date: 4/25/c7 Lease Inspection: Yes X No				