

For KCC Use: 4-30-07

Effective Date: 4

SGA2 Ves X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009101

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 04/30/2007 month day year	Spot Description: 25' W AND 35' S
,	SW . NW . SE . SW Sec. 26 Twp. 13 S. R. 30 ☐ E ▼W
OPERATOR: License#	feet from N / X S Line of Section
Name: Falcon Exploration, Inc.	1,460 feet from E / W Line of Section Is SECTION: Regular Irregular?
Address 1: 125 N. Market, Ste. 1252	IS SECTION: MRegular I Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: RON SCHRAEDER/MIKE MITCHELL	County: Gove  Lease Name: TEETER Well #: 5
Phone: 316-262-1378	Field Name: GOVE WEST Well #: 5
CONTRACTOR: License#_5822	Is this a Prorated / Spaced Field?
Name: Val Energy, Inc.	Target Formation(s): MARMATON/MISSISSIPPIAN
	Nearest Lease or unit boundary line (in footage): 790
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2816 feet MSL
X Oil ☐ Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 245
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Cher: TRUCKED
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFFI	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. set ANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of</li> </ol>	APR 2 4 2007
The minimum amount of surface pipe as specified below <i>shall be set</i> by	
	/ circulating cement to the top; in all cases surface pige would be set to the top; in all cases surface pig
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pine CNSELVATION DIVISION
If the well is dry hole, an agreement between the operator and the distri-	y circulating cement to the top; in all cases surface pige CAISTANTON DIVISION underlying formation.  WICHITA KS ct office on plug length and placement is necessary prior to plugging;
<ul> <li>4. If the well is dry hole, an agreement between the operator and the district.</li> <li>5. The appropriate district office will be notified before well is either plugge</li> </ul>	y circulating cement to the top; in all cases surface pige (ARCH VATION DIVISION underlying formation.  WICHITA KS ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in;
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	y circulating cement to the top; in all cases surface pige (ARCH VATION DIVISION underlying formation.  WICHITA KS ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in;
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	y circulating cement to the top; in all cases surface pigeons that file DIVISION underlying formation.  WICHITA KS confice on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	y circulating cement to the top; in all cases surface pige CASSELVATION DIVISION underlying formation.  WICHITA KS CONTROL OF THE PROPERTY OF
4. If the well is dry hole, an agreement between the operator and the distriction of the properties of the distriction of the properties	y circulating cement to the top; in all cases surface pige CASSET AFTON DIVISION underlying formation.  WICHITA KS CONTROL OF THE PROPERTY OF
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and to the best of my	y circulating cement to the top; in all cases surface pipe CASCH VATION DIVISION underlying formation.  WICHITA KS considered to the top of the constant of th
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the certify that the statements made herein are true and to the best of my Date:    1	y circulating cement to the top; in all cases surface pinconstant Affon DIVISION underlying formation.  WICHITA KS concerned to the top; in all cases surface pinconstant Affon DIVISION WICHITA KS concerned to the top of
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the certify that the statements made herein are true and to the best of my Date:  4 / 2 4 / 0 7  Signature of Operator or Agent:  For KCC Use ONLY	y circulating cement to the top; in all cases surface pinconstant Affon DIVISION underlying formation.  WICHITA KS of the control of the cont
4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my Date:    A / 2 4 / 0 7	y circulating cement to the top; in all cases surface pinconstant after DIVISION underlying formation.  WICHITA KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing.  I knowledge and belief.  Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and to the best of my Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Ola3 - 21661-0000  Conductor pipe required 0 feet	y circulating cement to the top; in all cases surface pige CASELVATION DIVISION underlying formation.  WICHITA KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted that the statements made herein are true and to the best of my Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Ola3 - 2   lobs   - Ocool  Conductor pipe required 0 feet per ALT   1   1   1   1   1   1   1   1   1	y circulating cement to the top; in all cases surface pipe CASELLATION DIVISION underlying formation.  WICHITA KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing.  I knowledge and belief.  Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and to the best of my Date:    For KCC Use ONLY	y circulating cement to the top; in all cases surface pinconstant after DIVISION underlying formation.  WICHITA KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing.  I knowledge and belief.  Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and to the best of my Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Ola3 - 2   bb  - OCOD  Conductor pipe required 0 feet per ALT. II XIII  Approved by: AAY-25-07  This authorization expires: 10 - 25-07	y circulating cement to the top; in all cases surface pipe CASELLATION DIVISION underlying formation.  WICHITA KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing.  I knowledge and belief.  Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and to the best of my.  Date: 4/24/07 Signature of Operator or Agent: The conductor pipe required 0 feet per ALT. II Approved by: Approve	y circulating cement to the top; in all cases surface pipe CASCH ATTON DIVISION underlying formation.  WICHITA KS and consider the first office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  I knowledge and belief.  Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and to the best of my Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Ola3 - 2   bb  - OCOD  Conductor pipe required 0 feet per ALT. II XIII  Approved by: AAY-25-07  This authorization expires: 10 - 25-07	y circulating cement to the top; in all cases surface pige CARSH ATTON DIVISION underlying formation.  Ct office on plug length and placement is necessary prior to plugging, and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief.  Engineer  Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please



### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063-21661-0000	
Operator: Falcon Exploration, Inc.	Location of Well: County: Gove
Lease: TEETER	790 feet from N / X S Line of Section
Well Number: 5	790 feet from N / X S Line of Section 1,460 feet from E / X W Line of Section
Field: GOVE WEST	Sec. 26 Twp. 13 S. R. 30 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SW - NW - SE - SW	is section. Zinegular ormregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				:		:		•
		:	:	:		:	:	:
		:	:	:		:	:	
	1		•	•	1	•	•	•
	l	:	:	:	1	:	:	:
	Į	•	•	•	1	•	•	•
	i							
						******		
	l				1			
		•		•		•	•	•
	•	;	:	:		:	:	
		•		•		•	•	•
	1	:	:	:		:	: ,	
	1	•	•	•	1	•	•	•
					1			•
		:	<u>:</u>	:		:	•	
			:		l	•	:	
		:	:	:		:	:	
		:	:	:	ļ	:	:	
		:	:	:	1	:	:	
		•	•	•	1	•	•	•
	ł							
	ļ.	:	:	:	i	:	:	
	ŀ		;	•			:	
		:	:	:	l .	:		
	i e		:	•	r	•	:	
	1	:	•	:		:	:	•
	ļ		:		_			
				—— ソ	ნ —			
		:	:	2		:	:	
	l	:		:				:
	i	;					;	
	i	:					!	
	İ						:	
		•			·	•	•	'
	l							
	·····					******		
		•			!	•	•	
	l '	:		;			: ;	
	l .	:					•	
	l '	:	:				:	
	l	:						
	I			•	·	•	•	
	*******					******		
	l							
i	i						:	
	l	•				•	: ;	
	l	:				;	:	
	l	•		•		•		
4460 8	1	:					:	
1460 ft			<b>-</b> O	•		•		
						******		
	1		1		i			
		. :	:				: .	
	1	:	: 1 :	:			:	
			: 1				:	
		:	: 1				: :	
	į							
		:	: 1 :				:	
		·	<u> </u>				·	
			1	,				
	***	011 00000	Johata the	anne né e		and duillin		



790 ft.

RECEIVED KANSAS CORPORATION COMMISSION

In plotting the proposed location of the well, you must show:

WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, CONSERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APR 2 4 2007



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009101

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Falcon Exploration, Inc.			License Number: 5316			
Operator Address: 125 N. Market, Ste. 1252			Wichita KS 67202			
Contact Person: RON SCHRAEDER/MIKE MITCHELL			Phone Number: 316-262-1378			
Lease Name & Well No.: TEETER	5		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW NW SE SW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 26 Twp. 13 R. 30 East West			
Settling Pit	If Existing, date constructed:		790 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity: 3300 (bbls)		1,460 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)			Gove			
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	NATIVE CLAY AND MUD			
Pit dimensions (all but working pits):	30 Length (fe	eet)100	Width (feet) N/A: Steel Pits			
, , , ,	om ground level to de		4			
If the pit is lined give a brief description of the material, thickness and installation procedure			owest fresh waterfeet.  red well owner electric log KDWR  over and Haul-Off Pits ONLY:			
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		owest fresh waterfeet.				
NA feet Depth of water wellfeet measu		ured well owner electric log KDWR				
1 3 3 3		1	kover and Haul-Off Pits ONLY:			
Producing Formation: Type of material		ai utilized in drilling/workover;				
		rking pits to be utilized:3				
Barrels of fluid produced daily:		Abandonment	nt procedure: ALLOW TO DRY COMPLETELY. THEN BACKFILL WHEN CONDITIONS ALLOW.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Drill pits mus		Drill pits must l	be closed within 365 days of spud date KANSAS CORPORATION COMMISSION			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  APR 2 4 2007						
4/24/07  Date  A / 24/07  Signature of Applicant or Agent						
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS			
Date Received: 4/24/07 Permit Num	nber:	Perm	it Date: 4/24/07 Lease Inspection: Yes No			