For KCC Use:		5-1-07		
Effective		, 		
District #		<u> </u>	•	
SGA?	X Yes	☐ No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date April 30, 2007	_ Spot East
month day year	SE NE NW Sec. 21 Twp. 14 S. R. 13 West
DPERATOR: License# 4952	1,280 feet from N / S Line of Section
Name: Starr F. Schlobohm	2,280 feet from E / W Line of Section
10 Greenleaf Drive	ls SECTIONRegularlrregular?
Address: Wolfeboro, NH 03894-4226	
Contact Parson, John L. Driscoll	County: Russell
Phone: (785) 483-9580	Lease Name: Sherwood Well #: 10
,	Field Name: Hall-Gurney
CONTRACTOR: License# 33905	Is this a Prorated / Spaced Field?
lame: Royal Drilling, Inc.	Target Formation(s): Arbuckle
Mall Class. Time Conjuments	Nearest Lease or unit boundary: 360'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1,837 feet MSL
✓ Oil / Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water: 360°
Other	Surface Pipe by Alternate: 🗸 1 🗍 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 780'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 3,300
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well 🗸 Farm Pond Other
f Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
CCC DKT #:	
	Will Cores de Paken? !! 198 V INC
	If Yes, proposed zone:
A	If Yes, proposed zone:
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing op	If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging;
A The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and it 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing op	If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. de district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. per #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
Afte undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in the united to the state of the surface of the specified before well is either the state of the state of the state of the specified before well is either the state of the specified before well is either the state of the specified before well is either the state of the specified before the specified before well is either the state of the specified before the specifie	If Yes, proposed zone: FFIDAVIT In plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; to the underlying formation. The district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The right of the right cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
Anne undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the statements of the statement of the production of the shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certified.	If Yes, proposed zone: FFIDAVIT In plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; to the underlying formation. The district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The right of the right cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
Anne undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and the strict office will be notified before well is either than all the transpropriate district office will be notified before well is either than all the transpropriate district office will be notified before well is either than all the transpropriate district office will be notified before well is either than all the transpropriate district office will be notified before well is either than all the transpropriate district office will be notified before well is either than all the production pipe shall be centered by the spud date or the well statements where the spud date or the spud date or the well statements where the spud date or the	If Yes, proposed zone: FFIDAVIT In plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; p set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The state of the surface prior to any cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. The surface of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well's hereby certify that the statements made herein are true and to the best pate: April 23, 2007 Signature of Operator or Agent: For KCC Use ONLY	each drilling rig; each drilling rig; each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. edistrict office on plug length and placement is necessary prior to plugging; clugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either of the appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well's hereby certify that the statements made herein are true and to the best case: April 23, 2007	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The state of my knowledge and belief. Title: Owner/Operator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the statements of the spud before well is either Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements made herein are true and to the performance of the complete of the spud date or the well statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 23427 - 0000 Conductor pipe required feet	each drilling rig; each drilling rig; each drilling rig; to the underlying formation. e district office on plug length and placement is necessary prior to pluggling; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the following that the statement between the operator and the following that the properties will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well's hereby certify that the statements made herein are true and to the post of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 167 - 23427 - OOOO Conductor pipe required feet Minimum surface pipe required feet per Alt 1	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. Set #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the following structure of the specified before well is either on the specified district office will be notified before well is either of the specified district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well's hereby certify that the statements made herein are true and to the best of the specified structure of Operator or Agent: **Por KCC Use ONLY** April 23, 2007 Signature of Operator or Agent: **The April 23, 2007 Conductor pipe required	each drilling rig; each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; clugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet in 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well's hereby certify that the statements made herein are true and to the best part of Operator or Agent: Por KCC Use ONLY API # 15 - 47 - 23427 - OOO Conductor pipe required	each drilling rig; each drilling
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet in 5. The appropriate district office will be notified before well is either that appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well's thereby certify that the statements made herein are true and to the best of the spud date or the well's the spud date or t	each drilling rig; each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date, earl #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the following structure of the specified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well'state of the spud date or the well'state. April 23, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 67 - 23427 - 0000 Conductor pipe required / 1000 feet per Alt / 1000 Approved by: 400 - 200-07 This authorization expires: / 0-200-07	each drilling rig; each d

APR 2 5 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 167-23427-0000	Location of Well: County: Russell
Operator: Starr F. Schlobohm	
Lease: Sherwood	1,280 feet from V N / S Line of Section 2,280 feet from E / V W Line of Section
Well Number: 10	Sec. 21 Twp. 14 S. R. 13 East ✓ Wes
Field: Hall-Gumey	
Number of Acres attributable to well: QTR / QTR / QTR of acreage; SE _ NE _ NW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

APR 2 5 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

					
Operator Name: Starr F. Schlobohm			License Number: 4952		
Operator Address: 10 Greenleaf Drive, Wolfeboro, NH 03894-4226					
Contact Person: John L. Driscoll			Phone Number: (785) 483 - 9580		
Lease Name & Well No.: Sherwood #10 well			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NE NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 21 Twp. 14 R. 13 East 🗸 West		
Settling Pit	If Existing, date constructed:		1,280 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2,280 Feet from East / 🗸 West Line of Section		
(if WP Supply API No. or Year Drilled)	300 (bbis)		Russell		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes ✓	No-	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	Native materials		
Pit dimensions (all but working pits):	30 Length (fe	et) 80	Width (feet) N/A: Steel Pits		
	om ground level to de	epest point: 6	(feet) RECEIVED		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	conservation division CONSERVATION DIVISION WICHITA, KS		
1923 Source of infe			west fresh waterfeet.		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Drilling mud			
Number of producing wells on lease:		Number of working pits to be utilized: Three			
Barrels of fluid produced daily:		Abandonment procedure: Allow to dry and backfill with native materials.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. April 23, 2007 Date April 23, 2007 Signature of Applicant or Agent					
	KCC OFFICE USE ONLY RFAC				
Date Received: 4/25/07 Permit Number: Permit Date: 4/26/07 Lease Inspection: X Yes No					



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

April 26, 2007

Mr. John L. Driscoll Starr F. Schlobohm 10 Greenleaf Drive Wolfeboro, NH 03894-4226

RE: Drilling Pit Application

Sherwood Lease Well No. 10 NW/4 Sec. 21-14S-13W Russell County, Kansas

Dear Mr. Driscoll:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Kallythaynes

Environmental Protection and Remediation Department

cc: File