For KCC Use: 5-1-07 Effective Date: 3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

month day year	Spot	✓ East
	ApE2 _ SENE _ NE _ Sec. 8 _ Twp. 14 _ S. F	West West
DPERATOR: License# 33858		Line of Section
James J & J Operating, LLC		Line of Section
10380 West 179th Street	Is SECTION Regular irregular?	
City/State/Zip: Bucyrus, KS 66013	(Note: Locate well on the Section Plat on revers	se side)
Contact Person: Jim Loeffelbein	County: Johnson	
Phone: (913) 851-5825	Lease Name: VoightsV	Vell #: 37
	Field Name: Gardner	
CONTRACTOR: License# 33030	Is this a Prorated / Spaced Field?	Yes 🖌 No
Name: Kimzey Drilling	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 5'	
	Ground Surface Elevation: n/a	feet MSL
Oil Finh Rec Infield Mud Rotary —	Water well within one-quarter mile:	Yes 🗸 No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 260+	
Seismic; # of Holes Other	Depth to bottom of usable water: 300+	
Other	Surface Pipe by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 850'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Nate: Apply for Permit with DWR 🗍)	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	II 163, DIODOSCO 20116	CEIVED
AEi	FIDAVIT	PRATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual		2 c 2007
	plagging of this flor will comply with flor it so of so AFR	2 0 2007
It is agreed that the following minimum requirements will be met:	CONSERV	ATION DIVISION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 		HITA. KS
2. A copy of the approved house of liftent to drin shan be posted on ex	set by circulating cement to the top: in all cases surface pip	
2. The minimum amount of surface nine as specified below shall he s	the underlying formation.	
3. The minimum amount of surface pipe as specified below shall be s		0 0,,,,,,,
 The minimum amount of surface pipe as specified below shall be stronged all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the 	district office on plug length and placement is necessary p	
 The minimum amount of surface pipe as specified below shall be stronged all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus 	district office on plug length and placement is necessary paged or production casing is cemented in;	rior to plugging;
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemel 	district office on plug length and placement is necessary pugged or production casing is cemented in; nited from below any usable water to surface within 120 days	rior to plugging;
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde 	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alt	rior to plugging; vs of spud date. ernate II cementing
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	rior to plugging; vs of spud date. ernate II cementing
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde 	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	rior to plugging; vs of spud date. ernate II cementing
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best 	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief.	rior to plugging; vs of spud date. ernate II cementing
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	district office on plug length and placement is necessary pugged or production casing is cemented in; nited from below any usable water to surface within 120 dayer #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Agent	rior to plugging; vs of spud date. ernate II cementing
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best 	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 dayer #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Agent	rior to plugging; ys of spud date. ernate II cementing any cementing.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill	rior to plugging; ys of spud date. ernate II cementing any cementing.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23158-DDDD	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 dayser #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud of the production form ACO-1 within 120 days of spud of the pugged of the pugg	rior to plugging; ys of spud date. ernate II cementing any cementing.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 091-23158-0000	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. **Title: Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration.	rior to plugging; vs of spud date. ernate II cementing any cementing. date; n orders;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23158-DOO Conductor pipe required feet	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 day at #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill	rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; over or re-entry;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 091-23158-0000 Conductor pipe required 1000 feet per Alt. 102	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. **Title: Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration.	rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; over or re-entry; sted;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23158-DDD Conductor pipe required	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to:	rior to plugging; ys of spud date. ernate II cementing any cementing. date; n orders; ever or re-entry; eted; alt water.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23158-DOOD Conductor pipe required York feet Minimum surface pipe required feet Approved by: Lift 436-07 This authorization expires: 10-26-07	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proration - Notify appropriate district office 48 hours prior to worked - Submit plugging report (CP-4) after plugging is completed.	rior to plugging; ys of spud date. ernate It cementing any cementing. date; n orders; ever or re-entry; eted; alt water.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23158-DDD Conductor pipe required	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill	rior to plugging; ys of spud date. ernate It cementing any cementing. date; n orders; ever or re-entry; eted; alt water.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23158-DOOD Conductor pipe required York feet Minimum surface pipe required feet Approved by: Lift 436-07 This authorization expires: 10-26-07	district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spuder - Notify appropriate district office 48 hours prior to worked - Submit plugging report (CP-4) after plugging is completed. - Obtain written approval before disposing or injecting site. - If this permit has expired (See: authorized expiration decrease).	rior to plugging; ys of spud date. ernate II cementing any cementing. date; n orders; ever or re-entry; eted; alt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 091-23158-0000	Location of Well: County: Johnson
Operator: J & J Operating, LLC	990 feet from V / S Line of Section
Lease: Voights	5 feet from VE / W Line of Section
Well Number: 37 Field: Gardner	Sec. 8 Twp. 14 S. R. 22 🗸 East Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: APE2 _ SENE _ NE	Is Section: Regular or Irregular
QIR/QIR/QIR of acreage:	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				-				1			-		•					
İ								1										
[
1		•						1										
	•			•	•		 	•	٠	•		 •		•	•		•	
								1										
								1										-
ŀ		•				-							•			-		_
١		٠.				 •	 	١.			-					٠.		
		•									٠		•			•		
											-					•		
		•		٠		•					•		-			•		
							 	.										
				•									•					
											•		•					
						_												
						•					•		•			•		
						 	 				<u> </u>		•					
		•		•		 ÷	 				•		•					
ļ		•				•					•		•			· ·		. <u>—-</u>
		:				•		į			•		· ·			· ·		
		•				•					•		•					
		:				 •		.			•		•					
		•				 •		.			•		•			•		
	,	:				 •		.			•		•			· · ·		
		:				 •		.	•		•		•					
		:				 •		.			•		•					
		:				 •		.			•					· · · · · · · · · · · · · · · · · · ·		
		:				 •		.			•		•			· · · · · · · · · · · · · · · · · · ·		
		:				 •		.			•							
		•	•			 •		.			•							
		•				 •					•							
		•	•			 •					•							
		•	•			 •					•							
		•	•			 •					•							



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: J & J Operating, LL	.c	License Number: 33858							
Operator Address: 10380 W. 179th	Street, Bucy	rus, KS 66	6013						
Contact Person: Jim Loeffelbein		Phone Number: (913) 851 - 5825							
Lease Name & Well No.: Voights #37		Pit Location (QQQQ):							
Type of Pit:	Pit is:		ApE2 SE NE NE						
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 8 Twp. 14 R. 22						
Settling Pit	If Existing, date co	onstructed:	990 Feet from 🗸 North / South Line of Section						
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		5 Feet from Fast / West Line of Section						
	120	(bbls)	Johnson County						
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)						
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?						
✓ Yes No	Yes ✓	No	native clay						
Pit dimensions (all but working pits):	50 Length (fe	eet)10	Width (feet)N/A: Steel Pits						
Depth fi	rom ground level to de	eepest point: 4	(feet)						
			S						
Distance to nearest water well within one-mile	•	Depth to shallo Source of info							
3513 feet Depth of water well	142_feet	meast	over and Haul-Off Pits ONLY:						
Emergency, Settling and Burn Pits ONLY:		kover and Haul-Off Pits ONLY:							
Producing Formation:		ial utilized in drilling/workover: drilling mad							
Number of producing wells on lease:		orking pits to be utilized: 1							
Barrels of fluid produced daily:	 	Abandonment	procedure: air dry and backfill						
Does the slope from the tank battery allow al flow into the pit? Yes No	spilled fluids to	be closed within 365 days of spud date.							
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMIS						
April 26, 2007 Date	Wa	nna	Signature of Applicant or Agent CONSERVATION DIVISION						
	KCC	OFFICE USE O	WICHITA, KS						
Date Received: 4/26/67 Permit Num			it Date: 4/26/c7 Lease Inspection: Yes 🗓 No						



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.