# For KCC Use: Effective Date: 5-1-07 District # \_\_\_\_\_3 SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Address: City/State/Zip: Bucyrus, KS 66013  Contact Person: Jim Loeffelbein  Phone: (913) 851-5825  CONTRACTOR: License# 33030  Is this Target  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Ground  Gas Storage Pool Ext. Air Rotary  Gas Storage Pool Ext. Air Rotary  OMMO Disposal Wildcat Cable  Seismic; # of Holes Other  Other  Other  Surface  Well Name: Original Completion Date: Original Total Depth: Format	SE NE Sec. 8 Twp. 14 S. R. 22 West  feet from  N / S Line of Section  feet from  Et / W Line of Section  feet from  Feet from
OPERATOR: License# 33030  Name: J & J Operating, LLC  Address: 10380 West 179th Street  City/State/Zip: Bucyrus, KS 66013  Contact Person: Jim Loeffelbein  County Phone: (913) 851-5825  CONTRACTOR: License# 33030  Name: Kimzey Drilling  Well Drilled For: Well Class: Type Equipment:  Ground  Water of Holes Other  OWWO Disposal Wildcat Cable  Operator:  Well Name: Original Total Depth:  Original Completion Date: Original Total Depth:	feet from
Name: J & J Operating, LLC Address: 10380 West 179th Street City/State/Zip: Bucyrus, KS 66013 Contact Person: Jim Loeffelbein Chone: (913) 851-5825 CONTRACTOR: License# 33030 Name: Kimzey Drilling  Well Drilled For: Well Class: Type Equipment: Ground Gas Storage Pool Ext. Air Rotary OWO Disposal Wildcat Cable Other Other  Other Other  OWWO: old well information as follows: Operator: Well Name: Original Total Depth: Format  Original Completion Date: Original Total Depth:	feet from     E         W Line of Section
Address: 10380 West 179th Street  Styl/State/Zip: Bucyrus, KS 66013  Contact Person: Jim Loeffelbein County Lease CONTRACTOR: License# 33030 Is this Target Neares Well Drilled For: Well Class: Type Equipment: Ground Gas Storage Pool Ext. Air Rotary OMAD Disposal Wildcat Cable Seismic; # of Holes Other Other Cother  GOWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth: Format	(Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse side)  (Note: Locate well at the Section Plat on reverse
Address:  Addres	(Note: Locate well on the Section Plat on reverse side)  y: Johnson  Name: Voights  tame: Gardner  a Prorated / Spaced Field?  Formation(s): Bartlesville  st Lease or unit boundary: 495'  d Surface Elevation:   well within one-quarter mile:   water supply well within one mile:   to bottom of fresh water: 260+  to bottom of usable water: 300+  e Pipe by Alternate:   1  ✓ 2
County hone: (913) 851-5825  CONTRACTOR: License# 33030  CONTRACTOR: License# Field N Is this Target Neares Ground Make Field Poilled For: Well Class: Type Equipment: Ground Water Ground Gas Storage Pool Ext. Air Rotary Public OWWO Disposal Wildcat Cable Depth Other Other  COWWO: old well information as follows: Cength Conginal Completion Date: Coriginal Total Depth: Format	Name: Voights  Name: Gardner  a Prorated / Spaced Field?  Formation(s):  Bartlesville  If Surface Elevation: n/a feet MSL  well within one-quarter mile:  water supply well within one mile:  to bottom of fresh water: 300+  e Pipe by Alternate: 1  2 2
CONTRACTOR: License# 33030  Well Drilled For: Well Class: Type Equipment: Ground Groun	Name: Voights  Name: Gardner  a Prorated / Spaced Field?  Formation(s):  Bartlesville  at Lease or unit boundary:  d Surface Elevation: n/a feet MSL  well within one-quarter mile: Yes V No to bottom of fresh water: 260+  to bottom of usable water: 300+  be Pipe by Alternate: 1 V 2
CONTRACTOR: License# 33030  Is this Target  Well Drilled For: Well Class: Type Equipment: Ground  Gas Storage Pool Ext. Air Rotary  OWWO Disposal Wildcat Cable  Other Surface  OWWO: old well information as follows:  Operator: Vell Name: Original Total Depth: Format	tame: Gardner  a Prorated / Spaced Field?  Formation(s):  Bartlesville  at Lease or unit boundary:  d Surface Elevation: n/a feet MSL  well within one-quarter mile: Yes V No  to bottom of fresh water: 260+  to bottom of usable water: 300+  be Pipe by Alternate: 1 V 2
SONTRACTOR: License# 3000  Is this Target  Well Drilled For: Well Class: Type Equipment: Ground  Gas Storage Pool Ext. Air Rotary  OWWO Disposal Wildcat Cable  Other Surface  OWWO: old well information as follows:  Operator: Length  Coriginal Completion Date: Original Total Depth: Format	a Prorated / Spaced Field?  Formation(s): Bartlesville  st Lease or unit boundary: 495' d Surface Elevation: n/a feet MSL  well within one-quarter mile: Yes ✓ No to bottom of fresh water: 260+ to bottom of usable water: 300+ e Pipe by Alternate: 1 ✓ 2
Well Drilled For:  Well Class: Type Equipment:  Ground  Gas Storage Pool Ext. Air Rotary  OWNO Disposal Wildcat Cable  Other Surface  OWWO: old well information as follows:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Target  Neares  Ground  Water  Cable  Cable  Depth  Surface  Length  Format	Formation(s):  Bartlesville  st Lease or unit boundary: 495'  If Surface Elevation: \( \frac{1}{2} \) 495'  Well within one-quarter mile: \( \frac{1}{2} \) Yes \( \frac{1}{2} \) No  to bottom of fresh water: \( \frac{260+}{200+} \)  To bottom of usable water: \( \frac{300+}{2} \)  The Pipe by Alternate: \( \frac{1}{2} \) 1 \( \frac{1}{2} \) 2
Well Drilled For: Well Class: Type Equipment: Ground  Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary  OWWO Disposal Wildcat Cable  Other Depth  Other Surface  OWWO: old well information as follows:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Ground  Water Water Cable  Operator:  Length  Format	st Lease or unit boundary: 495'  If Surface Elevation: n/a feet MSL  well within one-quarter mile: Yes Voo  to bottom of fresh water: 260+  to bottom of usable water: 300+  Pipe by Alternate: 1 V 2
Ground Gas Storage Pool Ext. Air Rotary  Gas Storage Pool Ext. Air Rotary  OWWO Disposal Wildcat Cable  Other Surface  OWWO: old well information as follows:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Ground Water Public  Cable  Depth Depth Surface Length Coriginal Total Depth:  Format	d Surface Elevation: n/a feet MSL well within one-quarter mile: Yes ✓ No water supply well within one mile: Yes ✓ No to bottom of fresh water: 260+ to bottom of usable water: 300+ e Pipe by Alternate: 1 ✓ 2
Gas Storage Pool Ext. Air Rotary Public Seismic; # of Holes Other Surface  OWWO: old well information as follows:  Operator: Well Name: Original Completion Date: Original Total Depth: Format	well within one-quarter mile:  water supply well within one mile:  to bottom of fresh water:  260+  to bottom of usable water:  Pipe by Alternate:  1 2 2
Gas Storage Pool Ext. Air Rotary  OWWO Disposal Wildcat Cable  Seismic; # of Holes Other  Other Surface  OWWO: old well information as follows:  Operator: Length  Well Name: Original Completion Date: Original Total Depth: Format	water supply well within one mile:  to bottom of fresh water: 260+  to bottom of usable water: 300+  e Pipe by Alternate: 1  2
OWO Disposal Wildcat Cable  Seismic; # of Holes Other  Other  OWWO: old well information as follows:  Operator: Length  Well Name: Original Completion Date: Original Total Depth: Format	to bottom of fresh water: 260+  to bottom of usable water: 300+  e Pipe by Alternate: 1 2
Seismic; # of Holes Other Other Surface  CWWO: old well information as follows:  Operator: Well Name: Original Completion Date: Original Total Depth: Format	to bottom of usable water: 300+ e Pipe by Alternate: 1 2
OWWO: old well information as follows:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Surface  Length  Project  Format	e Pipe by Alternate: 1 2
OWWO: old well information as follows:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Format	
Operator: Length  Well Name: Project  Original Completion Date: Original Total Depth: Format	of Surface Pipe Planned to be set:
Well Name: Project Original Completion Date: Original Total Depth: Format	of Conductor Pipe required: none
Original Completion Date:Original Total Depth: Format	led Total Depth: 850'
Original Completion Date:Original Total Deptit	tion at Total Depth: Bartlesville
water	Source for Drilling Operations:
	Well Farm Pond Other
Yes, true vertical depth: DWR P	Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR )
CC DKT #: Will Co	ores be taken?
If Yes,	proposed zone:RECEIVED
AFFIRANCE	KANSAS CORPORATION COMMISS
AFFIDAVIT	
he undersigned hereby affirms that the drilling, completion and eventual plugging of is agreed that the following minimum requirements will be met:	APR 2 6 2007
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling r</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circular through all unconsolidated materials plus a minimum of 20 feet into the underlying the well is dry hole, an agreement between the operator and the district office.</li> <li>The appropriate district office will be notified before well is either plugged or profound and all the complete of the complete of the spuddate or the well shall be plugged.</li> </ol>	ating cement to the top; in all cases surface pipe stall be set ing formation. The on plug length and placement is necessary prior to plugging; beduction casing is cemented in; selow any usable water to surface within 120 days of spud date.  C, which applies to the KCC District 3 area, alternate II cementing
hereby certify that the statements made herein are true and to the best of my knowl	A .
Date: April 26, 2007 Signature of Operator or Agent: Ubuna 7	Nanda Title: Agent
Rетеп	nber to:
	Orill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 277 2070	Completion Form ACO-1 within 120 days of spud date;
C C C C C C C C C C C C C C C C C C C	acreage attribution plat according to field proration orders;  y appropriate district office 48 hours prior to workover or re-entry;
20	nit plugging report (CP-4) after plugging is completed;
**************************************	in written approval before disposing or injecting salt water.
	s permit has expired (See: authorized expiration date) please
	the box below and return to the address below.
	Well Not Drilled - Permit Expired
(This authorization void if drilling not started within 6 months of approval date.)	nture of Operator or Agent:
(This authorization void if drilling not started within 6 months of approval date.)	Date:

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 091-23159-0000	Location of Well: County: Johnson		
Operator: J&J Operating, LLC	1650 feet from V / S Line of Section		
Lease: Voights	1650 feet from ✓ N / S Line of Section 495 feet from ✓ E / W Line of Section		
Well Number: 38	Sec. 8 Twp. 14 S. R. 22 ✓ East Wes		
Field: Gardner			
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular		
QTR / QTR / QTR of acreage: W2NE - SE - NE	if Section is irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	: : :	:	· · ·
		•	
		•	
		•	
 ·			
		•	
	•	•	
 		<i>.</i>	
	•	-	•
	· · ·	:	
	· ·	•	•
•	• •	•	
		•	
:	· ·	•	: :
 	: :	:	· · · · · · · · · · · · · · · · · · ·
 	: : 	; 	
 	: : 	:	
 		;  :  :	
 	: : 	;  :  :	
 		;  :  :	
 		;  :  :	
		;  :  :	
		;  :  :	



NOTE: In all cases locate the spot of the proposed drilling locaton.

## in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: J & J Operating, LLC			License Number: 33858	
Operator Address: 10380 W. 179th	n Street, Bucy	rus, KS 66	013	
Contact Person: Jim Loeffelbein			Phone Number: ( 913 ) 851 - 5825	
Lease Name & Well No.: Voights #38			Pit Location (QQQQ):	
Type of Pit:	Pit is:		W2 NE SE NE	
Emergency Pit Burn Pit	✓ Proposed Existing  If Existing, date constructed:  Pit capacity:		Sec. 8 Twp. 14 R. 22	
Settling Pit			1650 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			495 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	120	(bbls)	Johnson County	
Is the pit located in a Sensitive Ground Water	r Area?  Yes ✓	] No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes  No	Yes V	No	native clay	
Pit dimensions (all but working pits):	50 Length (fe	et) 10	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	epest point: 4	(feet)	
Source of info			west fresh water & feet. mation:  red well owner electric log KDWR  over and Haul-Off Pits ONLY:	
		measuredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:				
			al utilized in drilling/workover: drilling mud	
, ,			working pits to be utilized: 1 ent procedure: air dry and backfill	
Does the slope from the tank battery allow all spilled fluids to		pe closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSI		
I hereby certify that the above state	ements are true and c	correct to the best		
April 26, 2007  Date	(N)	nna s	Thanda CONSERVATION DIVISION ignature of Applicant or Agent WICHITA, KS	
	ксс с	OFFICE USE O	NLY	
Date Received: 4/26/07 Permit Num	nber:	Permi	t Date: 4/26/07 Lease Inspection: Yes 4 No	