For KCC Use: 5-2-07

Effective Date: 5-2-07

District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date May 3, 2007	Spot ✓ East
month day year	NW SE SW Sec. 35 Twp. 28 S. R. 18 West
33344	960 feet from N / V S Line of Section
OPERATOR: License# 33344 / Name: Quest Cherokee LLC	1730 feet from E / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip:	County, Neosho
Phone: (405) 463-6880	Losso Name: Bailey, Marion Well #: 35-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCO	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 910
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 922feet MSL
Oil Enh Rec 🗸 Infield 🖟 💹 Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Ga€s Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200
✓ Other Coalbed Methane	Curfora Bina by Alternato:
If OMBRID, and well information on follows:	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows: Operator:	Length of Conductor Pipe required:
	Projected Total Depth; 1300
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
Bottom Hole Location:	
KCC DKT #:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No
KCC DKT #:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No
KCC DKT #:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No
AFF The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes ✓ No IDAVIT lugging of this well will comply with K.S.A. Security Seq. RECEIVES
AFF The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes ✓ No IDAVIT lugging of this well will comply with K.S.A. Security Seq. RECEIVES
AFF The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes ✓ No IDAVIT lugging of this well will comply with K.S.A. Security Seq. RECEIVES
AFF The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes ✓ No IDAVIT lugging of this well will comply with K.S.A. Security Seq. RECEIVES
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the province of surface pipe as specified below shall be set to the province of 20 feet into the state of the province of 20 feet into the state of the prior into the state of the province of 20 feet into the state of the province of 20 feet into the state of the province of 20 feet into the state of the province of 20 feet into the state of the province of 20 feet into the state of the province of 20 feet into the state of the province of 20 feet into the province o	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. FOR ST. SCORPORATION COMMISSION ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set an underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the desired prior of the well is dry hole, an agreement between the operator and the content of the set of th	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes ✓ No IDAVIT lugging of this well will comply with K.S.A. ACTIVELY SECRETOR ATION COMMISSION ch drilling rig; It by circulating cement to the top; in all cases surface pipe small be set the underlying formation. listrict office on plug length and placement is neckery of the property of the pro
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the appropriate district office will be notified before well is either plus.	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes ✓ No IDAVIT JUDICAL PROPERTY OF THE PROP
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: IDAVIT Inagging of this well will comply with K.S.A. AGENT SCORPORATION COMMISSION In drilling rig; In the by circulating cement to the top; in all cases surface pipe strandbe set ne underlying formation. Ilistrict office on plug length and placement is necessary of the production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the completion of the state of t	Will Cores be taken? If Yes, proposed zone: IDAVIT Inagging of this well will comply with K.S.A. AGENT SCORPORATION COMMISSION In the dilling rig: In the by circulating cement to the top; in all cases surface pipe small be set not underlying formation. In this initiation of the surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the constant of the search	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. A. S. CORPORATION COMMISSION ch drilling rig; It by circulating cement to the top; in all cases surface pipe sharing set by circulating formation. listrict office on plug length and placement is necessary of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the construction of the search of the se	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. A. A. C.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the ci 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the post of the spud shall be set of the statements. Date: April 26, 2007 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of t	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	Will Cores be taken? If Yes, proposed zone: DAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: IDAVIT Ingging of this well will comply with K.S.A. A. S. Corporation commission In drilling rig; In the by circulating cement to the top; in all cases surface pipe state be set the underlying formation. Instrict office on plug length and placement is necletically a place of production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. A. CORPORATION COMMISSION APR 27
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface pipe shall be cement. 5. The appropriate district office will be notified before well is either plugically an alternative and to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: April 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 33 - 24919 - 00 - 00 Conductor pipe required NONE feet Minimum surface pipe required feet per Alt. (2) Approved by: WHW 4-27-07 This authorization expires: 10-23-07 (This authorization void it drilling not started within 6 months of approval date.)	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. A. CORPORATION COMMISSION Ch drilling rig; In the proposed zone in all cases surface pipe statutoe set no underlying formation. In the proposed zone is a completed; In the proposed zone: In the proposed zone: In the Yes, proposed zon
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. A. CORPORATION COMMISSION APR 27

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


APINO. 15 - 133-26919-00-00	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	960 feet from N / V S Line of Section
Lease: Bailey, Marion	1730 feet from E / W Line of Section
Well Number: 35-1	Sec. 35 Twp. 28 S. R. 18 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW - SE - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
 - 2. The distance of the proposed drilling location from the section's south / north and east / west.
 - 3. The distance to the nearest lease or unit boundary line.
 - 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Bailey, Mari	on #35-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 35 Twp. 28 R.	18 🗸 East 🗌 West
Settling Pit	If Existing, date constructed:		960 Feet from	North / 🔽 South Line of Section
☐ Workover Pit ☐ Haul-Off Pit	Workover Pit Haul-Off Pit Pit capacity:		1730 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho	County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ☑	No		mg/l
Is the bottom below ground level? ☐ Yes ✓ No	Artificial Liner?	No	How is the pit lined if a plastic	liner is not used?
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fi	om ground level to de	eepest point:	10(feet)	
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure. liner integrity, including any special monitoring. Air Drilling Operation Lasting Approx 3 Days				prox 3 Days
				Teet. APR 27 20020
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water	feet.APR 2 Feet.APR 2	
NA feet Depth of water well_	Source of information to measure		mation: ired well owner	electrerenza. KD4VK I
Emergency, Settling and Burn Pits ONLY:	W/Chi. ON Du.			
Producing Formation: Type of material utilized in drilling/workover: Air Drilled				ir Drilled
Number of producing wells on lease: Number of working pits to be utilized: One				
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Cover				d Cover
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
\mathcal{O}				
April 26, 2007 Jana Ward & Variant or April 2007				
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 4/27/07 Permit Number: Permit Date: 4/27/07 Lease Inspection: Yes - No				