

For KCC	Use: ¿	5-2	-01	
Effective :	Date:	00	1	
District #	11			
SGA?	Yes	<b>≭</b> No		

# Kansas Corporation Commission Oil & Gas Conservation Division

1009106

Form C-1
November 2005
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Jac [		ive (5) days prior to commencing well	All blanks must be Filled
Expected Spud Date:	05/09/2007	Spot Description: 45'S & 50'W, S2 SE NW NE	
	month day year	S2 - SE - NW - NE Sec. 8 Twp. 34	s. r. 11
OPERATOR: License# _	33168	(Q/Q/Q/Q) 1200 feet from 🗶	N / S Line of Section
Name: Woolsey Opera		1700 feet from	E / W tipe of Section
Address 1: 125 N. Mari		Is SECTION: Regular Irregular?	E / [ ] W Eine of Section
	Not, Guito 1000	is SECTION. A Regular Integular?	
Address 2: City: Wichita	State: KS Zip: 67202 + 1775	(Note: Locate well on the Section Plat on	reverse side)
Contact Person: Dean I	Pattisson	County:	
Phone: 316-267-4379		Lease Name: WILEY TRUST A	Well #: 1
		Field Name: RHODES SOUTH	
CONTRACTOR: License	<sub>e#</sub> 5929		Yes X No
Name: Duke Drilling Co	o., Inc.	Target Formation(s): Mississippian	103 [1-1140
		Nearest Lease or unit boundary line (in footage): 940	
Well Drilled For:			
▼ Oil   Enh	Rec Infield Mud Rotary	Ground Surface Elevation: 1392	
Gas Stor	rage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes 🗶 No
Disp	posal Wildcat Cable	Public water supply well within one mile:	Yes 🗶 No
Seismic ; #	# of Holes Other	Depth to bottom of fresh water: 180	
Other:		Depth to bottom of usable water: 180	
		Surface Pipe by Alternate: 🗶 🗂 📗	
l# OWWO: old we	ell information as follows:		
•			
Original Completion I	Date: Original Total Depth:		
Discoultance   Davidson and	The Table	Water Source for Drilling Operations:	
Directional, Deviated or H		Well Farm Pond X Other: to be haule	d
	A CONTRACTOR OF THE CONTRACTOR	DWR Permit #:	
		- (Note: Apply for Permit with DWF	
KCC DKT #;		- Will Cores be taken?	Yes X No
		If Yes, proposed zone:	
			RECEIVED
	ΔΕ	FIDAVIT KAN	SAS CORPORATION COMMISSION
The undersigned berefy		lugging of this well will comply with K.S.A. 55 et. seq.	STATE OF COMMISSION
		ragging of this well will comply with N.S.A. 33 et. seq.	APR 27 2007
•	owing minimum requirements will be met:		M: 13 & 7 & 2007
	riate district office <i>prior</i> to spudding of well;		COMPTE
2. A copy of the app	proved notice of intent to drill shall be posted on each	ch drilling rig;	CONSERVATION DIVISION
3. The minimum am	ount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipe	shall be setil. KS
through all uncon	solidated materials plus a minimum of 20 feet into the	he underlying formation.	
4. If the well is dry h	nole, an agreement between the operator and the di	strict office on plug length and placement is necessary pr	ior to plugging;
5. The appropriate of	district office will be notified before well is either plug	ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DA</i>	wa r
Or nursuant to Ar	n COMPLETION, production pipe shall be cement popodiy "B" - Eastern Kansas surface casing order t	ed from below any usable water to surface within <i>120 DA</i> f133,891-C, which applies to the KCC District 3 area, alte	rs or spud date.
must be complete	ed within 30 days of the sould date or the well shall t	pe plugged. <i>In all cases, NOTIFY district office</i> prior to a	rnate il cementing
		•	ary cemening.
nereby certify that the	statements made herein are true and to the best of	my knowledge and belief.	
Date: April 06 0007			 
Date: April 26, 2007	Signature of Operator or Agent:		ns Manager
	Dean Patt	Remember to:	œ
For KCC Use ONLY		- File Drill Pit Application (form CDP-1) with Intent to D	will.
API#15. 007	-23144-00-00	File Completion Form ACO-1 within 120 days of sput	-
	0	File acreage attribution plat according to field proration.	7.4
Conductor pipe require		Notify appropriate district office 48 hours prior to wor.	kover or re-entry
Minimum surtace pipe	required 200 feet per ALT 1		• •
\ \\ \ <del> </del>	TUA 4-22-12	Obtain written approval before disposing or injecting	
Approved by: _V\	15 22 2		
This authorization expi		<ul> <li>If this permit has expired (See: authorized expiration check the box below and return to the address below</li> </ul>	
(This authorization void i	if drilling not started within 6 months of approval date.)		'
		Well Not Drilled - Permit Expired Date:	
Spud date:	Agent:	Signature of Operator or Agent:	×
, ,			



### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-007-23 144-000	
Operator: Woolsey Operating Company, LLC	Location of Welt: County: Barber
Lease: WILEY TRUST A	1200 feet from X N / S Line of Section
Well Number: 1	1700 feet from X E / W Line of Section
Field: RHODES SOUTH	Sec. <u>8</u> Twp. <u>34</u> S. R. <u>11</u> E <b>X</b> W
Number of Acres attributable to well:	Is Section: 🗶 Regular or 🔲 Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



Kansas Corporation Commission
Oil & Gas Conservation Division

1009106

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address: 125 N. Market, Suite 1000 Wichita KS 67202  Contact Person: Dean Pattisson Phone Number: 316-267-4379    Lease Name & Welf No.: WILEY TRUST A 1	Operator Name: Woolsey Operating Company, LLC			License Number: 33168		
Lease Name & Well No.: WILEY TRUST A 1  Type of Pit:    Pit is:   Set.   Set.   NW   NE	Operator Address: 125 N. Marke	t, Suite 100	00	Wichita KS 6720	2	
Type of Pit:    Emergency Pit   Burn Pit   It sisting, date constructed:   Settling Pit   Drilling Pit   Head-Off Pit   Head-O				Phone Number: 316-267-4379		
Emergency Pit	Lease Name & Well No.: WILEY TR	UST A 1		Pit Location (QQQQ):		
Setting Pit   X Drilling Pit   X Drilling Pit   If Existing, date constructed:   1,200   Feet from   X North   South Line of Section   1,700   Feet from   X North   South Line of Section   1,700   Feet from   X East   West Line of Section   1,700   Feet from   1,7			S2 SE NW NE			
Workover Pit   Haul-Off Pit   Pit capacity: 4,800   Libbles   Barber   Line of section   Libbles   Sarber   Line of section   Libbles   Libbles   Line of Section   Libbles   Libbles   Libbles   Libbles   Libbles   Libbles   Libbles   Line of Section   Libbles   Libble	Emergency Pit Bum Pit	X Proposed	Existing	Sec. 8 Twp. 34 R. 11 East <b>X</b> West	ļ	
Pit capacity: 4,800   Barber   County	Settling Pit	If Existing, date constructed:		1,200 Feet from North / South Line of Secti	on	
Supply API No. or Year Drilled   4,800   (bbls)   Barber   County		Pit capacity:		1,700 Feet from 🗶 East / West Line of Sect	on	
Is the bottom below ground level?  Artificial Liner?  Artificial Liner?  Artificial Liner?  Artificial Liner?  Artificial Liner?  No Clays from the mud will provide sealer  Clays from the mud will provide sealer  Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) NA: Steel Pits  Depth from ground level to deepest point: 4 (feet) No Pit  If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Monitor pits until dry  Depth to shallowest fresh water 0 feet. Source of information:  Integrity, including any special monitoring.  Depth to shallowest fresh water 1 of feet. Source of information:  Depth to shallowest fresh water 2 of feet. Source of information:  Type of material utilized in drifting/workover: Fresh  Number of producing wells on lease:  Number of working pits to be utilized:  Abandonment procedure: When dry, backfill and restore location  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  April 26, 2007  April 26, 2007  Date  Artificial Liner?  No Describer in the will liner into used?  Clays from the mud will provide sealer  (Clays from the mud will provide sealer  (Clays from the mud will provide sealer  (Teet) No Pit  NA: Steel Pits  No Pit  Describer integrity, including any special monitoring.  No Pit  Describer integrity, including any special monitoring.  Describer integrity, including any special monitoring.  Describer integrity, including any special monitoring.  No Pit  Describer integrity, including any special monitoring.  Describer integrity, including any special monitoring.  Describer integrity, including any special monitoring.  Describer integrity includ	(If WP Supply API No. or Year Drilled)	1	(bbls)	Barber Cour	ity	
Is the bottom below ground level?    X   Yes	Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg	7	
Yes   No	le the bottom below ground level?	Artificial Liner?			_	
Pit dimensions (all but working pits):    Depth from ground level to deepest point:			No		2	
Depth from ground level to deepest point: 4 (feet) No Pit  If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Monitor pits until dry  Distance to nearest water well within one-mile of pit source of information:	Pit dimensions (all but working pits):	00 Length (fi	net) 100	<u> </u>	-6'	
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Monitor pits until dry		• .	•	1	2	
Distance to nearest water well within one-mile of pit    Depth to shallowest fresh water					7	
Distance to nearest water well within one-mile of pit  n/a	material, thickness and installation procedure	<del>)</del> .	iner integrity, modding any special monitoring.			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  April 26, 2007  Date  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh  Number of working pits to be utilized:  3  Abandonment procedure: When dry, backfill and restore location  Drill pits must be closed within 365 days of spud date.  RECEIVED  XANISAL CORNERATION DIVISION  Signature of Applicant of Agent  WICHITA, KS			Monitor pit	s until dry	2	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  April 26, 2007  Date  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh  Number of working pits to be utilized:  3  Abandonment procedure: When dry, backfill and restore location  Drill pits must be closed within 365 days of spud date.  RECEIVED  XANISAL CORNERATION DIVISION  Signature of Applicant of Agent  WICHITA, KS					1	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  April 26, 2007  April 26, 2007  Date  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Fresh  Number of working pits to be utilized:  3  Abandonment procedure: When dry, backfill and restore location  Drill pits must be closed within 365 days of spud date.  RECEIVED  XANSAS DEPROATION DIVISION  Signature of Applicant of Agent  WICHITA, KS	Distance to a section of the control		Dooth to shalls	wast fresh water 0 feet	18	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  April 26, 2007  April 26, 2007  Date  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Fresh  Number of working pits to be utilized:  3  Abandonment procedure: When dry, backfill and restore location  Drill pits must be closed within 365 days of spud date.  RECEIVED  XANSAS DEPROATION COMMIS  APR 2 7 2007  CONSERVATION DIVISION  Signature of Applicant of Agent  WICHITA, KS	Distance to nearest water well within one-mile of pit		1 '	West fresh Haterreet.	g	
Producing Formation:	n/afeet Depth of water well0feet		meası	red well owner electric log KDWR	_  ՝	
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  April 26, 2007  April 26, 2007  Date  Number of working pits to be utilized:  Abandonment procedure: When dry, backfill and restore location  Drill pits must be closed within 365 days of spud date.  RECEIVED  XANSAS SCENERATION COMMIS  APR 2 7 2007  Signature of Applicant or Agent  WICHITA, K3	Emergency, Settling and Burn Pits ONLY:					
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  April 26, 2007  Date  Nothber of working pits to be difficult.  Abandonment procedure: When dry, backfill and restore location  Drill pits must be closed within 365 days of spud date.  RECEIVED  XANSAE SCEPCRATION COMMIS  APR 2 7 2007  CONSERVATION DIVISION  Signature of Applicant or Agent  WICHITA, KO	-			2		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. RECEIVED    No   Drill pits must be closed within 365 days of spud date.   RECEIVED	1 3		Number of working pits to be duized.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  APR 2 7 2007  April 26, 2007  Date  Date  Drill pits must be closed within 365 days of spud date.  RECEIVED  XANSAE DEPORATION COMMIS  APR 2 7 2007  CONSERVATION DIVISION  WICHITA, K3	' '		Abandonment	procedure: VYTIET CITY, DACKIIII ATIO TESTOTE IOCATION	-	
April 26, 2007  April 26, 2007  Date  Date  APR 27 2007  CONSERVATION DIVISION  Signature of Applicant or Agent  WICHITA, KS			Drill pits must	pe closed within 365 days of spud date. RECEIVE	D	
APR 2 7 2007  April 26, 2007  Date  Signature of Applicant of Agent  WICHITA, KG	I hereby certify that the above state	ements are true and	correct to the bes		COMMIS	
Date Signature of Applicant or Agent WICHITA, K3	•				007	
	April 26, 2007			CONSERVATION D	VISION	
	Date		S	igheture of Applicant of Agent WICHITA, KC		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS X		ксс	OFFICE USE O	NLY Steel Pit RFAC X RFAS X		
Date Received: 4/27/07 Permit Number: Permit Date: 4/27/07 Lease Inspection: Yes No.	Date Received: 4/2 7 /A Damit Num	phor:	Dorm	it Date: 4/27/07 Lease Increation: Ves This		



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

April 26, 2007

Dean Pattisson Woolsey Operating Company, LLC 125 N. Market, Suite 1000 Wichita, KS67202-1775

Re: Drilling Pit Application
WILEY TRUST A Lease Well No. 1
NE/4 Sec.08-34S-11W
Barber County, Kansas

#### Dear Dean Pattisson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

RECEIVED KANSAS CORPORATION COMMISSION

APR 27 2007

CONSERVATION DIVISION WICHITAL KS