Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

CONFIDENTIAL WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ONIGINAL

Operator: License #	API No. 15 - 001-29043-00-00
Name: River Gas Chanute, LLC	County: Allen
Address: _509 Energy Center Blvd Suite 804	N2 _SE _ NW _ Sec. 10 Twp. 26 S. R. 20 F East West
City/State/Zip: Northport, AL 35473	1698 feet from S (N) circle one) Line of Section
Purchaser:KCC_	1877 feet from E (W)(circle one) Line of Section
Operator Contact Person: Randy Allen	Footages Calculated from Nearest Outside Section Corner:
Phone: (205) 345-9063	(circle one) NE SE NW SW
Contractor: Name: Pense Bros. Drilling Co., Inc.CONFIDENTIAL	Lease Name: Nelson Well #: B2-10
License: 32980	Field Name: Cherokee Basin Coal Gas Area
Wellsite Geologist: K. Runnels	Producing Formation: Mississippian
Designate Type of Completion:	Elevation: Ground: 1006' Kelly Bushing: 1006'
New Well Re-Entry Workover	Total Depth: 1135' Plug Back Total Depth: 1131.4'
New Well Re-Entry Workover Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 22.4 Feet
Gas ENHR SIGW Dry Other (Core, WSW, Expl., Cathodia etc) If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth:	Multiple Stage Cementing Collar Used? ☐Yes ✓ No
Gas ENHR SIGW 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth:	If Alternate II completion, cement circulated from
Operator:	feet depth to w/sx cmt.
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used disposal well
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:_River Gas Chanute, LLC
Other (SWD or Enhr.?) Docket No	
1/14/04 1/15/04	Lease Name: Fewins A4-9 SWD License No.: 33239
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	Quarter N/2 Sec. 9 Twp. 26 S. R. 20 ✓ East West County: Allen Docket No.: D-28-290
INSTRUCTIONS: An original and two copies of this form shall be filed with t	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,
Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-101 geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulat herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature Translation	KCC Office Use ONLY
Title:April 29, 2004	165 Letter of Confidentiality Received
	If Denied, Yes Date:
Subscribed and sworn to before me this day of day of	Wireline Log Received
2004.	Geologist Report Received
Notary Public:	UIC Distribution
Date Commission Expires: 4-11-05	

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: River	Gas Chanute	LLC	Leas	e Name:_	Velson	1	_Well #: _B2-	-10
Sec. 10 Twp. 26	S. R	☑ East ☐ We	est Coun	ty: Allen	· · · · · · · · · · · · · · · · · · ·	DIAMETER STATE OF THE STATE OF		
INSTRUCTIONS: Sho tested, time tool open a temperature, fluid reco Electric Wireline Logs	and closed, flowin very, and flow rate	g and shut-in press es if gas to surface t	sures, whether s test, along with	shut-in pre	ssure reached	static level, hydro	static pressui	res, bottom hole
Drill Stem Tests Taken			No	✓ Log Formation (Top), Dep			oth and Datum Sample	
Samples Sent to Geological Survey			No	Name			Тор	Datum
Cores Taken Y		Yes V		OIIL/ODL		d 🖔	.40' - 1134.30 .40' - 1134.30	
List All E. Logs Run:		KCC	® .ee					
CNL/CDL GR Cement Bo	ond	APR 3 8 2	004					
			SING RECORD is set-conductor, s	✓ Ne		ction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	We	eight . / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	12 1/4"	8 5/8"	24	.,,	22.4'	60/40 POZ Mix	5	Additives
Production Casing	77/8"	5 1/2"	15.5		1131.4'	60/40 POZ MIX	200	2 sxs 2% Gel, 5# Gilsonite,5 bbts pad
								1/4# Floseal, 17 bbls dye water
D		ADDITI	ONAL CEMENT	ING / SQL	EEZE RECORI	0		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cemen	ıt #Sackı	s Used		Type and Pe	ercent Additives	3
Shots Per Foot		ION RECORD - Bridge Plugs Set/Type Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
	plan to perforate week of May 10, 2004				RECEIVED KANSAS CORPORATION COMMISSION MAY 0 3 2004			
					(CONSERVATION DIVIS WICHITA, KS		
TUBING RECORD	Size	Set At	Packer A	At	Liner Run	Yes No		
Date of First, Resumerd P	roduction, SWD or E	nhr. Producin	g Method		Pumpi	ng Gas Lift	Othe	er <i>(Explain)</i>
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	r B	bls. Ga	s-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	METHOD OF COMPLETION Production Interval						
Vented Sold (If vented, Subm	Used on Lease it ACO-18.)	☐ Open			ually Comp. n completion	Commingled		

KCC

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

R7-10

APR 3 3 2004

CONFIDENTIAL

TICKET NUMBER 32261

LOCATION Changle

FOREMAN Dway, 10

15 MIN. MAX RATE MIN RATE

CONFIDENTIAL

TREATMENT REPORT

ORIGINAL

		17/ 10	,					
DATE	CUSTOMER #	i	FORMATION	v]	TRUCK #	DRIVER	TRUCK #	DRIVER
1/15/04		Ne/son			255	HOVB		
SECTION	TOWNSHIP	RANGE	COUNTY		230	Wes		
10	26	20	A.L.		140	TIM		
CUSTOMER					370	700	- M. Annie 1884	
	<u>)er Ga</u>	5		•				
MAILING ADDI	RESS		1 5000					
509 E	- Rigy Con	tor Blue	1 Suite	1				
CITY	H			1				
North	Port				1 11		20:10-10	. 10 dal
STATE	,	ZIP CODE		1	60/4029	4 Gel 5"	· Cor Sort, *	
AL	y Marine.					TYPE OF T	REATMENT	
				Ş	[]SURFACE		[] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION			SAS	[-]PRODUCT		[] ACID STIMU	
	WELL	DATA	H WICHTAKS	WAY 0 3	[] SURFACE PIPE [] ACID BREAKDOWN [] PRODUCTION CASING [] ACID STIMULATION [] SQUEEZE CEMENT [] ACID SPOTTING [] PLUG & ABANDON [] FRAC [] PLUG BACK [] FRAC + NITROGEN			
HOLE SIZE	7 1/4	PACKER DEPT	н है		[] SQUEEZE CEMENT [] ACID SPOTTING			
TOTAL DEPTH	1133	PERFORATION	is 🚼		[] PLUG BAC	K	[] FRAC + NIT	ROGEN
		SHOTS/FT	रु	2004	MISP. PUM		[]	HOGEN
CASING SIZE	54	OPEN HOLE			MISP. PUN		[]	
CASING DEPTI	н // 30			See.	<u> </u>	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		
CASING WEIGI	HT	TUBING SIZE			Since .	PRESSURE I	-IMITATIONS	
CASING COND	ITION	TUBING DEPTH	1	1		The second secon	THEORETICAL	INSTRUCTED
TUBING WEIGHT TUBING CONDITION]	SURFACE PIPE				
			1	ANNULUS LONG				
TREATMENT V	IA CELLIELL	4 Junh	D]	TUBING			TP-10
		2		-				
NSTRUCTION	PRIOR TO JOB	Tunged ?	5 Boll. 9	ad thei	1 2 Sacki	Aren G	el and la	Mite Cin
10 15 Bn	rrols of 1	No then	200 90	CKS OF	centert to	get D		Stope Sa
hed out	Hung the	a Quality	& Plus	to Bo	ton and	Sex F64	+ Shae	· · · · · · · · · · · · · · · · · · ·
AUTHO	RIZATION TO PR	OCÉED		TITLE		1	DA.	r TE
10 " 10 m	Yww/						571	·
TIME	CTACE I	DDI IC 1		IDDOES:				·····
AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND/STAGE	PSI		
				\$			DDE MOSUM: -	
							BREAKDOWN P	
							DISPLACEMENT	***************************************
							MIX PRESSURE	
							MIN PRESSURE	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
							ISIP	

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.