

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

CONFIDENTIAL

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5254
Name: MIDCO EXPLORATION, INC.
Address: 414 Plaza Drive, Suite 204
Westmont, IL 60559
City/State/Zip:
Purchaser:
Operator Contact Person: Earl J. Joyce, Jr.
Phone: () (630) 655-2198
Contractor: Name: Pickrell Drilling Co., Inc.
5123
License:
Wellsite Geologist: N/A

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp Abd
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:

Operator:
Well Name:
Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No.
 Dual Completion Docket No.
 Other (SWD or Enhr.?) Docket No.
1/8/03 1/17/03 1/27/03
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 095-21829-0000
County: Kingman
E/2. NW NE Sec. 13 Twp. 28 S. R. 8 East West
660 feet from S / (circle one) Line of Section
1650 feet from (circle one) E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Huey Well #: 2
Field Name: Prather

Producing Formation: Mississippi
Elevation: Ground: 1573 Kelly Bushing: 1578
Total Depth: 4421 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at 281 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content 53,000 ppm Fluid volume 500 bbls
Dewatering method used VACUUMED AND HAULED
Location of fluid disposal if hauled offsite:
Operator Name: Messenger Petroleum, Inc.
Lease Name: Nicholas SWD License No.: 4706
Quarter NE Sec. 20 Twp. 30 S. R. 8 East West
County: KINGMAN Docket No.: D-25,073

RECEIVED

APR 14 2003

KCC WICHITA

KCC

APR 09 2003

CONFIDENTIAL

ACT I WITH 12-26-06

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Earl J. Joyce, Jr.
Title: Vice-President Date: 4/8/2003

Subscribed and sworn to before me this 8th day of April, 2003

Notary Public: Nancy L. Macyunas
Nancy L. Macyunas 6/24/06

Date Commission Expires: 6/24/06

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

"OFFICIAL SEAL"
Nancy L. Macyunas
Notary Public, State of Illinois

CONFIDENTIAL

ORIGINAL

Operator Name: MIDCO EXPLORATION, INC. Lease Name: HUEY Well #: 2
Sec. 13 Twp. 28 S. R. 8 East West County: KINGMAN

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [] Yes [X] No
Samples Sent to Geological Survey [] Yes [X] No
Cores Taken [] Yes [X] No
Electric Log Run [X] Yes [] No

List All E. Logs Run: Dual Induction
Micro Resistivity

KCC
APR 09 2003
CONFIDENTIAL

Table with 3 columns: Name, Top, Datum. Rows include Heebner, Toronto, Lansing, Hertha, B/KC, Mississippi, Kinderhook, Viola, Simpson.

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set, Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD table with columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run, Date of First, Resumed Production, Producing Method, Estimated Production Per 24 Hours.

Disposition of Gas METHOD OF COMPLETION Production Interval
[] Vented [X] Sold [] Used on Lease [] Open Hole [X] Perf. [] Dually Comp. [] Commingled
[] Other (Specify)

ALLIED CEMENTING CO., INC. 12559

CONFIDENTIAL

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL
SERVICE POINT:
Medicine L.D.G.

DATE <u>1-8-03</u>	SEC. <u>13</u>	TWP. <u>28.3</u>	RANGE <u>08W</u>	CALLED OUT <u>9:00 A.M.</u>	ON LOCATION <u>11:00 A.M.</u>	JOB START <u>4:20 P.M.</u>	JOB FINISH <u>6:45 P.M.</u>
LEASE <u>Hwy</u>	WELL # <u>#2</u>	LOCATION <u>Kingman South To 1st Co.</u>			COUNTY <u>Kingman</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			Road <u>13 1/2 W 5/10 T8</u>				

CONTRACTOR Pickrell OWNER Midco Exploration

TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 286 CEMENT
 CASING SIZE 8 5/8 DEPTH 281 AMOUNT ORDERED 200 SX 60' 40' 2 + 3% CC
 TUBING SIZE DEPTH
 DRILL PIPE 4 1/2 DEPTH 286
 TOOL DEPTH

PRES. MAX 250 MINIMUM -
 MEAS. LINE SHOE JOINT 15 FT
 CEMENT LEFT IN CSG. 15 FT
 PERFS.
 DISPLACEMENT Fresh H 3 1/2 BB's

EQUIPMENT
 PUMP TRUCK CEMENTER David W.
 # 281 HELPER Steve D.
 BULK TRUCK
 # 356 DRIVER Larry G.
 BULK TRUCK
 # DRIVER

COMMON	<u>120</u>	@	<u>6.65</u>	<u>798.00</u>
POZMIX	<u>80</u>	@	<u>3.55</u>	<u>284.00</u>
GEL	<u>4</u>	@	<u>10.00</u>	<u>40.00</u>
CHLORIDE	<u>6</u>	@	<u>30.00</u>	<u>180.00</u>
	<u>KCC</u>	@		
	<u>APR 09 2003</u>	@		
	<u>CONFIDENTIAL</u>	@		
HANDLING	<u>210</u>	@	<u>1.10</u>	<u>231.00</u>
MILEAGE	<u>35</u>			<u>294.00</u>
				TOTAL <u>1827.00</u>

REMARKS:

Pipe on bottom Break C.I.C
Pump 200 SX 60' 40' 2 + 3% CC
Displace w/ 16 1/2 BB's, Fresh
Water slow Rate shut in
Cement did C.I.C

SERVICE

DEPTH OF JOB	<u>281</u>		
PUMP TRUCK CHARGE			<u>520.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>35</u>	@	<u>3.00</u> <u>105.00</u>
PLUG	<u>Wooden</u>	@	<u>45.00</u> <u>45.00</u>
		@	
		@	

CHARGE TO: Midco Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

RECEIVED TOTAL 670.00

APR 14 2003 FLOAT EQUIPMENT
 KCC WICHITA
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____
 TAX - 0 -
 TOTAL CHARGE 2497.00
 DISCOUNT 249.70 IF PAID IN 30 DAYS

SIGNATURE David A Mayfield

X DAVID MAYFIELD
 PRINTED NAME

Net \$ 2247.30

ALLIED CEMENTING CO., INC. 10847

CONFIDENTIAL

Federal Tax I.D.#

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Med Lodge

DATE <u>1-16-03</u>	SEC. <u>13</u>	TWP. <u>28S</u>	RANGE <u>8W</u>	CALLED OUT <u>4:00 PM</u>	ON LOCATION <u>6:30 PM</u>	JOB START <u>12:45 AM</u>	JOB FINISH <u>1:30 AM</u>
LEASE <u>Huey</u>	WELL # <u>2</u>	LOCATION <u>Kingman S on 14 to 1st Co Rd W 1 3/4 5/5</u>			COUNTY <u>Kingman</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Pickrell Drq

TYPE OF JOB Production

HOLE SIZE 7 7/8 T.D. 4120

CASING SIZE 4 1/2 x 10.5 DEPTH 4142

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Latch down Insert DEPTH 4100

PRES. MAX 1800 MINIMUM _____

MEAS. LINE _____ SHOE JOINT 42

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 66 BBLs 2% KCL

OWNER Midco Exploration

CEMENT AMOUNT ORDERED 15 sx 60-40.4 for Rat Hole 175 sx ABC 7 5# Kol-seal 500 gals Mud Clean

COMMON <u>A</u> <u>9</u>	@ <u>6.65</u>	<u>59.85</u>
POZMIX <u>9</u>	@ <u>3.55</u>	<u>21.30</u>
GEL <u>9</u>	@ <u>10.00</u>	<u>10.00</u>
CHLORIDE _____	@ _____	_____
_____	@ _____	_____
<u>ASC 175</u>	@ <u>8.50</u>	<u>1487.50</u>
<u>Kol-seal 875#</u>	@ <u>.50</u>	<u>437.50</u>
<u>Mud Clean 500 gals</u>	@ <u>.75</u>	<u>375.00</u>
<u>Clapro 8 gals</u>	@ <u>22.90</u>	<u>183.20</u>
HANDLING <u>241</u>	@ <u>1.10</u>	<u>265.10</u>
MILEAGE <u>241 x 35</u>	@ <u>.04</u>	<u>337.40</u>

EQUIPMENT

PUMP TRUCK # <u>343</u>	CEMENTER <u>Justin Hart</u>
BULK TRUCK # <u>303-314</u>	HELPER <u>Mark Brungardt</u>
BULK TRUCK # _____	DRIVER <u>Larry Goldberry</u>
BULK TRUCK # _____	DRIVER _____

KCC

APR 09 2003

TOTAL 3176.85

REMARKS:

Ape on BTM Break Circ
Drop Ball set packer
10 BBLs Mud Clean 5 BBLs Fresh H₂O
Plug Rat 15 sx 60.40.4
175 sx ASC @ 14.5# - 49 BBLs
Release Plug Displ 66 BBLs 2% KCL
Land Plug 600 @ 1800#
Release Press Float Held

CONFIDENTIAL

SERVICE

DEPTH OF JOB <u>4152'</u>	
PUMP TRUCK CHARGE _____	<u>1195.00</u>
EXTRA FOOTAGE _____ @ _____	_____
MILEAGE <u>35</u> @ <u>3.00</u>	<u>105.00</u>
PLUG _____ @ _____	_____

RECEIVED

APR 14 2003

TOTAL 1300.00

KCC WICHITA

CHARGE TO: Midco Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

<u>4 1/2</u>	
<u>1-Packer Shoe</u>	@ _____ <u>1325.00</u>
<u>1-Latch Down Plug</u>	@ _____ <u>300.00</u>
<u>5-Centralizers</u>	@ <u>45.00</u> <u>225.00</u>
<u>5-Turbolizers</u>	@ <u>55.00</u> <u>275.00</u>

TOTAL 2125.00

TAX - 0 -

TOTAL CHARGE 6602.85

DISCOUNT 660.18 IF PAID IN 30 DAYS 5941.67

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE David A Mayfield

PRINTED NAME

ALLIED CEMENTING CO., INC. 11026

CONFIDENTIAL

Federal Tax I.D.# _____

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
med. lodge.

DATE <u>1-28-03</u>	SEC. <u>13</u>	TWP. <u>28s</u>	RANGE <u>8w</u>	CALLED OUT <u>6:30 A.m.</u>	ON LOCATION <u>11:00 A.m.</u>	JOB START <u>11:30 A.m.</u>	JOB FINISH <u>3:30 P.m.</u>
LEASE <u>Huey</u>		WELL # <u>2</u>		LOCATION <u>Kingman, 1s, 1 3/4w - 5/5</u>		COUNTY <u>Kingman</u>	STATE <u>KS.</u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR Leiker Well Service

OWNER midco-Exploration

TYPE OF JOB Perf. Squeeze

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2 x 10.5 DEPTH _____

TUBING SIZE 2 3/8 x 4.70 DEPTH 3510

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1750 MINIMUM 200

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 14 3/4 Bbls. Fresh H₂O

EQUIPMENT

PUMP TRUCK CEMENTER Larry Dreiling

360-302 HELPER Dwayne west

BULK TRUCK _____

242 DRIVER mitch wells

BULK TRUCK _____

_____ DRIVER _____

CEMENT

AMOUNT ORDERED 255x CLASS A + .3%

FL-10. 755x CLASS A neat

COMMON 100 A @ 6.65 665.00

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

Sand 25x @ 7.50 15.00

FL-10 7# @ 8.00 56.00

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING 100 @ 1.10 110.00

MILEAGE 35 @ _____ 140.00

KCC

TOTAL 986.00

APR 09 2003

REMARKS:

Perfs. 3694-3700' Packer set
3510. Spot 25x Sand Inj. Rate
2 1/2 Bpm @ 600 PSI. Cement w/ 255x
CLASS A + .3% FL-10. 755x CLASS A
neat. Wash out Pump lines. Displace
14 1/2 Bbls. Squeezed @ 1750' Reverse
out. Pressure Squeeze. 750 PSI
Shut In.

CONFIDENTIAL

SERVICE

DEPTH OF JOB 3700'

PUMP TRUCK CHARGE _____ 1130.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 35 @ 3.00 105.00

PLUG _____ @ _____

Squeeze manifold @ 75.00 75.00

_____ @ _____

RECEIVED

TOTAL 1310.00

APR 14 2003

KCC WICHITA

BOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

TAX 156.13

TOTAL CHARGE 2452.13

DISCOUNT 229.60 IF PAID IN 30 DAYS

X

PRINTED NAME

Net \$ 2222.53

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE David A. Mayfield