Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM

CONFIDENTIAL

WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 4767	API No. 15 - 193-20675 0000
Ditable Euplemation Inc	
	County
Address: P.O. Box 783188 Wichita, KS 67278-3188	Approx. NE-NE-NE Sec. 28 Twp. 6 S. R. 36 East Wes
City/State/Zip:	feet from S / (N) (circle one) Line of Section
Purchaser:	feet from E / W (circle one) Line of Section
Operator Contact Person: Rocky Milford	Footages Calculated from Nearest Outside Section Corner:
Phone: () 316-691-9500	(circle one) (NE) SE NW SW
Contractor: Name: Murfin Drilling Company, In	Lease Name: Eicher-28A Well # 1
License:	Field Name:
Wellsite Geologist:	Producing Formation:
Designate Type of Completion: 114 2 5 200	Elevation: Ground: 3381 Kelly Rushing: 3386
X New Well Re-Entry Workover	Total Depth: 4780 Plug Back Total Depth:
—— Oil —— SWD —— SIOW —— Temp. Abd.	Amount of Surface Pipe Set and Cemented at
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
X Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFee
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt
Well Name:	sx cmt
Onginal Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AT / 73 A /2-27-1 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr/SWD	- Sometimen
	Chlore content 5200 ppm Fluid volume 421 bbls
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
8 8	Leas No.: License No.:
10/5/00 10/13/00 10/13/00 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	
	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with t	the Kansas Corporation Commission, 130 S. Market - Room 2079, Wilabita
halisas 6/202, within 120 days of the spud date, recompletion, workover	Of conversion of a well Rule 82-2-120, 92-2-106 and no 0-107 and
i morniation of side two of this form will be need confidential for a period of 12	Months if requested in writing and submitted with the form (see mits as a
in the confidentiality in excess of 12 months). One copy of all wifeline logs a	IND DECIDES Well report shall be attached with this form. At L. OCKENTALO
TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate	e the oil and gas industry have been fully complied with and the second
herein are complete and correct to the best of my knowledge.	The state and the statements
South Mill	
Signature: Solly Julian	KCC Office Use ONLY
Title: (200/09/57 Date: 1/26/200/	Letter of Confidentiality Attached
Subscribed and sworn to before me this 25th day of	If Denied, Yes Date:
and a substitution of the tries and the tries are the tries and the tries are tries are the tries are the tries are the tries are the tries ar	Wireline Log Received
THE STATE OF THE S	Geologist Report Received
Notary Public: KOMON TO PROPERTY Proper	UIC Distribution
Date Commission Expires: 10 27 103	AREN HOPPER COMPANY AND AREN H
Notary	Public - State of Kansas
My Appt. Expl	res 1012710 3

Operator Name:		East X Wes	Lease Name	_		_ Well #:		The state of the s
INSTRUCTIONS: Sh tested, time tool open temperature, fluid rece Electric Wireline Logs	and closed, flowir overy, and flow rate	ng and shut-in pressues if gas to surface to	ures, whether shut-in pest, along with final ch	pressure reached	static level, hydro	static pressu	ires bottom ho	nia
Drill Stem Tests Taken		∑ Yes ☐ N	lo X	Log Format	ion (Top), Depth a	nd Datum	☐ Sam	ple
Samples Sent to Geol	ogical Survey	☑ Yes N	Na Io	me		Top Datum		m
Cores Taken Electric Log Run (Submit Copy)		☐ Yes X N	ŧ	See attached				
List All E. Logs Run:	Radiatio	on Guard Lo	g					
			ING RECORD XX I		tion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacis Used	Type and Pe	
surface	12 1/4"	8 5/8"	23#	412'	common	275	3% cc,	
Purpose:	Depth		NAL CEMENTING / SC	UEEZE RECORD				
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Type of Cement	#Sacks Used		Type and Pe	rcent Additives	1	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				epth	
UBING RECORD	Size	Set At	Packer At	Liner Run	Yes No			
ate of First, Resumerd Pro			fethod Flowing	Pumping	Gas Lift	Othe	er (Explain)	
stimated Production Per 24 Hours	Oil B	bis. Gas	Mcf Wate	er Bb	s. Gas	-Oil Ratio	Gra	vity
isposition of Gas	METHOD OF CO			Production Interva			***************************************	
(If vented, Sumit A		Open Hol		ually Comp.	Commingled			

ORIGINAL



CONTINIA

#1 Eicher-28A 440' FNL and 440' FEL Section 28-6S-36W Thomas County, Kansas API# 15-193-20675

			Ref.				Ref.
Sample Tops			Well	Electric Log Top	S		Well
Stone Corral	3001'	+385'	-3'	Stone Corral	3004'	+382'	-6'
Base/SC	3037'	+349'	-5'	Base/SC	3038'	+348'	-6'
Wabaunsee	3896'	-510'	-8'	Wabaunsee	3896'	-510'	-8'
Topeka	4052'	-666'	-6'	Topeka	4056'	-670'	-10'
Heebner	4188'	-802'	-8'	Heebner	4188'	-802'	-8'
Toronto	4220'	-834'	-7'	Toronto	4223'	-837'	-10'
Lansing	4236'	-850'	-5'	Lansing	4238'	-852'	-7'
Stark	4431'	-1045'	-8'	Stark	4434'	-1048'	-11'
B/KC	4509'	-1123'	-7'	B/KC	4512'	-1126'	-10'
Marmaton	4524'	-1138'	-8'	Marmaton	4525'	-1139'	-9'
Upr Altamont	4558'	-1172'	-8'	Upr Altamont	4558'	-1172'	-8'
Lwr Altamont	4574'	-1188'	-8'	Lwr Altamont	4576'	-1190'	-10'
Pawnee	4599'	-1213'	-9'	Pawnee	4600'	-1214'	-10'
Myrick Station	4648'	-1262'	-9'	Myrick Station	4651'	-1265'	-12'
Ft. Scott	4669'	-1283'	-11'	Ft. Scott	4672'	-1286'	-14'
Cherokee	4696'	-1310'	-11'	Cherokee	4699'	-1313'	-14'
RTD	4780'	-1394'		LTD	4782'	-1396'	

10/11/00 DST #1 4533'- 4592' (upper & lower Altamont)

Recovered 320' water cut mud (50% mud, 50% water), 765' salt water. 1085'

of total fluid.

IFP: 53-357#/43"

ISIP: 1235#/62"

FFP: 353-510#/43" FSIP: 1124#/61"

10/12/00 DST #2 4587'-4720' (Pawnee & upper Cherokee

Recovered 60' slightly water cut mud (90% mud, 10% water).

IFP: 41-41#/45" FFP: 52-52#/45"

ISIP: 1150#/45"

FSIP: 1120#/45"

P.O. Box 783188 Wichita, Kansas 67278-3188 (316) 691-9500 Fax (316) 691-9550 rei@ritchie-exp.com

8100 E. 22nd St. N., Bldg. 700 Wichita, Kansas 67226-2328

ALLIED CEMEN CONFIDENTIAL Federal Tax I.I Property Property For Property		•	NC. ORI VICE POINT:	5260 GINAL
16-5-00 SEC. TWP. RANGE C	ALLED OUT	ON LOCATION	JOB START	JOB FINISHOM
Eicher 28 A WELL# / LOCATION BI-ews/	er GIR	EINZE	COUNTY Thomas	STATE
OLD OR (Circle one)				CC
CONTRACTOR Murfin Orla Rig 3	OWNER	Same	. [1/2]	2001
TYPE OF JOB Surface HOLE SIZE /2/4 T.D. 4/5'	CEMENT		Port of the	
CASING SIZE 83/8 DEPTH 4/2'	AMOUNT OR			
TUBING SIZE DEPTH DRILL PIPE DEPTH	2155K	Com 3% C	C d 26 (ve)	
TOOL . DEPTH				- 00
PRES. MAX MINIMUM	COMMON	275 SKS	_@_ <i>75</i> 5_	2,07623
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG. /5'	POZMIX GEL	E ev	@ <u>950</u>	: 4750
PERFS.	CHLORIDE	5 5K5 10 5K5	-@ <u>733</u>	280.00
DISPLACEMENT 2.5 by Bb/s	CHEORIDE _	10 /63		200
EQUIPMENT				
	****		_@	
PUMP TRUCK CEMENTER	***************************************		@ @	
# /9/ HELPER DEAM	HANDLING	290 sks	@ <u>/05</u>	30450
BULK TRUCK # 2/2 DRIVER Walt	MILEAGE	4\$ por 5	Klmilo	56840
BULK TRUCK		, ,		16
# DRIVER			TOTAL	3,2760
REMARKS:		SERV	ICE	
Cement did circulation	DEPTH OF JO	***************************************		
Cement did circulate	PUMP TRUC	K CHARGE		470 90
Cement did circulati	PUMP TRUCI EXTRA FOOT	K CHARGE	@	470 90
Cement did circulati	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE 49 nules	@ 	470 <u>90</u>
Cement did circulate	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE	@ 	470 <u>90</u> 147 <u>90</u> 45 <u>90</u>
Cement did circulati	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE 49 nules	@ @_ <u></u>	470 90 147 00 45 00
Thank You	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE 49 nules	@ @ <u></u> 	470 90 147 00 45 00 662 00
CHARGE TO: Bitcher Exploration Inc	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE TAGE Y 9 nules Surface Ply	@	470 <u>90</u> 147 <u>90</u> 45 <u>90</u> 662 <u>90</u>
CHARGE TO: Ritcher Exploration Inc STREET	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE 49 nules	@	470 <u>90</u> 147 <u>00</u> 45 <u>00</u> 662 <u>00</u>
CHARGE TO: Bitcher Exploration Inc	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE TAGE Y 9 nules Surface Ply	@	
CHARGE TO: Ritcher Exploration Inc STREET	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE TAGE Y 9 nules Surface Ply	######################################	
CHARGE TO: Ritcher Exploration The STREET CITYSTATEZIP	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE TAGE Y 9 nules Surface Ply	### 100 10	
CHARGE TO: Ritcher Exploration The STREET CITY STATE ZIP	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE TAGE Y 9 nules Surface Ply	### 100 10	
CHARGE TO: Ritcher Exploration The STREET	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE TAGE Y 9 nules Surface Ply	### 100 10	
CHARGE TO: Ritcher Exploration The STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	PUMP TRUCE EXTRA FOOT MILEAGE	K CHARGE TAGE TAGE Y 9 nules Surface Ply	### 100 10	
CHARGE TO: Ritcher Exploration The STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	PUMP TRUCI EXTRA FOOT MILEAGE PLUG STS	K CHARGE TAGE TAGE Y 9 nules Surface Ply	### ##################################	
CHARGE TO: R. Tcher Exploration The STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	PUMP TRUCE EXTRA FOOT MILEAGE PLUG STS	K CHARGE TAGE TAGE 49 miles Surface Ply	### ##################################	
CHARGE TO: Ritcher Exploration That STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	PUMP TRUCE EXTRA FOOT MILEAGE PLUG STS. TAX TOTAL CHAF	K CHARGE TAGE TAGE TAGE Scirface Fly	### TOTAL ###################################	
CHARGE TO: Ritcher Exploration That STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	PUMP TRUCE EXTRA FOOT MILEAGE PLUG STS. TAX TOTAL CHAF	K CHARGE TAGE TAGE 49 miles Surface Ply	### TOTAL ###################################	
CHARGE TO: Ritcher Exploration Inc. STREET CITY STATE TO Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	PUMP TRUCE EXTRA FOOT MILEAGE PLUG STS. TAX TOTAL CHAF	K CHARGE TAGE TAGE TAGE Scirface Fly	### TOTAL ###################################	
CHARGE TO: Ritcher Exploration That STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	PUMP TRUCE EXTRA FOOT MILEAGE PLUG STS. TAX TOTAL CHAF	K CHARGE TAGE TAGE TAGE TAGE Scirlace Ply FLOAT EQU	### TOTAL ###################################	

LIED CEMENTING CO., INC. 5315 Federal Tax I.D.# ORIGINAL SERVICE POINT: OAKLEY

P.O. BOX 31 RUSSELL, KANSAS 67665

DATE 28 6	, , ,	CALLEDOUI	10:45 AM	12:45 Pm	JOB FINISH
E=CHER-28A 1		1-201/		COUNTY THOMAS	STATE
OLD OR NEW (Circle one)	LOCATION BREWS	StER 9/210-1	E-1N-74E	/ HOMAS	<u> </u>
	- #			•	
CONTRACTOR MURREN D	RLG, RF6 3	OWNER	SAME	31113	5 2001
TYPE OF JOB				الالماء والمواصة	CAPUA.
HOLE SIZE 778'	T.D. 4780	CEMENT	_	MITTE	1.7
CASING SIZE	DEPTH	AMOUNT OR	DERED <u>/905/6</u> 5	6040 poz	12 GEL/48
TUBING SIZE	DEPTH			•	
DRILL PIPE 4/2"	DEPTH 3005	-			
TOOL	DEPTH				20
PRES. MAX	MINIMUM	COMMON	114 sks	@ <u>7<i>\$5</i></u>	86070
MEAS. LINE	SHOE JOINT	POZMIX	76 SKS	@ <u>325</u>	24700
CEMENT LEFT IN CSG.		GEL	10 5Ks	@ <u>950</u>	9500
PERFS.		CHLORIDE _	, the state of the	.@	
DISPLACEMENT		Flo-Seal	48#	@ 115	<u> 55 20</u>
EQUIPME	ENT			@	
				@	
PUMP TRUCK CEMENTER_	TERRY			@	
10/	WAYWE	*****		@	
BULK TRUCK	MINE	HANDLING_	202 sks	@ 105	2/2 !0
# 2/8 DRIVER	ANSOREW	MILEAGE	H& Der SK	Inico	395 9
BULK TRUCK	MONEU		, ,		_
# DRIVER				TOTAL	1,865 9
DRIVER				IOIAL	4000
REMARK	KS:		SERVIC	Œ	
25 SKS A+ 3005'					
100 SKS A+ 2180'		DEPTH OF JO	В <i>30</i>		
40 SKS A+ 460'		PUMP TRUCK		05	580 °C
10 SKS #+ 40'		EXTRA FOOT	***************************************		300
15 SKS RAT HOLE		MILEAGE 4	19 J. I.	@	14700
1000 1111 1100		DI LIC 954	DRY Hole	@ <u></u>	147
		1200 <u>6 / 8</u>	WATHOR		25
	THANK YOU				
	THANK YOU	######################################	<u> </u>	. w	
					no
1-54-0				TOTAL	130
CHARGE TO: RITCHIE E	XploRATION, INC.				
STREET	·		ELOAT FOLL	DR ÆFIRIEN	Ą
			FLOAT EQUI	PIVLENT	
CITYSTATE _	ZIP		- Hardware		
				@	
				@	
				@	
38 W 41				@	
To Allied Cementing Co., Inc.				@	
You are hereby requested to rent	cementing equipment			TOTAI	
and furnish cementer and helper	to assist owner or			IOIAL	
contractor to do work as is listed.					
done to satisfaction and supervisi	on or owner agent or	TAX			
contractor. I have read & unders					
CONDITIONS" listed on the rev	erse side.	TOTAL CHAR	GE		
	Ω	DISCOUNT		IE DY ID	IN 30 DAVO
	\mathcal{V}_{i}			II. LVID	TA 20 DWI 2
SIGNATURE (/ hasher / /	2/1/1				
SIGNATURE Chali Va	-170				
			PRINTEI	O NAME	