## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE



Operator: License # 6766	API No. 15 - 037-21661-00-00
N & W Enterprises	County: Crawford
Address: 1111 S. Margrave	NE_NW_NE_SE_Sec. 33 Twp. 28 S. R. 22  East West
City/State/Zip: Fort Scott, KS 66701	2475feet from (\$)/ N (circle one) Line of Section
	825 feet from (E) W (circle one) Line of Section
Purchaser: LP Markeurig  Operator Contact Person: Thomas L. Norris  Operator Contact Person: Thomas L. Norris	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 223-6559	(circle one) NE (SE) NW SW
Purchaser: LP Marketing  Operator Contact Person: Thomas L. Norris  Phone: (620 ) 223-6559  Contractor: Name: McGown Drilling	Lease Name: Meyer Well #: 25
License: 5786	Field Name: Walnut SE
Wellsite Geologist: NA	Producing Formation: Bartlesville
	Elevation: Ground: N/A Kelly Bushing:
Designate Type of Completion:  New Well Re-Entry Workover	Total Depth: 420 Plug Back Total Depth: 419.7
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
	Multiple Stage Cementing Collar Used?
Gas ENHR SIGW	If yes, show depth setFeet
Dry Other (Core, WSW, Expl., Cathodic, etc)	If Alternate II completion, cement circulated from 420
If Workover/Re-entry: Old Well Info as follows:	feet depth to TOPw/_ 50sx cmt.
Operator:	teet depth to
Well Name:	Drilling Fluid Management Plan ALTIT WHM
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit) Z-7-66
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	
9/27/2004 9/28/2004 10/17/2004	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. Twp. S. R. East West
necompletion Date necompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING S. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regul herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Atomas & Moura	KCC Office Use ONLY
Title:	Letter of Confidentiality Attached
Subscribed and sworn to before me this 35 day of Cefalle	If Denied, Yes Date:
2004 /	Wireline Log Received
20-1	Geologist Report Received
Notary Public: / Ugusus Name	UIC Distribution
Date Commission Expires: 3 - 30 · 0	

Operator Name: N 8	& W Enterprises			Lease	Name:_	Vleyer		Well #: 25		***************************************	
	wp. 28 S. R. 22			Count	County: Crawford						
INSTRUCTIONS: S tested, time tool ope temperature, fluid re- Electric Wireline Log	n and closed, flowin covery, and flow rate	g and shu es if gas to	i-in pressures, surface test, a	whether salong with	hut-in pre	ssure reached	static level, hydro:	static pressur	es, botto	m hole	
Drill Stem Tests Taken ☐ Yes ✔  (Attach Additional Sheets)		es 🗹 No	VL		og Formation (Top), Depth a		nd Datum		Sample		
Samples Sent to Geological Survey		es 🗹 No		Name			Top Da		Datum		
Cores Taken Yes V No		es 🗹 No		Bartlesville			386 396		396		
Electric Log Run (Submit Copy)		VY	es No			A/o.	ECEIVER				
List All E. Logs Run:						KCC V	ECEIVED 032004 VICHITA				
		Repo		RECORD		ew Used ermediate, produc	tion etc				
Purpose of String	Size Hole Drilled	Siz	ze Casing	We	ight	Setting Depth	Type of Cement	# Sacjs Used		Type and Percent	
Surface	10 1/2	8 5/8	t (in O.D.) Lbs. / Ft. 9lbs/ft		774	20 ft.	Portland #1	5	Additives NA		
Production	6 1/2	2 7/8		61/2 lbs/ft.		420 ft.	Portland #1	50	NA		
			ADDITIONAL	CEMENT	ING / SQI	JEEZE RECORD	)	Turket in the second se			
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Турє	e of Cement	#Sack	ss Used Type and Percent Additives		;				
	PEREORAT	ION RECO	RD - Bridge Plu	ns Set/Tyne		Acid Fra	cture Shot Cement	Saugeze Reco	rd		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth							
2 shots/ft. 386 - 396					Fracture - 20/40 Sand 20 Sacks 386 - 396						
			- Andrew State - Andrew State - State								
TUBING RECORD 2	Size 7/8	Set At 420 ft.		Packer /	At	Liner Run	Yes   ✓ No				
	rd Production, SWD or		Producing Met		Flowin			Oth	er (Explain	)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B		as-Oil Ratio		Gravity	
	1/2	COMP. CT.	NA		25	Dun de all a la	N <sub>2</sub>	Α	3	31	
Disposition of Gas	METHOD OF	COMPLET				Production Inter					
Vented Sold	✓ Used on Lease ubmit ACO-18.)		Open Hole Other (Spec	ify)	f. [][	Dually Comp.	Commingled		~		

## Norris Welding Services, Inc

INVOICE

1111 S Margrave Fort Scott, Kansas 66701 620-223-6559 DATE: November 2, 2004

**INVOICE #108** 

Bill To: N & W Enterprises, Inc. 1111 S Margrave Fort Scott, Kansas 66701 For:
Meyer Lease Cement Wells

DESCRIPTION		AMOUNT		
Well #25				
50 Sacks Portland #1 Cement		279.50		
Pump Charge for circulating 50 sacks of cement to top		150.00		
	A STATE OF THE STA			
	MCC.			
тот	AL \$	429.50		