For KCC Use:	ビー C-Dフ
Effective Date:	301
District #	3
SGA? Tyes	₩o

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

month day year	Spot
22740	SecTwpS. RWest 660feet fromN / V S Line of Section
PERATOR: License# 32710	1605 feet from VE / W Line of Section
lame. Laymon Oil II, LLC	is SECTION ✓ Regular Irregular?
Address: 1998 Squirrel Road	is SECTION Inegular Integular:
Address: Neosho Falls, KS 66758	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Kenneth Laymon	County: Woodson
Phone: 620-963-2495	Lease Name: Section 35 Well # R-75
	Field Name: Vernon
CONTRACTOR: License# 32710	Is this a Prorated / Spaced Field?
lame: company tools	Target Formation(s): Squirrel
	Nearest Lease or unit boundary: 165
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary ✓	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 150
Other	Surface Pipe by Alternate: 1 2 2
<u> </u>	Length of Surface Pipe Planned to be set: 40'
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1100
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #;
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Sottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No
	F100 F131
CCC DKT #:	Will Cores be taken? Yes ✓ No
AF	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> :	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging;
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
AFI The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plushing an appropriate district office will be production pipe shall be come	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date.
AFI The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Fastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate #1 cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> attrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus 0. If an ALTERNATE II COMPLETION, production pipe shall be ceme 0. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> attrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus 0. If an ALTERNATE II COMPLETION, production pipe shall be ceme 0. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shat hereby certify that the statements made herein are true and to the best signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shat hereby certify that the statements made herein are true and to the best signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: **Title:** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the appropriate of the complete of the complete of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing Ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shathereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent: Conductor pipe required Monumer feet Minimum surface pipe required feet per Alt.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. If district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formulated is strict office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district plus appropriate district office will be notified before well is either plus appropriate district p	Will Cores be taken? If Yes, proposed zone: PIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and the plugged of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shathereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent: Conductor pipe required Monumer feet Minimum surface pipe required feet per Alt.	Will Cores be taken? If Yes, proposed zone: PIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate: For KCC Use ONLY API # 15 - 207-27147-0000 Conductor pipe required Minimum surface pipe required Approved by: ## 430-07 This authorization expires: 10-30-07	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of 1 fan ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shathereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent: Minimum surface pipe required Approved by: MINIMUM Surface Pipe required	Will Cores be taken? If Yes, proposed zone: PIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27/47-0000	Location of Well: County: Woodson
Operator: Laymon Oil II, LLC	660 feet from N / J S Line of Section
Lease: Section 35	1605 feet from VE / W Line of Section
Well Number: R-75	Sec. 35 Twp. 23 S. R. 16 ✓ East Wes
Field: Vernon	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: EZ E2 - SW SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				•
•	•	•	· ·	
	•	•		
•	-	•		•
			<i>, , ,</i>	
•	•			
	·			
			<i>.</i>	
			. <i>.</i>	
				•
		•		
	•		•	
,		•		
		•	·	
			,	
				, , ,
•	•	•	•	
•	•	•	•	
•	•	•	· .	1605"
			• •	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	,			l_ ,
		•		6
	•		į .	5
			<u> </u>	1



V

In plotting the proposed location of the well, you must show:

RECEIVED KANSAS CORPORATION COMMISSION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.

 APR 2.007 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

CONSERVATION DIVISION

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Laymon Oil II, LLC			License Number: 32710		
Operator Address: 1998 Squirrel R	oad, Neosho	Falls, KS	66758		
Contact Person: Kenneth Laymon			Phone Number: (62) 963 - 2495		
Lease Name & Well No.: Section 35 # R-75			Pit Location (QQQQ):		
Type of Pit:	Pit is:		E2 E2 SW SE		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 35 Twp. 23 R. 16 ✓ East West		
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit canacity:		1605 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Woodson		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l		
	<u> </u>		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	NI-	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸		native clay		
Pit dimensions (all but working pits):5	0 Length (fe	eet)8	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the	liner		dures for periodic maintenance and determining		
material, thickness and installation procedure		liner integrity, i	ncluding any special monitoring.		
			west fresh waterfeet.		
N へ feet Depth of water well feet		Source of info	mation: iredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
Producing Formation:		_	Type of material utilized in drilling/workover: drilling gel		
1			king pits to be utilized: one		
, -		Abandonment	procedure: backfill w/dirt		
Does the slope from the tank battery allow all spilled fluids to					
flow into the pit? Yes No Drill		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	N-VEIVEL)		
	/		KANSAS CORPORATION COMMISS		
04/24/07		ana In	ymer act AFR 27 2007		
Date		<i>' J</i>	ignature of Applicant of Agent		
	ксс	OFFICE USE O	NLY CONGERVATION DIVISION WESTITA, KS		
Date Received: 4/27/07 Permit Num	hor	Darm	it Date: 4/30/07 Lease Inspection: Yes X No		