For KCC Use: Effective Date: _ District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well
Expected Spud Date 04/30/2007	Spot ✓ East
month day year	SE SE SW Sec. 14 Twp. 34 S. R. 14 West
33297	340 feet from N / S Line of Section
OPERATOR: License# 33297 Name: Rockin Bar Nothin Ranch Inc.	2705 feet from ✓ E / W Line of Section
Address: 2339 Co. RD. 2800	Is SECTION Regular Irregular?
City/State/Zip: Independence, KS. 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brandon Owens	County: Montgomery
Phone: (620) 289-4782	Lease Name: Smothermon Well #: 27
1	Field Name: Wayside/Havana
CONTRACTOR: License# 5989	Is this a Prorated / Spaced Field?
Name: Finney Drilling Company	Target Formation(s): Wayside
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 340 ft
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 765 ft feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWD Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100'
Other	Depth to bottom of usable water: 175
	Surface Pipe by Aiternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 ft
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 710' Formation at Total Depth: 685' Wayside
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗸)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: Wayside
A 778748	
AFFIE	
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	n drilling rig:
3. The minimum amount of surface pipe as specified below shall be set	
through all unconsolidated materials plus a minimum of 20 feet into the	
, , ,	strict office on plug length and placement is necessary prior to plugging;
 The appropriate district office will be notified before well is either plugg If an ALTERNATE if COMPLETION, production pipe shall be cemente 	
	133,891-C, which applies to the KCC District 3 area, alternate II cementing
	e plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	my knowledge and bejingt.
04/00/007	dor W Wwent Title: President
Date: 04/23/2007 Signature of Operator or Agent/ Suan	Title: Presiderit
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 125-31349-0000	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required Nove feet	- File acreage attribution plat according to field proration orders;
Minimum surface pipe required 20 feet per Alt. Y/2	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Approved by: First S-1-07	- Obtain written approval before disposing or injecting salt water.
11-1-1-7	- If this permit has expired (See: authorized expiration date) please
Titis auditization explies.	check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Orilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date:
Mail to: KCC - Conservation Division, 130 S.	. Market - Room 2078, Wichita, Kansas 67202
	KANSAS CORPORATION COMMISSION

APR 3 0 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Operator:_	Rockin Bar Nothin Ranch Inc.	340	feet fromN / 🗸 S Line of Section
Lease: Sn		2705	feet from 🗸 E / Line of Section
Well Number	er: 27	Sec. 14 Twp. 34	S. R. 14
Field: Ways	ilde/Havana	to Occident (7) Decides	an Thursday
Number of	Acres attributable to well: 320	Is Section: 🗸 Regular	r or Irregular
QTR / QTR	/ QTR of acreage: SE - SE - SW	If Section is Irregular, k	ocate well from nearest corner boundary.
		Section corner used:	
	PL	ΔT	
	(Show location of the well and shade attribut		r spaced wells.)
	Terry Brake (Show footage to the nearest		
	80 acres Lonnie Betts - 2	40 acres	
	DO WINES ROTHING DOLLO		
		•	
300			
3	***	•	
"	172320		
<u>.</u>	Δ25 Δ13		
α	. 18 . 22 . 19 . 14 . 12	-11	
d		anne!	E. Line
9	• 21 • 27 • 28 • 29	•10 2705	E. Aine
. 2400	1-340'S.Line	(E)	KAMPLE
<u> </u>		•	
	Tarny Broke Oak		
	Terry Brake Calvin	.,	;
	; ; ; Hayd	en	10000
			3390'
		: 3	
		. 9	
		: si	EWARD CO.
Į.		-	
	IOTE: In all cases locate the spot of the proposed drilling	g locaton.	
		3	

The manner in which you are using the depicted plat by identifying section lines, i.e. I section, it section with a surrounding sections.
 4 sections, etc.

2. The distance of the proposed drilling location from the section's south / north and east / west.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CG-7 for oil wells; CG-8 for gas wells).

APR 3 8 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			License Number: 33297
Operator Name: Rockin Bar Nothin	Ranch Inc.		
Operator Address: 2339 CO. RD.	2800 Inde	ependence,	KS. 67301
Contact Person: Brandon Owens		,	Phone Number: (620) 289 - 4782
Lease Name & Well No.: Smothermo	on #27		Pit Location (QQQQ):
Type of Pit:	Pit is:		SE SE SW .
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 14 Twp. 34 R. 14 ✓ East West
Settling Pit	If Existing, date of		340
	II Existing, data o	onsauctou.	Feet from North / South Line of Section
Workover Pit	Pit capacity:		Feet from 🗸 East / 🗌 West Line of Section
		(bbls)	Montgomery County
Is the pit located in a Sensitive Ground Wate	r Area? ☐ Yes 🗸	No	Chloride concentration:mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	A 4	How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes 🗸	No	Clay bottom & side
Pit dimensions (all but working pits):	50 Length (fo	eet)6	Width (feet) N/A: Steel Pits
Depth in the pit is lined give a brief description of the material, thickness and installation procedure.		Describe proce	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the	e liner	Describe proce	edures for periodic maintenance and determining
If the pit is lined give a brief description of the	e liner e.	Describe proce liner integrity, is	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e. le of pit	Describe proce liner integrity, in Depth to shallo Source of infor	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi	e liner e. le of pit	Describe proce liner integrity, in Depth to shallo Source of information measurements.	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N A feet Depth of water well Emergency, Settling and Burn Pits ONLY	e liner e. le of pit feet	Depth to shallo Source of informeasu	edures for periodic maintenance and determining including any special monitoring. Invest fresh waterfeet. Invention: Intered well owner electric log KDWR
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N Feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	e liner e. le of pit feet	Depth to shallo Source of infor measu Drilling, Work	west fresh waterfeet. mation: uredwell ownerelectric logKDWR
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e liner e. le of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized: 1
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	e liner e. le of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia	edures for periodic maintenance and determining including any special monitoring. Invest fresh waterfeet. Investigation: Investigation:electric logKDWR Investigation
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N A feet Depth of water well	e liner e. le of pit feet	Describe proce liner integrity, is Depth to shallo Source of informeas. Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized: 1
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	e liner e. le of pit feet : Il spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must	adures for periodic maintenance and determining including any special monitoring. Inwest fresh waterfeet. Invariance: Invariance:feet. Invariance:feet. Invariance:feet. Invariance:
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No I hereby certify that the above state 04/23/2007	e liner e. le of pit feet : Il spilled fluids to	Describe proce liner integrity, in the process of information of measurement of material number of work abandonment of the best of the bes	adures for periodic maintenance and determining including any special monitoring. Invest fresh water
Distance to nearest water well within one-mi Note: Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state	e liner e. le of pit feet : Il spilled fluids to	Describe proce liner integrity, in the process of information of measurement of material number of work abandonment of the best of the bes	west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: freshwater king pits to be utilized: 1 procedure: Haul off water & fill in. be closed within 365 days of spud date. **CONTROL ON CONTROL OF THE CONTROL