For KCC	Use:	<u>-</u> -	7-07	
Effective	Date:	<u> </u>	, , ,	
District #		_4_		
SGA?	Yes	⊀ No		

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

OWWO	
	Form C-1
	December 2002
Form	must be Typed
_	

Form must be Signed All blanks must be Filled

Expected Spud Date		08 2007	Spot SE NE NW see 7 Tun 10 S	East
	month d.	ay year	Sec Iwp S.	
OPERATOR: License# 321	158	****		S Line of Section
Name: H & B Petro	leum Corporation		reet from VE / V	W Line of Section
Address: P.O. Box 27	- ···		Is SECTION Regular Irregular?	
City/State/Zip:	ansas 67526-0277		(Note: Locate well on the Section Plat on reve	rse side)
Contact Person: Al Hammersi	mith		County: Rooks	
Phone: 620-564-300	2		Lease Name: Ouderkirk	.Well #:
			Field Name: Marcotte	
CONTINACTOR. LICENSE# —	33369		Is this a Prorated / Spaced Field?	Yes No.
Name: Xtreme Wel	l Service, Inc.		Target Formation(s): Arbuckle	
		T 5. harrant	Nearest Lease or unit boundary: 330	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 2226 +/-	feet MSL
✓ Oil Enh Rec	Infield	Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage	Pool Ext.	Air Rotary	Public water supply well within one mile:	Yes No
✓ OWWO Disposal	Wildcat	Cable	Depth to bottom of fresh water: 140 /40	
Seismic;# of Ho	oles Other		Depth to bottom of usable water:	
Other			Surface Pipe by Alternate: 1 ✓ 2	
		,	Length of Surface Pipe Planned to 199 set:187	
If OWWO: old well information Nadel & Gus			Length of Conductor Pipe required: None	
Operator: Nader & Gus	saman, me.	V	Projected Total Depth: 3768	
well wame:	07.40.4040	0769	2700. 6 . 1	
Original Completion Date	:: 07-18-1949 _Origir	nal Total Depth: 3766	, , , , , , , , , , , , , , , , , , , ,	
Directional, Deviated or Horiz	zontal wallboro?	Yes ✓ No	Water Source for Drilling Operations:	
			Well ✓ Farm Pond Other	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR	
KCC DKT #:			Will Cores be taken?	Yes ✓ No
			If Yes, proposed zone:	
		Λ E E		ECEIVED
The condension ad basebur off	ii that tha deilling	completion and eventual n	lugging of this well will comply with K.S.A. 55 et. seq. COR	PORATION COMMISSION
The undersigned hereby an	inns that the unimy,	anta will be mot	ragging of this well will comply with the in a color	
It is agreed that the followin			MA	7 / 2007
Notify the appropriate			ch drilling rig:	
2. A copy of the approve	t of curtace pine as	enecified below shall be s e	ch drilling rig; et by circulating cement to the top; in all cases surface p	RVATION DIVISION IDE. S <i>DAIL DE SEL</i>
through all unconsolid	dated materials nius	a minimum of 20 feet into t	he underlying formation.	VICHITA, KS
4 If the well is dry hole	. an agreement betv	veen the operator and the	district office on plug length and placement is necessary	prior to plugging;
5. The appropriate distri	ict office will be notif	ied before well is either plug	gged or production casing is cemented in;	
6 If an ALTERNATE II (COMPLETION prod	uction pipe shall be cemen	ted from below any usable water to surface within 120 da	ays of spud date.
Or pursuant to Apper	ndix "B" - Eastern K	ansas surface casing order	#133,891-C, which applies to the KCC District 3 area, a	internate ii cementing
			be plugged. In all cases, NOTIFY district office prior t	o any cementing.
I hereby certify that the stat	tements made herei	n are true and to the best o	of my knowledge and belief.	
0.4 (2.0 (2.0.0.7			Immersmille Title: Vice Preside	ent
Date: 04/30/2007	Signature of Oper	ator or Agent:	myrecommunity Title.	
			Remember to:	
For KCC Use ONLY			- File Drill Pit Application (form CDP-1) with Intent to Dr	ill;
API # 15 - /63-0	0190 <u>9-00-</u>	01	- File Completion Form ACO-1 within 120 days of spuc	
A11 " 10	. 7		- File acreage attribution plat according to field proration	
Conductor pipe required_	None	feet	- Notify appropriate district office 48 hours prior to work	
Minimum surface pipe requ		feet per Alt. (2)	- Submit plugging report (CP-4) after plugging is comp	1
Approved by: full 5-	2-01	<i>'</i>	- Obtain written approval before disposing or injecting	
This authorization expires:	11-2 -7		- If this permit has expired (See: authorized expiration	
(This authorization void if dr.	•	6 months of approval date.)	check the box below and return to the address below	v. •
(11) GODIO IZAKOT KOKO II KI	g not clarios minis		Well Not Drilled - Permit Expired	
Spud date:	Agent:	400 \$	Signature of Operator or Agent:	
			Date:	~

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 163-01909-00-01	Location of Well: County: Rooks
Operator: H & B Petroleum Corporation	4290 feet from N / S Line of Section
Lease: Ouderkirk	2970 feet from ✓ E / W Line of Section
Well Number: 4 Field: Marcotte	Sec. 7 Twp. 10 S. R. 19 ☐ East ✓ Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•	•	•
		•	, , ,
		•	
ĺ		_	<u> </u>
	•		<u> </u>
	•	·	·
	•	*	
1 ' ' '		· I · ·	
1	•		
		.	
		_	
	•		•
	•	l	•
]			
1			. , ,
1		. 1	
		.	
		.	
	•	·	
1			
		4290	
1	- ,	دوا	
		مرا	
		. lo	
		•	
		-	
1			1
1 ' ' '			
		.	
1		•	
	•	•	
1	•	•	
<u> </u>			

NOTE: In all cases locate the spot of the proposed drilling locaton.



MAY 6 7 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			1		
Operator Name: H & B Petroleum Corporation			License Number: 32158		
Operator Address: P.O. Box 277,	Ellinwood, K	ansas 67	526-0277		
Contact Person: Al Hammersmith			Phone Number: (620) 564 - 3002		
Lease Name & Well No.: Ouderkirk	#4		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SE_NE_NW_NW/4</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 7 Twp. 30 R. 19 ☐ East 🗸 West		
Settling Pit Drilling Pit	If Existing, date constructed:		4290 Feet from North / South Line of Section		
✓ Workover Pit Haul-Off Pit	Dit a service in		2970 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 200	(bbls)	Rooks County		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l		
is the pictocated in a constitute croams reason	, , , , , , , , , , , , , , , , , , , ,	, , ,	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et) 8	Width (feet)N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	5 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining including any special monitoring.		
10 mil - laid in and cover edges		Steel pit t	to be used for cuttings only		
Distance to nearest water well within one-mile	0 5	Source of infor			
	feet		uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		.	kover and Haul-Off Pits ONLY:		
Producing Formation:			ial utilized in drilling/workover:		
Number of producing wells on lease: Barrels of fluid produced daily:		Number of working pits to be utilized: 1-Lined 1-Steel Abandonment procedure: Lined pit-keep water drawn off, dry & backfill			
Does the slope from the tank battery allow al		Abdildolliloit	- procedure.		
flow into the pit? Yes No	Spined halds to	Drill pits must	be closed within 365 days of spud date. RECEIVED		
I hereby certify that the above state	ements are true and o	correct to the bes			
04/30/2007 Date		Ham	CONSERVATION DIVISION WICHITA, KS Signature of Applicant or Agent		
	KCC	OFFICE USE O	DNLY		
Date Received: 5/2/67 Permit Num	nber:	Perm	nit Date: 5/2/67 Lease Inspection: [Yes 🗶 No		

TATE OF KANSAS 20 W

WELL PLUGGING RECORD

	15-163-01909-0000
D	N/A

Revised 05-88

CATE CORPORATION COMMISSION	K.A.R82-3-117		API NUMBER N/A			
200 Colorado Derby Building			LEASE NAME	OUDERR	IRK	
	TYPE OR PE	WELL NUMBE	WELL NUMBER #4			
	and return to	NOTICE: Fill out completely and return to Cons. Div.			Section Line	
	office within	2970	t. from E	Section Line		
EASE OPERATOR Nadel and	Gussman		SEC	P. 10 RGE.	19 (E) or (W)	
DDRESS 3200 First National	Tower		COUNTY	Rooks		
HONE#(918) 583-3333 OPERA					7-18-49	
haracter of Well <u>Oil</u>	•			Commenced _	9-21-94	
OII, Gas, D&A, SWD, Input, Wa	ater Supply Well)		Plugging	Completed _	9-21-94	
he plugging proposal was appr						
y Dennis Hamel						
s ACO-1 flled?1						
roducing FormationArbuck					3770	
how depth and thickness of a						
OIL, GAS OR WATER RECORDS	1	•	ASING RECORD			
				ulled out		
Formation Content			1			
Lansing-KC Water Arbuckle Oil & wa	3473 36 ater 3768 37	80 8-5/8 700 5-1/2	187' 3768'	None None		
AIBUCKIE	3,33					
Describe in detail, the manner blaced and the method or met were used, state the character Top of tubing left in hole @ 3320'. 3300'. Spot 8 sks gel & 35 sks cem 40 sks cement @ 950' and circulated Pumped 50 sks down 8-5/8" annulus @	hods used in intro cter of same and Perforated 2 holes @ ment & 2 sks Hulls @ 33 I cement to surface. P	depth plac 2275'; 2 holes	ed, from 6 a 1690'; 2 holdsks cement and	les @ 950 . 1 2 sks hulls	feet each se Ran tubing to 2300'. Spot	
(If additional des	cription is necess	sary, use <u>BA</u>	CK of this f	orm.)		
Name of Plugging Contractor	Allied Cementin	ng	LI	cense No.	OUSSI PED	
Address P.O. Box 14, Gt. Be	nd, KS 67530				ONDORATION COMMISS	
NAME OF PARTY RESPONSIBLE FOR	PLUGGING FEES: _	Nadel and	l Gussman	(OCT 0 6 1994	
STATE OF Oklahoma	COUNTY OF	Tulsa		,55. (j.	ELERATION DIVISION	
M.R. Taylor, Production M	ianager	·	Employee of	Operator)	OF (Operator)	
above-described well, being f statements, and matters her the same are true and correct	First duly sworn or ein contained and	n oath, says	: That I have the above-de	e knowledgescribed we	e of the factors of t	
		(Address)		t National 74103	tower	
SUBSCRIBED /	AND SWORN TO before	• me th13	4th day o	October	,19 94	
•		(a)	thy Co	nive	<u>) </u>	
My Commissio	on Expires: 8-	-1-95	O NOTAL	ry rubile		