For KCC Use:	2-2-77
Effective Date:	3801
District #	3
SGA?Ye	s 🔀 No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud DateApril 25, 2007	Spot East
month day year	<u>NW</u> - <u>NE</u> <u>Sec. 20</u> Twp. 29 S. R. 17 West
33344	660 feet from \sqrt{N} S Line of Section
OPERATOR: License# 33344 Name: Quest Cherokee LLC	2350
9520 North May Avenue, Suite 300	Is SECTIONRegular X Irregular?
Address: Oklahoma City, Oklahoma 73120	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin Phone: (405) 463-6880	County: Wilson Lease Name: Esslinger, Carolyn Well #: 20-2
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Yes ✓ No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330
Oil Enh Rec / Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100 Yes V No
Seismic;# of Holes Other	Depth to bottom of fresh water: 200-/50
✓ Other Coalbed Methane	
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Ob (O)+
Original Completion Date:Original Total Depth:	Formation at Total Deptit.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other Air
DECENTED	
If Yes, true vertical depth: Bottom Hole Location: KANSAS CORPORATION COMMISSION	DWR Permit #:
Bottom Hole Location.	(Note: Apply for Permit with DWR ☐) Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes ▼ No
MAT U 3 ZUUF	RECEIVED
MAY 0 3 2007	If Yes, proposed zone: RECEIVED
	RECEIVED
CONSERVATION DIVISION AFFI	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the VIGITIES Sampletion and eventual plus	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the William & Simpletion and eventual plus tis agreed that the following minimum requirements will be met:	If Yes, proposed zone: KANSAS CORPORATION COMMISSIO DAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the Uffill Some Some state of the second se	If Yes, proposed zone: KANSAS CORPORATION COMMISSIO DAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the VIGITIES Simpletion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the stat	If Yes, proposed zone: KANSAS CORPORATION COMMISSIO DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the VIGITIES Simpletion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the VIGITIAN Sampletion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discovery and the discovery of the surface property of the surface property and the discovery of the surface property of the surface property and the discovery of the surface property of the surface proper	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging;
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffilling sampletion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugi	If Yes, proposed zone: RECEIVED
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffilling sampletion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	If Yes, proposed zone: RECEIVED
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffill Sempletion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the semplement in the sempl	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the definite, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the interest of the interest of the posted on each and the interest of the well is dry hole, an agreement between the operator and the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION MCHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the definite, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the interest of the interest of the posted on each and the interest of the well is dry hole, an agreement between the operator and the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the USAIIIA, Sampletion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the interpretation of the approved notice of intent to drill shall be posted on each and the interpretation of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the interpretation.	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION MCHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the USAIIIA, Sampletion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the interpretation of the approved notice of intent to drill shall be posted on each and the interpretation of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the interpretation.	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the United Sampletion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the interest of the interest of the posted on each and the interest of the interest of the posted on each and the interest of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the interest of the interest of the interest of the spund date or the well shall be completed within 30 days of the spund date or the well shall be the interest of the spund date or the well shall be the interest of the interest	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS the by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffill the sampletion and eventual plate is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the sample of the approved notice of intent to drill shall be posted on each of the sample of the posted on each of the sample of	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the dividing Simpletion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intent and the posted on each of the intent inten	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffill A. Completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the difference of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: April 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 27/72-000 Conductor pipe required Now feet	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the Wildliff Sampletion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the intention of the posted on each of the posted	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffill the completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 1. The appropriate district office will be notified before well is either plug. 2. The appropriate district office will be notified before well is either plug. 3. The minimum of 20 feet into the district office will be notified before well is either plug. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be appropriated between the operator or Agent: 7. For KCC Use ONLY API # 15 - 205 27/72-000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffill of Simpletion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the difference of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: April 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 27/72-0000 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffill A. Completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office prior as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet per all the seed through all unconsolidated materials plus a minimum of 20 feet per Alt. I hereby certify that the statements made herein are true and to the well shall be seed through all the statements made herein are true and to the best of Date: April 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 27/72-000 Conductor pipe required 16 feet per Alt. Approved by: 11-3-07 This authorization expires: 11-3-07	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHTA, KS If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Prile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the definite, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and interest	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WCHITA, KS the by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the Winting Completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: WP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
CONSERVATION DIVISION AFFI The undersigned hereby affirms that the diffill A. Completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office prior as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet per all the seed through all unconsolidated materials plus a minimum of 20 feet per Alt. I hereby certify that the statements made herein are true and to the well shall be seed through all the statements made herein are true and to the best of Date: April 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 27/72-000 Conductor pipe required 16 feet per Alt. Approved by: 11-3-07 This authorization expires: 11-3-07	RECEIVED KANSAS CORPORATION COMMISSIO DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. APR 1 9 2007 CONSERVATION DIVISION WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In whowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 205-27/72-000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	660 feet from ✓ N / S Line of Section
Lease: Esslinger, Carolyn	2350 feet from 🗸 E / 🗌 W Line of Section
Well Number: 20-2	Sec20Twp29 S. R17 ✓ EastWes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or X Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: XNE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120					
Contact Person: Richard Marlin			Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Esslinger, Carolyn #20-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 Twp. 29 R. 17 🗸 East 🗌 West		
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit			2350 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Wilson		
Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration:mg/l			
Le the bettern helevy ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ☑ No		Flow is the pit lined if a plastic liner is not used:		
Pit dimensions (all but working pits): 30 Length (feet) 10		eet) 10	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	10 (feet)		
If the pit is lined give a brief descript RECOMMISSION Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
material, thickness and in the later competate			Operation Lasting Approx 3 Days		
MAY 0 3	3 2007	7 59	opolation Easting ripplion of East		
CONSERVATION DIVISION WICHITA, KS					
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	west fresh waterfeet. mation:		
N/A feet Depth of water well	feet	measu	redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled			
Number of producing wells on lease:		Number of working pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief KANSAS CORPORATION COMMISSION					
APR 1 9 2007					
April 18, 2007 Date	——/)	s Miller s	ignature of Applicant or Agent CONSERVATION DIVISION		
- WICHITA, KS					
KCC OFFICE USE ONLY					
Date Received: 4/19/07 Permit Num	ber:	Perm	it Date: 4 (9 07 Lease Inspection: Yes X No		

15-205-27172-0000

Quest Cherokee, LLC

OIL & GAS EXPLORATION & PRODUCTION

Wednesday, May 2nd, 2007

RECEIVED KANSAS CORPORATION COMMISSION

MAY 0 3 2007

CONSERVATION DIVISION WICHITA, KS

Kansas Corporation Commission Conservation Division Attn: Mr. Rick Hestermann 130 South Market, Room 2078 Wichita, Kansas 67202

Re: Esslinger, Carolyn #20-2

Dear Mr. Hestermann,

Our Land Manager informed me that the above referenced well was in an 'Irregular Section', 330 ft from the nearest lease (Esslinger, Carolyn #20-1) which is currently operated and producing by Quest Cherokee L.L.C. Please note the attached corrected 'Original Intent to Drill' application for said well.

'Thank you' in advance for your time and trouble.

Sincerely,

Rebecca K. Williams Regulatory Analyst

Properties to the same

RKW/mol