For KCC Use: 5-8-07
Effective Date:
District #
SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 Form must be Signed All blanks must be Filled

May 10, 2007	•
Expected Spud Date May 10, 2007	Spot   ✓ East
month day year	SW SE Sec. 27 Twp. 30 S. R. 14E West
OPERATOR: License# 33074	150 FSL feet from N / VS Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	2466 FELfeet from E / W Line of Section
	Is SECTION Regular Irregular?
Address: 211 W Myrtle City/State/Zip: Independence KS 67301	•
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Wilson
Phone: 620-331-7870	Lease Name: Nightingale Well #: D3-27 SWD
CONTRACTOR: License# 5675	Field Name: Cherokee Basin Coal Gas Area
Name: McPherson Drilling	Is this a Prorated / Spaced Field?
Name:	Target Information(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 30 feet
7 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Ground Surface Elevation: 898 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO ✓ Disposal Wildcat Cable	Depth to bottom of fresh water: 175' + -
Seismic;# of Holes Other	
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2 20'
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1916 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well   ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores he taken?
	If Yes, proposed zone:RECEIVED Tes VINO
	KANSAS CORPORATION COMMISSION
	CARSAS CORPORATION COMMISSION
AFFI	DAVIT
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:	DAVIT ugging of this well will comply with K.S.A. 55 et. MAY 0 3 2007
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT  ugging of this well will comply with K.S.A. 55 et.MAY 0 3 2007  CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT  ugging of this well will comply with K.S.A. 55 et.MAY 0 3 2007  CONSERVATION DIVISION  th drilling rig;  WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	DAVIT  ugging of this well will comply with K.S.A. 55 et.MAY 0 3 2007  CONSERVATION DIVISION  th drilling rig;  WICHITA, KS  they circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT  ugging of this well will comply with K.S.A. 55 et.MAY 0 3 2007  CONSERVATION DIVISION  th drilling rig;  they circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	CONSERVATION DIVISION  th drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	CONSERVATION DIVISION  th drilling rig;  they circulating cement to the top; in all cases surface pipe shall be set  e underlying formation.  strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the foundation of the spropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order to the surface of the surfa	CONSERVATION DIVISION  In drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the foundation of the spropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order to the surface of the surfa	CONSERVATION DIVISION th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the foundation of the spropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order to the surface of the surfa	CONSERVATION DIVISION In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set  we underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilled to the surface district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the latest of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing the surface casing that the statements made herein are true and to the best of the surface casing the surface casi	CONSERVATION DIVISION In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set with e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  The provided prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	CONSERVATION DIVISION In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set  we underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilled to the surface district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the latest of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing the surface casing that the statements made herein are true and to the best of the surface casing the surface casi	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set with e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Safety & Environmental Manager
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the first that the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the later of the statements made herein are true and to the best of Date:  May 1, 2007  Signature of Operator or Agent:	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set with e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Safety & Environmental Manager  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified before well is either plug in the appropriate district office will be notified	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If the control of the con
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the form the surface will be notified before well is either plug for a purpopriate district office will be notified before well is either plug for a purpopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the later by certify that the statements made herein are true and to the best of the plug for the plug for the plug for the spud date.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 -27171-DDDD	CONSERVATION DIVISION In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set If e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If the completion form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for a purpopriate district office will be notified before well is either plug for a purpopriate district office will be notified before well is either plug for a purpopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date: May 1, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27171-DDDD  Conductor pipe required.	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. It is a specific to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. It is a safety & Environmental Manager  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall the posted on each and the drill shall the posted on each and the drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the drill shall be determined in the drill shall be determined to the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date:  May 1, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27/71-0000  Conductor pipe required  feet	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Safety & Environmental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet minimum surface pipe required district office of intent to drill shall be posted into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated into the drill shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated into the drill shall be seen through all unconsolidated into the drill shall be seen through all unconsolidated into the drill shall be	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Safety & Environmental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the figure of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plant of	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If Itle: Safety & Environmental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet minimum surface pipe required district office of intent to drill shall be posted into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated into the drill shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated into the drill shall be seen through all unconsolidated into the drill shall be seen through all unconsolidated into the drill shall be	CONSERVATION DIVISION In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set If by circulating cement to the top; in all cases surface pipe shall be set If e underlying formation.  In strict office on plug length and placement is necessary prior to plugging; In ged or production casing is cemented in; In deform below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In which is prior to any cemental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: May 1, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 27/71-0000  For KCC Use ONLY  API # 15 - 205 27/71-0000  Approved by: 405 3-07	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set with e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Safety & Environmental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: May 1, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27/71-0000  For KCC Use ONLY  API # 15 - 205 - 27/71-0000  For KCC Use ONLY  API # 15 - 205 - 27/71-0000  This authorization expires: 1/1-3-07	CONSERVATION DIVISION In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set If by circulating cement to the top; in all cases surface pipe shall be set If e underlying formation.  In strict office on plug length and placement is necessary prior to plugging; In ged or production casing is cemented in; In deform below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In which is prior to any cemental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: May 1, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27/71-0000  For KCC Use ONLY  API # 15 - 205 - 27/71-0000  For KCC Use ONLY  API # 15 - 205 - 27/71-0000  This authorization expires: 1/1-3-07	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set with e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  It is 38,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Safety & Environmental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the dr	CONSERVATION DIVISION In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set with e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Safety & Environmental Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-27/7/-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	
Lease: Nightingale	150 FSL feet from N / ✓ S Line of Section 2466 FEL feet from ✓ E / W Line of Section
Well Number: D3-27 SWD	Sec. 27 Twp. 30 S. R. 14E Fast Wes
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40  QTR / QTR / QTR of acreage: SW - SW - SE	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

2466 FEL 150 FSL

R14E



NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

MAY 0 3 2007

#### In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC			License Number: 33074	
Operator Address: 211 W Myrtle	ependence KS 67301			
Contact Person: Tony Williams			Phone Number: ( 620 ) 331 - 7870	
Lease Name & Well No.: Nightingale	D:	3-27 SWD	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SW_SE</u>	
Emergency Pit Burn Pit	✓ Proposed		Sec. 27 Twp. 30 R. 14E	
Settling Pit	If Existing, date constructed:		150 FSL Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	··········	2466 FEL Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	926	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	/ No	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?  Natural Clays	
Pit dimensions (all but working pits):	Length (fe	eet) 30	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 5	(feet)	
material, thickness and installation procedure			ncluding any special monitoring.	
Distance to nearest water well within one-mile	Distance to nearest water well within one-mile of pit  Depth to shalk Source of info		west fresh waterfeet.	
N/A feet Depth of water well _	feet	1	iredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		1 -	over and Haul-Off Pits ONLY:	
Producing Formation:		1	al utilized in drilling/workover: Air	
Number of producing wells on lease:			rking pits to be utilized: One procedure: Air dry, fill	
Barrels of fluid produced daily:	Lenillad fluida to	Abandonment	procedure: 1 m 3.77 m	
Does the slope from the tank battery allow all flow into the pit? Yes No	spined holds to	Drill pits must	be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSI	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  MAY 0 3 2007				
May 1, 2007 Date		Jany L	CONSERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY				
Date Received: 5/3/c7 Permit Num	iber:	Perm	iit Date: 5/3/c7 Lease Inspection: Yes X No	



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.