For KCC Use: Effective Date: 5-9 SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date 5/18/2007	Spot
month day year	W/2 SE SE Sec. 19 Twp. 16 S. R. 25 West
OPERATOR: License# 9067	750feet fromN / ✓S Line of Section
Name: DaMar Resources, Inc.	900feet from / E / W Line of Section
Address: 234 W 11th St.	Is SECTION Regular Irregular?
City/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Curtis R. Longpine	County: Ness
Phone: 785-625-0020	Lease Name: Horacek 'A' Well #: 1
	Field Name: Wildcat
CONTRACTOR: License# 31548 Name: Discovery Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian Yes V No
	Nearest Lease or unit boundary: 750'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2586 feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes ✓ No
OWWO Disposal 🗸 Wildcat 🖍 📋 Cable	Depth to bottom of fresh water:
Seismic;# of Holes Other	Depth to bottom of usable water: /250
Other	Surface Pipe by Alternate: 1 2
(COMMUNICATION OF THE COMMUNICATION OF THE COMMUNIC	Length of Surface Pipe Planned to be set: 300'
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 4600
Well Name:	Formation at Total Depth: Missippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFFI	DAVIT
	DAVIT
The condension of bounds, estimate that the deliber accordation and according to	consists of this well will comply with K.C.A. EE at long
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description.	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement.	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; the ged or production casing is cemented in; the description of the surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the d. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: 5/3/07 Signature of Operator or Agent: For KCC Use ONLY	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice Pres. / Geologist
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Vice Pres. / Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the surface of	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Vice Pres. / Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the description of the surface of the surface of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: 5/3/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 24640-0000 Conductor pipe required 1909 feet	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Vice Pres. / Geologist File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Vice Pres. / Geologist File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface of the su	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice Pres. / Geologist Title: Vice Pres. / Geologist File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice Pres. / Geologist Title: Vice Pres. / Geologist File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be sethiough all unconsolidated materials plus a minimum of 20 feet into the sethiough all unconsolidated materials plus a minimum of 20 feet into the sethiough all unconsolidated materials plus a minimum of 20 feet into the sethiough all unconsolidated materials plus a minimum of 20 feet into the sethiough all unconsolidated materials plus a minimum of 20 feet into the sethiough all unconsolidated materials plus a minimum of 20 feet into the set of the sethiough all sethiough and the description of the sethiough and the description of the sethiough all the sethiough and </i>	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice Pres. / Geologist File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the addressed in the submit of the plugging is completed.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice Pres. / Geologist Title: Vice Pres. / Geologist File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

Date:___

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24640-0000	Location of Well: County: Ness
Operator: DaMar Resources, Inc.	750 feet from N / S Line of Section
Lease: Horacek 'A'	900 feet from ✓ E / W Line of Section
Well Number: 1 Field: Wildcat	Sec. 19 _{Twp.} 16 S. R. 25 East Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: W/2 - SE - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	***	· ·		·		· ·	K -	980 — 1 ∶	RECEIVED KANSAS CORPORATION COMMISSION
		,			 				MAY 0 4 2007
			· · · · · ·	· · · · · · ·		· · ·			CONSERVATION DIVISION WICHITA, KS
						, 			
-		· ·		<u>:</u> 1	ነ 9	•	•		EXAMPLE
		· · · · · ·	· · ·	• • • • • • •		•	· ·	• • •	0—1980
-		,						· · ·	3390,
1						· · · · · · · · · · · · · · · · · · ·	. 0	•	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: 50 3.4 5	1		License Number: 0007		
Operator Name: DaMar Resource	··		License Number: 9067		
Operator Address: 234 W 11th St.					
Contact Person: Curtis R. Longpir	ne		Phone Number: (785) 625 - 0020		
Lease Name & Welf No.: Horacek 'A	\' #1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		approx c _ W/2 _ SE _ SE _		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 19 _{Twp.} 16 _{R.} 25 ☐ East ✓ West		
Settling Pit	If Existing, date o	onstructed:	750 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Dit				
(If WP Supply API No. or Year Drilled)	Pit capacity: 3000	(bbls)	Ness County		
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l		
as the pit located in a defisitive Cround Water	, rea 🔽	J . 10	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	clay with native mud		
Pit dimensions (all but working pits):	O Length (fe	eet)70	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the		Describe proce	dures for periodic maintenance and determining mulission and determini		
material, thickness and installation procedure) .		recent to the control of the control		
i		daily inspe	f.M.s.		
			CONSERVATION DIVISION		
			WICHITA, KS		
Distance to account well-count addition on a settle			1114.		
Distance to nearest water well within one-mile	e of pit		west fresh waterfeet.		
3575 feet Depth of water well		Source of infor	west fresh waterfeet.		
2	তি feet	Source of infor	west fresh waterfeet. mation:		
3575 feet Depth of water well	8℃ feet	Source of infor measu Drilling, Worke	west fresh waterfeet. mation: (a) red well owner electric log KDWR		
3575 feet Depth of water well	₹ <u>O</u> feet	Source of informers measu Drilling, Worke Type of materia Number of wor	west fresh water		
3575 feet Depth of water well	₹ <u>O</u> feet	Source of informers measu Drilling, Worke Type of materia Number of wor	west fresh water		
3575 feet Depth of water well	ିଟିଠ feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment	west fresh water		
Barrels of fluid produced daily: Depth of water well Depth of water we	For feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must be	west fresh water		
Barrels of fluid produced daily: Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	For feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must be	west fresh water		
Barrels of fluid produced daily: Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	For feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must to	west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	For feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must to	west fresh water		
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 05/03/07	spilled fluids to	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must to	west fresh water		
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Noble 1 hereby certify that the above state 05/03/07	spilled fluids to	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must becorrect to the best	west fresh water		