For KCC Use:

Effective Date: 5-9-07

District # _____

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Source May 1 2007	<u></u>	
Expected Spud Date		East
month day year		Vest
OPERATOR: License# 32811 L	feet from N / ✓ S Line of Section	1
Name: Osage Resources, L.L.C.	1984feet from E / W Line of Section	1
Address: 6209 N K61 Hwy	Is SECTIONRegularIrregular?	
Address: Hutchinson, Kansas 67502	•	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Brooke C. Maxfield	County: Barber	
Phone: 620-664-9622	Lease Name: Osage Well #: 110	
33724	Field Name: Aetna Gas Area	
CONTRACTOR: License# 33724	Is this a Prorated / Spaced Field?	No
Name: Warren Drilling, LLC	Target Information(s): Mississippian	
W 7 D 74 J 5 W 11 O 1 T 5 T 5 T 5 T 5 T 5 T 5 T 5 T 5 T 5 T	Nearest Lease or unit boundary: 1988'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1840' feet	MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	_
Gas Storage ✓ Pool Ext. Air Rotary		
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes 100 Feet	No
	Depth to bottom of fresh water: 100 Feet	
Other	Depth to bottom of usable water: 180 Feet	
	Surface Pipe by Alternate: 1 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 5550 Feet	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Ordovician	
Original Completion Bate.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:		
KOO DICT II	(Note: Apply for Permit with DWR) Will Cores be taken? Yes	Z
KCC DK1 #:		INO
	If Yes, proposed zone: RECEIVED	
AFFII		
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone: RECEIVED RANSAS CORPORATION CO	- MMISSI
	If Yes, proposed zone: RECEIVED NAVIT KANSAS CORPORATION CO	- MMISSI
The undersigned hereby affirms that the drilling, completion and eventual plub it is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED CONTROL RECEIVED KANSAS CORPORATION CO Ingging of this well will comply with K.S.A. 55 et. seq. APR 2 5 200	 Ниміззі 7
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPORATION CO Igging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVIS	 Ниміззі 7
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPORATION CO Igging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVIS	 Ниміззі 7
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: CANSAS CORPORATION CO REGEIVED REGEIVED KANSAS CORPORATION CO REGEIVED CONSERVATION DIVIS CONSER	7 SION
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis-	DAVIT KANSAS CORPORATION CO rigging of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVIS th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging.	7 SION
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO Ingging of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVISION OF CONSERVATION DIVIS	PMMISSI 7 SION
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO In agging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION	mmissi 7 Sion gg;
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the complex of the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO In giging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the posted on the posted on the proof of the posted on each and the proof of the proof of the posted on each and the posted of the posted on the posted on the posted of the posted on the posted of	CONSERVATION DIVIS CONSERVATION OF The drilling rig; In drilling	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the posted on the posted on the proof of the posted on the proof of the well is dry hole, an agreement between the operator and the district of the posted of the proof of th	CONSERVATION DIVIS CONSERVATION OF The drilling rig; In drilling	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be the plugged in the plus of the post of the post of the post of the post of the plus of t	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO In agging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION In drilling rig; In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. In strict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date at 133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluge for the appropriate district office will be notified before well is either pluge for pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plus of the spud that the statements made herein are true and to the best of the specific plus in the statements made herein are true and to the best of the specific plus in the statements made herein are true and to the best of the specific plus in the statements made herein are true and to the best of the specific plus in the statements made herein are true and to the best of the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements made herein are true and to the specific plus in the statements in the specific plus in the statements in the statements in the statements i	CONSERVATION DIVIS CONSERVATION OF The drilling rig; In drilling	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the second of the shall be second of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plus of the spud that the statements made herein are true and to the best of the specific or the statements of the spud that the statements made herein are true and to the best of the specific or the specifi	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO In agging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION In drilling rig; In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. In strict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date at 133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	CONSERVATION DIVISION OF CONSERVATION CONSERVATION DIVISION OF CONSERVA	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the space of the search through all unconsolidated materials plus a minimum of 20 feet into the search search through all intensity of the space well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 4/17/2007 Signature of Operator or Agent:	CONSERVATION DIVISION OF CONSERVATION CONSERVATION DIVISION OF CONSERVA	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the proved notice of intent to drill <i>shall be</i> posted on each and the intention of the posted on each and the intention of the provided herein and the post of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the post of the po	CONSERVATION DIVISION of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVISION of the construction	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/17/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23/149-OOO Conductor pipe required None feet	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO In a giging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION OF CO	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eact 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: 4/17/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O7 - 23/149-ODD Conductor pipe required None feet	CONSERVATION DIVISION of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVISION of the construction	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/17/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7-23/149-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. 1	CONSERVATION DIVISION of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVISION of the drilling rig; The drilling rig;	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/17/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O7 - 33/49 - OSS Conductor pipe required Nore feet Minimum surface pipe required feet per Alt. 1 Approved by: ## 5-4-07	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO agging of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVIS the drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; to from below any usable water to surface within 120 days of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief. Title: Geological Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self self through all through a materials plus a minimum of 20 feet into the self self through a minimum of 20 feet into the self self self self self self self sel	CONSERVATION DIVISION OF CONSERVATION DIVISION	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: 4/17/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 007 - 23/49 - 000 Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. 1 Approved by: WH 5-4-07	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO APR 2 5 200 CONSERVATION DIVIS In drilling rig; CONSERVATION DIVIS In drilling rig; CONSERVATION DIVIS In drilling rig; CONSERVATION DIVIS WICHITA KS In drilling rig; In drilling rig; CONSERVATION DIVIS WICHITA KS WICHITA KS	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self self through all unconsolidated materials plus a minimum of 20 feet into the self self through a feet per Alt. Self through a self self self self self self self self	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO In agging of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVIS WICHTA KS To by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing may knowledge and belief. Title: Geological Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self through all unconsolidated materials plus a minimum of 20 feet into the self self through all through a materials plus a minimum of 20 feet into the self self through a minimum of 20 feet into the self self self self self self self sel	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO APR 2 5 200 CONSERVATION DIVIS In drilling rig; CONSERVATION DIVIS In drilling rig; CONSERVATION DIVIS WICHTA KS If yo circulating cement to the top; in all cases surface pipe shall be set In underlying formation. In drilling rig; CONSERVATION DIVIS WICHTA KS If yo circulating cement to the top; in all cases surface pipe shall be set In underlying formation. In underlying formation in underlying formation of spud date. In underlying formation in underlying formation orders: In underlyi	MMISSI 7 SION eg;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the suffice of intent to drill <i>shall be</i> posted on each and the suffice of intent to drill <i>shall be</i> posted on each and the drill the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 4/17/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O07-23/49-000 Conductor pipe required Nore feet Minimum surface pipe required feet per Alt. 1 Approved by: 44-5-4-07 This authorization expires: 1/1-4-07 (This authorization void it drilling not started within 6 months of effective date.)	If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO In agging of this well will comply with K.S.A. 55 et. seq. APR 2 5 200 CONSERVATION DIVIS WICHTA KS To by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing may knowledge and belief. Title: Geological Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	MMISSI 7 SION eg;


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23/49-0000	Location of Well: County: Barber
Operator: Osage Resources, L.L.C.	1967 feet from ☐ N / ✓ S Line of Section
Lease: Osage	1984 feet from E / V W Line of Section
Well Number: 110 Field: Aetna Gas Area	Sec. <u>24</u> Twp. <u>33</u> S. R. 15 East ✓ Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 📋 Irregular
QTR / QTR / QTR of acreage: C _ NE _ SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)



In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

WICHITA. KS

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,

4 sections, etc.

- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 January 2001 Form must be Typed

APPLICATION FOR SURFACE POND

Submit in Duplicate

Operator Name: Osage Resources, L.L.C.		License Number: 32811		
Operator Address: 6209 N K61 Hwy				
Contact Person: Brooke C. Maxfield		Phone Number: (620) 664 - 9622		
Lease Name: Osage No. 110		Pit Location:		
Type of Pond:	Pit is: ✓ Proposed Existing If Existing, date constructed: NA Pit capacity: 4500 (bbls)		SW Qtr. Sec. 24 Twp. 33 R. 15 EVW	
Emergency Pit Treatment Pit Workover Pit Drilling Pit			1967 Feet from N (S) (circle one) Line of Section	
Burn Pit			1984 Feet from E ((circle one) Line of Section	
(If WP Supply API No. or Year Drilled)			Barber County	
Is the pit located in a Sensitive Ground Water Area? Yes		No	Chloride concentration: NA mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Treatment Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes No		Surface clay/shale fill	
Pit dimensions (all but working pits): 60 Length (feet) 40 Width (feet)		Width (feet)		
Depth from ground level to deepest point: 5 (feet)				
1 p		edures for periodic maintenance and determining nocluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water 100'feet.		
NONE feet Depth of water well NA feet		measured ✓ well owner electric log KĐ₩R		
Emergency, Treatment and Burn Pits ONLY: Drilling and			orkover Pits ONLY:	
Producing Formation: NA Type of mater		Type of materia	al utilized in drilling/workover: Bentonite Drilling Mud	
		- · · · · · · · · · · · · · · · · · · ·		
Barrels of fluid produced daily: NA		procedure: Pits allowed to evaporate until dry then backfill.		
Does the slope from the tank battery allow all spilled fluids to flow into the pond? Yes No Drill pits must b		pe closed within 365 days of spud date.		
1 hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION.				
4/17/2007 APR 2 5 2007				
Date Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS				
KCC OFFICE USE ONLY P.+ a way draw RFASAC				
Date Received: 4/25/07 Permit Number: Permit Date: 5/4/07 Lease Inspection: X Yes No				



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

May 4, 2007

Ms. Brooke Maxfield Osage Resources, LLC 6209 N K61 Hwy Hutchinson, KS 67502

RE: Drilling Pit Application
Osage Lease Well No. 110
SW/4 Sec. 24-33S-15W
Barber County, Kansas

Dear Ms. Maxfield:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **Please keep the pits away from the draw.**

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Kathathynes

Environmental Protection and Remediation Department

cc: File