

For KCC Use:	F-0 07
Effective Date:	570/
District #3	
SGA? XYes	No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009185

Form C-1 November 2005 Form must be Typed Form must be Signed Ali blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five	e (5) days prior to commencing well
Expected Spud Date:05/07/2007	Spot Description: SE
month day year	
OPERATOR: 4: 5150	SW - SW - SE - SE Sec. 30 Twp. 33 S. R. 17 ⊠E W
OPERATOR: License#	(2/2/20/20) 80 feet from N / S Line of Section
Name: Colt Energy Inc	teet from  X E /   W Line of Section
Address 1: P.O. Box 388	Is SECTION: X Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: DENNIS KERSHNER	County: Montgomery
Phone: 620-365-3111	Lease Name: WEBB Well #: SWD 1
	Field Name: COFFEYVILLE-CHERRYVALE
CONTRACTOR: License#33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling Company, Inc.	Target Formation(s): ARBUCKLE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 80
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 767 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water: 150
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1800
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: DISPOSAL WATER TANK
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
	KANSAS CORPORATION COMMISSION
AFF	
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq. MAY 0 4 2007
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office prior to spudding of well;	CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig; WICHITA, KS
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
<ol> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugge</li> </ol>	ICT Office on plug length and placement is necessary <i>prior to plugging;</i>
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of soud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of my	y knowledge and belief.
Date: 9-1-07 Signature of Operator of Agent:	
Date: O-1-0 / Signature of Operator or Agent: Who	Va (Tatter) D. L. Trais (D.)
Date: Strain Signature of Special Agent.	My Statter Title: Funduction Clerk
	Remember to:
For KCC Use ONLY	Title: Furduction Clark  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
For KCC Use ONLY API # 15 - 125-31359-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY  API # 15 - 135 - 3135 9 - 0000  Conductor pipe required 0 feet	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY  API # 15 - 2/35-3/359-000  Conductor pipe required 0 feet  Minimum surface pipe required 20 feet per ALT. I	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days):
For KCC Use ONLY  API # 15 - 25 - 31359 - 0000  Conductor pipe required 0 feet  Minimum surface pipe required 20 feet per ALT. I XII  Approved by: 4415 - 4-07	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
For KCC Use ONLY  API # 15 - 105 - 31359 - DODO  Conductor pipe required 0 feet  Minimum surface pipe required 20 feet per ALT. I I III  Approved by: 445 - 4-07  This authorization expires: 114-07	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days):
For KCC Use ONLY  API # 15 - 25 - 31359 - 0000  Conductor pipe required 0 feet  Minimum surface pipe required 20 feet per ALT. I XII  Approved by: 4415 - 4-07	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days);</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>
For KCC Use ONLY  API # 15 - 105 - 31359 - DODO  Conductor pipe required 0 feet  Minimum surface pipe required 20 feet per ALT. I I III  Approved by: 445 - 4-07  This authorization expires: 114-07	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31359-000	
Operator: Colt Energy Inc	Location of Well: County: Montgomery
Lease: WEBB	80 feet from N / X S Line of Section
Well Number: SWD 1	1,200 feet from X E / W Line of Section
Field: COFFEYVILLE-CHERRYVALE	Sec. 30 Twp. 33 S. R. 17
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SW - SW - SE - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

								RECEIVED KANSAS CORPORATION COMM
								MAY 0 4 2007
	•			********	•	·		CONSERVATION DIVISION WICHITA, KS
	: :	: 	: :		: :	:	:	
			3	o —		:		EXAMPLE
•••••	,,,,,,,,							1980
		••••			•••••	: 		3390'
					······			
	:							

80 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009185

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

	-			<del></del>		
Operator Name: Colt Energy Inc	License Number: 5150					
Operator Address: P.O. Box 388		lola l	<b>S</b> 667	 49		
Contact Person: DENNIS KERSI	Phone Number: 620-365-3111					
Lease Name & Well No.: WEBB	SI	WD 1	Pit Location (QQQQ):			
Type of Pit:						
Emergency Pit Burn Pit	Proposed	Existing	Sec. 30 Twp. 33 R. 17 East	West		
Settling Pit Drilling Pit	If Existing, date of	constructed:	80 Feet from North / South		ion	
Workover Pit Haul-Off Pit	Pit capacity:		1,200 Feet from East / West			
(If WP Supply API No. or Year Drilled)	80	(bbls)	Montgomory	Cour		
Is the pit located in a Sensitive Ground Water	Area? X Yes	No	Chloride concentration:			
			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  NATIVE CLAY SOIL			
Pit dimensions (all but working pits): 3	0 Langth /6	' 15			$\dashv$	
The differences (all but working pits).	Length (form ground level to d	cei)		Steel Pits		
If the pit is lined give a brief description of the		1	RECEIVED		-	
material, thickness and installation procedure		liner integrity, including any special monitoring.				
		MAY 0 4 2007				
			CONSERVATION DIVISION WICHITA, KS			
Distance to nearest water well within one-mile	of pit	1 '	west fresh waterfeet.		_	
N/A feet Depth of water well	feet	Source of information:  measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:	u-141	Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: NATIVE SOIL				
Number of producing wells on lease:		Number of working pits to be utilized:1				
Barrels of fluid produced daily:		Abandonment p	procedure: PUMP OUT - PUSH IN		- \	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
5-1-07 Shirley Statter  Signature of Applies to Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 5/4/07 Permit Numb	er:	Permit	Date: 5/4/c7 Lease Inspection:	γes κΝο		



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Molfet, Commissioner

### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.