For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

month day year 5 E	NE NE - NE Sec. 19 Twp. 2	22 S. R. 22 West
ODED 4700 1 5556		N / S Line of Section
OPERATOR: License# 5556 Name: VIVA INTERNATIONAL, INC		E / W Line of Section
8357 MELROSE DRIVE	Is SECTIONRegularIrregular?	
City/State/Zip: LENEXA, KS 66214	(Note: Locate well on the Section Pl	lat on reverse side)
Contact Person: ROBERT BUKATY	County: LINN	
Phone: 913-859-0438	Lease Name: WEBBER	Well #: 22
	Field Name: BLUE MOUND	
CONTRACTOR: License# 31708	Is this a Prorated / Spaced Field?	☐ Yes 🗸 No
Name: E-K-DRILLING Ensminger-Kimzey	Target Formation(s): BARTLESVILLE	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 485	
	Ground Surface Elevation: 1300	feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 152	
Seismic;# of Holes Other	Depth to bottom of usable water: 150	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 900	
Original Completion Date:Original Total Depth:	Formation at Total Depth: MISSISSIPPI	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with	
KCC DKT #:	Will Cores be taken?	✓ YesNo
	If Yes, proposed zone: SQUIRREL	
ΔFFI	DAVIT	RECEIVED
	ANG	SAS CORPOR <mark>ATION COMMISSIO</mark> seg.
The undersigned hereby affirms that the drilling, completion and eventual plants.		•
		MAY 8 1. 2007
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;		MAY 0 4 2007
It is agreed that the following minimum requirements will be met:	th drilling rig; If by circulating cement to the top; in all cases so the underlying formation. Is strict office on plug length and placement is ne ged or production casing is cemented in; If the distribution is the contract of the contract withing the contract of th	CONSERVATION DIVISION urface who after to plugging; on 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dientification of the surface of the surface well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	th drilling rig; If by circulating cement to the top; in all cases so the underlying formation. Istrict office on plug length and placement is neged or production casing is cemented in; If all real from below any usable water to surface with the surface with th	CONSERVATION DIVISION urface who after to plugging; on 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the second of the second of the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be	th drilling rig; If by circulating cement to the top; in all cases so the underlying formation. Istrict office on plug length and placement is neged or production casing is cemented in; If all real from below any usable water to surface with the surface with th	CONSERVATION DIVISION urface wind state in the state of spud date. 3 area, alternate II comenting or prior to any comenting.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	th drilling rig; If by circulating cement to the top; in all cases so the underlying formation. Instrict office on plug length and placement is negled or production casing is cemented in; If the definition of the control of the con	CONSERVATION DIVISION urface wind state in the state of spud date. 3 area, alternate II comenting or prior to any comenting.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date: MAY 2, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 23849 - 0000 Conductor pipe required 1000 feet per Alt. 1200	th drilling rig; If by circulating cement to the top; in all cases so the underlying formation. Instrict office on plug length and placement is negled or production casing is cemented in; If it is a compared to surface withing the plugged. In all cases, NOTIFY district office may knowledge and belief. Title: PRE	CONSERVATION DIVISION urface wine attack the set cessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing to prior to any cementing. SIDENT ent to Drill; sof spud date; deproration orders; or to workover or re-entry; is completed; injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug in an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be therefore the vertify that the statements made herein are true and to the best of the production pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15	th drilling rig; If by circulating cement to the top; in all cases see underlying formation. In strict office on plug length and placement is negged or production casing is cemented in; If the first of the control of	CONSERVATION DIVISION urface wine attail the set cessary prior to plugging; in 120 days of spud date. 3 area, alternate il cementing se prior to any cementing. SIDENT ent to Drill; s of spud date; d proration orders; or to workover or re-entry; is completed; injecting salt water. kpiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed of t	th drilling rig; If by circulating cement to the top; in all cases is the underlying formation. Instrict office on plug length and placement is negled or production casing is cemented in; It is is to the complete of the co	CONSERVATION DIVISION urface who start to plugging; in 120 days of spud date. It cementing the prior to any cementing. SIDENT ent to Drill; sof spud date; deproration orders; or to workover or re-entry; is completed; injecting salt water. Application date) please less below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the set of the set	th drilling rig; If by circulating cement to the top; in all cases is the underlying formation. In strict office on plug length and placement is negled or production casing is cemented in; and from below any usable water to surface withing the strict of the surface withing the surface within the surface within the surface within the surface wit	CONSERVATION DIVISION urface wine attail the set cessary prior to plugging; in 120 days of spud date. 3 area, alternate il cementing se prior to any cementing. SIDENT ent to Drill; s of spud date; d proration orders; or to workover or re-entry; is completed; injecting salt water. kpiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 107-23849-0000	Location of Well: County: LINN
Operator: VIVA INTERNATIONAL, INC	4710feet fromN / 🗸 S Line of Section
Lease: WEBBER	220 feet from VE / W Line of Section
Well Number: 22	Sec. 19 Twp. 22 S. R. 22 ✓ East Wes
Field: BLUE MOUND	
Number of Acres attributable to well:	ls Section:
QTR / QTR of acreage: NE - NE - NE	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: VIVA INTERNATIONAL, INC		License Number: 5556		
Operator Address: 8357 MELROSE DRIVE, LENEXA, KS, 66214				
Contact Person: ROBERT BUKATY		Phone Number: (913) 859 -0438		
Lease Name & Well No.: WEBBER 22		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NE NE NE	
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	✓ Proposed		Sec. 19 Twp. 22 R. 22	
(II WE Supply AFTNO. UI Teal Dillied)		(bbls)	LINN County	
Is the pit located in a Sensitive Ground Water	Sensitive Ground Water Area? Yes V No		Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used? NATIVE CLAY	
Pit dimensions (all but working pits): 40 Length (feet) 8 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 5 (feet)				
material, thickness and installation procedure		in o. in egin,	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		west fresh water 150 feet. mation: red well owner electric log KDWR		
N/A feet Depth of water well				
Emergency, Settling and Burn Pits ONLY: Drilling, Wor			over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD king pits to be utilized: 1	
Producing Formation: Type of mate		Type of materia	of material utilized in drilling/workover: FRESH MUD	
· · · · · · · · · · · · · · · · · · ·		king pits to be utilized: 1		
Does the slope from the tank battery allow all spilled fluids to BACKFILL		BACKFILL AN	procedure: ALLOW FLUID TO EVAPORATE ID RETURN TO NORMAL USE De closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION				
MAY 2, 2007 Date MAY 0 4 2007 Signature of Applicant or Agent CONSERVATION DIVISION				
KCC OFFICE USE ONLY WICHITA, KS Date Received: 5/4/67 Permit Number:				