# For KCC Use: 5-12-07 Effective Date: 3

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

GA? Yes X No  Must be approved by KCC five	(5) days prior to commencing well
Mov.14, 2007	· · · · · · · · · · · · · · · · · · ·
expected Spud Date May 14, 2007	Spot V East
, , , ,	SE SE SW Sec. 34 Twp. 30 S. R. 14E West
PERATOR: License# 33074	450 FSL feet from N / S Line of Section
me. Dart Cherokee Basin Operating Co. LLC	
dress: 211 W. Myrtle	Is SECTION Regular Irregular?
//State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
otact Person. Tony Williams	County: Wilson
one: 620-331-7870	Lease Name: D Nelsen Well #: D2-34
NTD 1070 N 1 1 5675	Field Name: Cherokee Basin Coal Gas Area
NTRACTOR: License# 5675 ✓ ne: McPherson Drilling	Is this a Prorated / Spaced Field?
ne.	Target Information(s): Mississippian  Nearest Lease or unit boundary: 343 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 917 feet MSL
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Public water supply well within one mile:  Yes ✓ No  Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 175' + -
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 40'
DWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1665 feet
Well Name: Original Total Ponth:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
es, true vertical depth:	DWR Permit #:
ttom Hole Location:	(Note: Apply for Permit with DWR)
C DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:RECEIVED
	( CO 114
AEC	ID AVIT KANSAS CORPORATION COMM
	RANSAS CORPORATION COMM
e undersigned hereby affirms that the drilling, completion and eventual p	
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:	olugging of this well will comply with K.S.A. 55 et. seq. MAY 0 7 2007
ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	olugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 7 2007
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	olugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 7 2007  CONSERVATION DIVISION
the undersigned hereby affirms that the drilling, completion and eventual prist agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	conservation Division all cases surface pipe shall be set the underlying formation.
the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the contents of the	conservation Division all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be stall</i> through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of the consolidated materials	conservation Division  Conservation Division  ach drilling rig:  Conservation Division  conservation Division  ach drilling rig:  Conservation Division  conserv
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the the well is dry hole, an agreement between the operator and the complete the spropriate district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement.	conservation Division and the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the continuation of the surface district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order	conservation Division and in the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ul> <li>undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the specific plus is either plus to the set of the</li></ul>	CONSERVATION DIVISION the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set	CONSERVATION DIVISION to det by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20	CONSERVATION DIVISION to det by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the construction of the set of the se	CONSERVATION DIVISION of the underlying formation.  district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  **Title: Sr Regulatory & Safety Compliance Specialist*
e undersigned hereby affirms that the drilling, completion and eventual personal state of the st	CONSERVATION DIVISION of the top in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialist
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be sethology</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the sethology of the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging.  5. The appropriate district office will be notified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the pest of the well shall be completed.  Signature of Operator or Agent:  On the constant of the production of the pest of the well shall be completed.  Signature of Operator or Agent:  On the constant of the pest of the constant of the	CONSERVATION DIVISION of the underlying formation.  district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  **Title: Sr Regulatory & Safety Compliance Specialist*
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the set of the well is district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the post of the surface of t	CONSERVATION DIVISION  ach drilling rig;  at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  **Title:**  **Sr Regulatory & Safety Compliance Specialist  **File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
e undersigned hereby affirms that the drilling, completion and eventual postagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the well is either plut of the well is either plut of the appropriate district office will be notified before well is either plut of the well is either plut o	CONSERVATION DIVISION  Inch drilling rig;  Inc
e undersigned hereby affirms that the drilling, completion and eventual personal support of the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> support through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the constitution of the surface well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the post of the surface case of the surface c	CONSERVATION DIVISION  ach drilling rig;  at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  **Title: Sr Regulatory & Safety Compliance Specialist  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;
e undersigned hereby affirms that the drilling, completion and eventual per sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second states of the well is dry hole, an agreement between the operator and the constitution of the specific will be notified before well is either plus of the superior of the specific will be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the pest of the specific will be superior of the specific will be superior of the specific well in the statements made herein are true and to the pest of the specific will be superior or Agent:  5. The appropriate district office will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of	CONSERVATION DIVISION The drilling rig;  Conservation division between the top; in all cases surface pipe shall be set the underlying formation.  In the underlying formation is necessary prior to plugging;  In the underlying formation is necessary prior to plugging;  In the underlying form to plugging;  In the underlying formation is necessary prior to plugging;  In the underlying formation is necessary prior to plugging;  In the underlying formation is necessary prior to plugging;  In the underlying formation is necessary prior to plugging;  In the underlying formation is necessary prior to plugging.  In the underlying formation is necessary prior to plugging;  In the underlying formation.  In the underlying formation is necessary prior to plugging.  In the underlying formation.  In the underlying formation is necessary prior to plugging.  In the underlying formation.  In the underlying formation plugging;  In the underlying formation.  In the underlying formation plugging;  In the underlying formation.  In the underlying formation plugging;  In the underlying formation.  In the underlying formatio
e undersigned hereby affirms that the drilling, completion and eventual postagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus of the superior and the construction of the complete district office will be notified before well is either plus of the properties of the superior of the superior of the well shall be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the pest of the superior of the	CONSERVATION DIVISION Inch drilling rig; Inch drill
e undersigned hereby affirms that the drilling, completion and eventual per agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the presence of the property of the appropriate district office will be notified before well is either plut of the presence of the property of the appropriate within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the presence of the property of t	CONSERVATION DIVISION of the top
e undersigned hereby affirms that the drilling, completion and eventual postagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the presence of the property of the appropriate district office will be notified before well is either plut of the presence of the appropriate district office will be notified before well is either plut of the presence of the appropriate district office will be notified before well is either plut of the presence of the presence of the spud date or the well shall ereby certify that the statements made herein are true and to the presence of the well shall ereby certify that the statements made herein are true and to the presence of the well shall ereby certify that the statements made herein are true and to the presence of the well shall ereby certify that the statements made herein are true and to the presence of the well shall ereby certify that the statements made herein are true and to the presence of the well shall ereby certify that the statements made herein are true and to the presence of the well shall ereby certify that the statements made herein are true and to the presence of the well shall ereby certified the presence of the well shall ereby certified the presence of the well shall ereby certified the presence of the presen	CONSERVATION DIVISION of the top
e undersigned hereby affirms that the drilling, completion and eventual per sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second states of the well is dry hole, an agreement between the operator and the constitution of the specific will be notified before well is either plus of the superior of the specific will be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the pest of the specific will be superior of the specific will be superior of the specific well in the statements made herein are true and to the pest of the specific will be superior or Agent:  5. The appropriate district office will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of the specific will be notified before well is either plus of	CONSERVATION DIVISION of the top

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27/77-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	450 FSL feet from N / ✓ S Line of Section
Lease: D Nelsen	3150 FEL feet from 🗸 E / W Line of Section
Well Number: D2-34	Sec. 34 Twp. 30 S. R. 14E ✓ East West
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SE SE SW	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T30S

34

3150 FEL

R14€

NOTE: In all cases locate the spot of the proposed drilling locaton.

Willson Co.

#### In plotting the proposed location of the well, you must show:

RECEIVED

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surroun **QUARTICAL COMMISSION**4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

MAY 07 2007

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-CONSTINATION DIVISION CG-8 for gas wells).

  WICHITA, KS

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074		
Operator Address: 211 W. Myrtle		Inde	ependence KS 67301	
Contact Person: Tony Williams		Phone Number: ( 620 ) 331 - 7870		
Lease Name & Well No.: D Nelsen D2-34		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SESESW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 <sub>Twp.</sub> 30 <sub>R.</sub> 14E  ✓ East	
Settling Pit	If Existing, date constructed:		450 FSL Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Dititus		3150 FEL Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 926	(bbls)	Wilson County	
s the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?  ☐ Yes  ✓ No		How is the pit lined if a plastic liner is not used?	
✓ Yes  No			Natural Clays	
If the pit is lined give a brief description of th material, thickness and installation procedu			edures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit  Depth to shalk Source of info		west fresh waterfeet.		
지 A feet Depth of water wellfeet		measuredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of mate		I	al utilized in drilling/workover: Air	
		1	of working pits to be utilized: ONE	
Barrels of fluid produced daily: Abandonmer		Abandonment	procedure: Air dry, fill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above sta	tements are true and	correct to the bes	t of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMIS	
May 4, 2007  Date		Jony	ignature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS	
	ксс	OFFICE USE O		
Date Received: 5/7/67 Permit Nu			it Date: 5/7/67 Lease Inspection: Yes X No	