## For KCC Use: Effective Date: \_ SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date May 14, 2007	Spot
month day year	C . NW SE Sec. 9 Twp. 30 S. R. 14E West
DPERATOR: License# 33074	1980 FSL feet from N / VS Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	1980 FEL feet from VE / W Line of Section
211 W. Myrtie	Is SECTION _✓RegularIrregular?
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Wilson
620-231-7870	Lease Name: J & H Koehn Well #: C3-9 (T30S)
Shone: 620-331-7070	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675	
lame: McPherson Drilling	Is this a Prorated / Spaced Field? Yes ✓ No
IGIII 6	Target Information(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 feet
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 909 feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes Vino
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 200'
	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1534 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well 🗸 Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Ves proposed zone:
	RECEIVED
	IDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
	MAY 0 7 2007
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	ch drilling rig: CONSERVATION DIVISION
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i>	ch drilling rig; CONSERVATION DIVISION  by by circulating cement to the top; in all cases surface (CONSERVATION DIVISION)
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; CONSERVATION DIVISION  et by circulating cement to the top; in all cases surface (CONSERVATION DIVISION)  the underlying formation.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to</li> <li>If the well is dry hole, an agreement between the operator and the constant of the c</li></ol>	ch drilling rig; CONSERVATION DIVISION  et by circulating cement to the top; in all cases surface (Conservation)  the underlying formation.  district office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of th</li></ol>	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface of the set  the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the total the surface of th</li></ol>	ch drilling rig; CONSERVATION DIVISION  et by circulating cement to the top; in all cases surface (CONSERVATION DIVISION  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to.</li> <li>If the well is dry hole, an agreement between the operator and the cost of the surface to the companient of the companient</li></ol>	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface of the set  the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging;  aged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	ch drilling rig; CONSERVATION DIVISION but by circulating cement to the top; in all cases surface (Conservation Division). Sistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the deterministic of the surface properties of the surface casing order must be completed within 30 days of the spud date or the well shall be reeby certify that the statements made herein are true and to the best of the surface of the</li></ol>	ch drilling rig; CONSERVATION DIVISION bet by circulating cement to the top; in all cases surface of the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to</li> <li>If the well is dry hole, an agreement between the operator and the composition of the composition of the surface of the s</li></ol>	ch drilling rig; CONSERVATION DIVISION but by circulating cement to the top; in all cases surface (Conservation) clistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second of the well is dry hole, an agreement between the operator and the construction of the second of th	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface of the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  Led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the s	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface (Conservation)  Listrict office on plug length and placement is necessary prior to plugging;  Ligged or production casing is cemented in;  Led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis  Remember to:
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the surface of the specified before well is either pluging the surface of th	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface of the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either pluguage. The appropriate district office will be notified before well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the constant of t	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface (Conservation Division)  Listrict office on plug length and placement is necessary prior to plugging;  Ligged or production casing is cemented in;  Led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialist  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	ch drilling rig;  CONSERVATION DIVISION  of by circulating cement to the top; in all cases surface in the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialist  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the construction of the surface pipe as specified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudidate or the well shall hereby certify that the statements made herein are true and to the best of the construction of the production of the plugible.  For KCC Use ONLY  API # 15 - 205-27176-DOOO  Conductor pipe required Nore feet	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface in the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  Led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialist  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	ch drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all cases surface in the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialist  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the triangle of the well is different to the desired through a green the triangle of the specific plus of the	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface (Conservation Division)  Listrict office on plug length and placement is necessary prior to plugging;  Ligged or production casing is cemented in;  Led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing, be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialise  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	ch drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all cases surfact in the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of th	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface (CONSERVATION DIVISION)  Listrict office on plug length and placement is necessary prior to plugging;  Ligged or production casing is cemented in;  Led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the constitution of the set of the s	ch drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all cases surface including the set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	ch drilling rig; CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface including the set the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27176-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	1980 FSL feet from N / S Line of Section
Lease: J & H Koehn	1980 FEL feet from VE / W Line of Section
Well Number: C3-9 (T30S)	Sec. 9 Twp. 30 S. R. 14E
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: C NW SE	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

T30S		
	· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·		R14E
· 9 —	1980 FEL	EXAMPLE 1980
		10 1980
		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

RECEIVED KANSAS CORPORATION COMMISSION

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

2. The distance of the proposed drilling location from the section's south / north and east / west.

CONSERVATION DIVISION WICHITA, KS

3. The distance to the nearest lease or unit boundary line.

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074	
	Inde	ependence KS 67301	
Contact Person: Tony Williams		Phone Number: ( 620 ) 331 - 7870	
C3	3-9 (T30S)	Pit Location (QQQQ):	
Pit is:		<u>C _ NW _ SE</u>	
Proposed Existing  If Existing, date constructed:		360	
			Ditit-
, ,	(bbis)	Wilson	
J		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes 🗸	No	Natural Clays	
le of pit		west fresh waterfeet. mation:	
N Afeet Depth of water wellfeet		redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation:		al utilized in drilling/workover: Air	
· · · · · · · · · · · · · · · · · · ·		Number of working pits to be utilized: ORE	
Barrels of fluid produced daily: Abandonmer		procedure: Air dry, fill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mu		be closed within 365 days of spud date.	
tomosto ara truo and o	correct to the bes	t of my knowledge and belief. KANSAS CORPORATION COM	
tements are true and t	1		
	_ Ion	MAY 0 7 2007  Ginature of Applicant or Agent  CONSERVATION DIVISION  WICHITA KS	
	_ Ion	Y Children  Ignature of Applicant or Agent  CONSERVATION DIVISION  WICHITA, KS	
	Pit is:  Proposed  If Existing, date concentrations  Pit capacity:  926  Artificial Liner?  Yes  Artificial Liner?  Yes  It was a second to design of the capacity of the capacity:  Artificial Liner?  From ground level to design of the capacity of the capacity:  It was a second of the capacity of the c	C3-9 (T30S)  Pit is:  Proposed Existing If Existing, date constructed:  Pit capacity:  926 (bbls)  Artificial Liner?  Yes No  Artificial Liner?  Yes No  35 Length (feet) 30  from ground level to deepest point: 5  e liner e.  Describe proceiner integrity, i  be of pit  Depth to shallo Source of information in the shallor shallor source of information in the shallor shallor source of information in the shallor sh	