For KCC	Use:	5-13-07	
Effective	Date: _	3 13 0/	
District #	·	9	
SGA?	Yes	<b>∑</b> No	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot
month day year	ApNE _ NESW _ NW Sec. 26 Twp. 12 S. R. 15 West
OPERATOR: License#_6246	3940 feet from N / ✓ S Line of Section
Name: Bennett & Schulte Oil Company	4190 feet from E / W Line of Section
Address P.O. Box 329	Is SECTION   ✓ Regular — Irregular?
City/State/Zip: Russell, KS 67665	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Frank Schulte	County: Russell
Phone: (785) 483-2721	Lease Name: E. Haberer Well #: 1
33905	Field Name: Elsasser
CONTRACTOR: License#_33905	Is this a Prorated / Spaced Field?
lame: Toyal Drilling, Ito.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1,090'
✓ Oil Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 1876 est. feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 180'
Other	Depth to bottom of usable water:
Name of the state	Surface Pipe by Alternate: 1 200'
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 3,350'
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date:Original Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well   Well Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	VIII Odies be takeir: □ 165 ▼ NO
	If Yes, proposed zone:
A F.F.	
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plo	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met:	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be asset through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be asset through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  In which we will be set.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the statements made herein are true and to the best of	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  In which we have the set of the control of the prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spud state.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 23432-0000  Conductor pipe required	DAVIT  Lugging of this well will comply with K.S.A. 55 et. seq.  The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Improved the set to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of set into the set of set of set into the set into the set of set into the set into the set of set into the se	DAVIT  Lagging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill; If ile Completion Form ACO-1 within 120 days of spud date; If ile acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the pest of the part of the pest o	DAVIT  Lagging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the set of the set of set into the set of the s	DAVIT  Lagging of this well will comply with K.S.A. 55 et. seq.  The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

MAY 8 2007

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 167-23432-0000	Location of Well: County: Russell
Operator: Bennett & Schulte Oil Company	3940 feet from N / S Line of Section
Lease: E. Haberer	4190 feet from  E / W Line of Section
Well Number: 1 Field: Elsasser	Sec. 26 Twp. 12 S. R. 15 East ✓ Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: ApNE _ NESW _ NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### PLA

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

•	• •	· · ·	•
	·		
	<u>:</u> :		
•			•
	: : :		:
	:		-
			•
•	•		•



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Bennett & Schulte Oil Company			License Number: 6246		
Operator Address: P.O. Box 329 R	ussell, No 67	005	Disco Number ( ) 100 DTG		
Contact Person: Frank Schulte			Phone Number: ( 785 ) 483 - 2721		
Lease Name & Well No.: E. Haberer #	¥1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		ApNE NE SW NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 26 Twp. 12 R. 15 East 🗸 West		
Settling Pit	If Existing, date constructed:		3940 Feet from North / / South Line of Section		
Workover Pit Haul-Off Pit	orkover Pit Haul-Off Pit		4190 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 400	(bbls)	Russeli		
			County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	native mud		
Pit dimensions (all but working pits):	30 Length (fe	et) 80	Width (feet) N/A: Steel Pits		
	rom ground level to de		(feet)		
if the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of info	owest fresh water 180 feet.		
		meast	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	;	Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materi	al utilized in drilling/workover: fresh mud		
Number of producing wells on lease:	<u></u>		rking pits to be utilized: 3		
			procedure: allow to dry and backfill		
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
May 8, 2007  Date    May 8, 2007   Date   Danna Manda   Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 5/8/07 Permit Nun	nber:	Perm	wit Date: $5/8/c7$ Lease Inspection: Yes $\chi$ No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED KANSAS CORPORATION COMMISSION

MAY 0 8 2007