For KCC Use: Effective Date: District #_ SGA? XYes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date May 15, 2007 month day year	Spot 120' S. of CE/2 - E/2 - SE Sec. 6 Twp. 30S S. F	
OPERATOR: License# 5056		Line of Section
N F.G. Holl Company, L.L.C.	teet from VE /w	Line of Section
Address: 9431 E. Central, Suite 100	Is SECTION Regular irregular?	
City/State/Zip: Wichita, Kansas 6 / 206	(Note: Locate well on the Section Plat on revers	se side)
Contact Person: Franklin R. Greenbaum	County: Barber	
Phone: (316) 684-8481	Lease Name: BELL V	Vell #:
	Field Name: Jem South Extension	
CONTRACTOR: License#_5929	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Duke Drilling Company, Rig 5	Target Formation(s): Mississippi, Viola, Simpson	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'	·//
	Ground Surface Elevation: 1938' Estimated	feet MSL
	Water well within one-quarter mile:	✓ Yes No
	Public water supply well within one mile:	Yes 🗸 No
OWWO Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water: 150°	<u></u> .
	Depth to bottom of usable water:	
Other	Surface Pipe by Alternate: 🗸 1 💹 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 950'	
Operator:	Length of Conductor Pipe required: 100'	
Well Name:	Projected Total Depth:4850'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	· · · · · · · · · · · · · · · · · · ·
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	✓ Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #: (Contractor will apply)	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AFFI	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pl		
It is agreed that the following minimum requirements will be met:		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the doing to the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the complete of the spud date or the well shall to the complete of the spud date or the well shall to the complete of the spud date or the well shall to the complete of the spud date or the spud date. 	If by circulating cement to the top; in all cases surface pipe ne underlying formation. istrict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alto	rior to plugging; rs of spud date. ernate II cementing
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.	
· · · · · · · · · · · · · · · · · · ·		nager
Date: 05/04/2007 Signature of Operator or Agent	Title: Exploration Mai	agei
	Remember to:	
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;	1
API # 15 - 007 - 23/50-0000	- File Completion Form ACO-1 within 120 days of spud of	
Alma	- File acreage attribution plat according to field proration	j
320	Notify appropriate district office 48 hours prior to worker Submit plugging report (CR-4) after plugging is complete.	•
William Salidoc Dipo required	 Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injection. 	t.water
Approved by: 10-07	- Strain written approval before disposing of injecting	EIVED &
This authorization expires: 11-10-07	If this permit has expired (See: author)260 check the box below and return to the address below.	WICHESON WISSION O
(This authorization void if drilling not started within 6 months of approval date.)		7.700=
Spud date: Agent:	Well Not Drilled - Permit Expired MAY 0 Signature of Operator or Agent:	
	Date:CONSERVATE	ON DIVISION 🔭 🔀

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23150-0000	Location of Well: County: Barber
Operator: F.G. Holl Company, L.L.C.	· · · · · · · · · · · · · · · · · · ·
Lease: BELL	1200 feet from N / ✓ S Line of Section 330 feet from ✓ E / W Line of Section
Well Number: 1-6	Sec. 6 Twp. 30S S. R. 13 East ✓ West
Field: Jem South Extension	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: C E/2 - E/2 - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: F.G. Holl Company, L.L.C.		License Number: 5056		
Operator Address: 9431 E. Central, Suite 100, Wichita, Kansas 67206				
Contact Person: Franklin R. Greenbaum		Phone Number: (316) 684 - 8481		
Lease Name & Well No.: BELL NO. 1-6		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 6 Twp. 30S R. 13W ☐ East ✓ West	
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		1200 Feet from North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit			Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 500	(bbls)	Barber	
			County	
Is the pit located in a Sensitive Ground Water	Area? 🗸 Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	· · · · · · · · · · · · · · · · · · ·	How is the pit lined if a plastic liner is not used?	
✓ Yes No	☐ Yes 🗸	No	Mud & natural clays	
Pit dimensions (all but working pits):1	50 Length (fe	eet)150	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 4 (feet) RECEIVED KANSAS CORPORATION COMMISSION				
If the pit is lined give a brief description of the			edures for periodic maintenance and determining	
material, thickness and installation procedure).	liner integrity, ii	ncluding any special monitoring. MAY 0 7 2007	
			CONSERVATION DIVISION	
			CONSERVATION DIVISION WICHITA, KS	
			WICHITA, KS	
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet.	
Distance to nearest water well within one-mile	·	Source of infor	wichita, ks west fresh water <u>u</u> feet.	
	132_feet	Source of infor measu	west fresh water feet.	
feet Depth of water well	132 feet	Source of infor measu Drilling, Worke	west fresh water teet. mation: lired well owner electric log KDWR	
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	132 feet	Source of infor measu Drilling, Worke Type of materia	west fresh water to the feet. mation: lired well owner electric log KDWR over and Haul-Off Pits ONLY:	
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	132 feet	Source of informeasu Drilling, Worke Type of materia Number of wor	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	132 feet	Source of informeasu Drilling, Worke Type of materia Number of wor	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	132 feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	132 feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must to	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	132 feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must to	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	132 feet	Drilling, Work Type of materia Number of work Abandonment Drill pits must becorrect to the best	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	132 feet	Drilling, Work Type of materia Number of work Abandonment Drill pits must becorrect to the best	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 05/04/2007	spilled fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must becorrect to the best	west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 05/04/2007 Date	spilled fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must becomect to the best	west fresh water	



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

May 9, 2007

Mr. Franklin R. Greenbaum F.G. Holl Company, LLC 9431 E. Central, Ste 100 Wichita, KS 67206

RE: Drilling Pit Application Bell Lease Well No. 1-6 SE/4 Sec. 06-30S-13W Barber County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File