For KCC Use: 5-/6-07

Effective Date: 3

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Spot ✓ East
month day year	NE - SW - SE Sec. 14 Twp. 28 S. R. 16 West
OPERATOR: License# 33344	1300 feet from N / ✓ S Line of Section
Name: Quest Cherokee LLC	1550feet from VE / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION ✓ RegularIrregular?
Address: City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Wilson
Phone: (405) 463-6880	Lease Name: Myers, David Well #: 14-1
,	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 1090
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 926 feet MSL
Oil Enh Rec 🗸 Infield 🔲 Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water:
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2
	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	RECEIVED
AFFI	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	MAY 1 1 2007
5. The appropriate district office will be notified before well is either plug	t by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: May 10, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27185 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. Y (2)	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Troy knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: May 10, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27/85 DDD Conductor pipe required None feet Minimum surface pipe required teet per Alt. X 2 Approved by:	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: May 10, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27185 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. Y (2)	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Try knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: May 10, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27185 0000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: My 5 1-07 This authorization void if drilling not started within 6 months of approval date.)	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Try knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: May 10, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27185 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2) Approved by: Approved by	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Try knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205 - 27185-000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	1300 feet from N / S Line of Section
Lease: Myers, David	feet from 🗸 E / W Line of Section
Well Number: 14-1	Sec. 14 Twp. 28 S. R. 16 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: NE - SW - SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- ·4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

***				···
Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklah	oma 73120
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Myers, David #14-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 28 R. 16 Fast West	
Settling Pit	If Existing, date constructed:		1300 Feet from	North / 🗸 South Line of Section
☐ Workover Pit ☐ Haul-Off Pit			1550 Feet from ✓	East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Wilson	County
Is the pit located in a Sensitive Ground Water	s the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration:mg/l	
		,	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic	cliner is not used?
Pit dimensions (all but working pits):	30 Length (fe	eet) 10	Width (feet)	N/A: Steel Pits
Depth fi	om ground level to de	eepest point:	10 (feet)	
		Air Drilling	Operation lasting app	rox 3 days
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh waterfeet. rmation:		
		iredwell owner	_ electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		1	ing, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of mater		1	pe of material utilized in drilling/workover; Air Drilled	
, , ,		f working pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill ar	id Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	KANSAS CORPORATION COMMISSIO
May 10, 2007 Date	\	land s	Marlunignature of Applicant or Agent	MAY 1 1 2007 CONSERVATION DIVISION WICHITA, KS
KCC OFFICE USE ONLY				
Date Received: 5/1/07 Permit Num	nber:	Perm	it Date: ちんぱつつ Lease	e Inspection: Yes X No