

For KCC Use:	<>n-n7
Effective Date:	5-20-07
District #3_	
SGA? XYes	No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009380

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

was be approved by Nee me	
Expected Spud Date: 06/01/2007 month day year	Spot Description:
	NE SE NW NE Sec. 11 Twp. 23 S. R. 16 XE W
OPERATOR: License# 5150	190 teet from X N / S Line of Section
Name: Colt Energy Inc	eet notification and the content of
Address 1: P.O. Box 388	Is SECTION: Regular X Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: lola State: KS Zip: 66749 + Contact Person: DENNIS KERSHNER	County: Coffey
Phone: _620-365-3111	Lease Name: BEARD Well #: 10-1 Field Name: NEOSHO FALLS-LEROY
CONTRACTOR: License# 5989	Is this a Prorated / Spaced Field?
Name: Finney, Kurt	Target Formation(s): SQUIRREL Nearest Lease or unit boundary line (in footage): 790
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 984 feet MSL
Oil X Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 20
Seismic ; # of Holes Other	Depth to bottom of usable water: 200
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1020
Original Completion Date: Original Total Depth:	Formation at Total Depth: SQUIRREL
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
KCC DKT #·	1869 Carra ta talang
KCC DKT #:	Will Cores be taken? Yes No SQUIRREL
KCC DKT #:	If Yes, proposed zone: SQUIRREL
	If Yes, proposed zone: SQUIRREL RECEIVED
AFFI	If Yes, proposed zone: SQUIRREL RECEIVED KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: SQUIRREL RECEIVED KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: SQUIRREL RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the copy of the approved notice of intent to drill shall be posted on each of the copy of the approved notice of intent to drill shall be posted on each of the copy of the approved notice of intent to drill shall be posted on each of the copy of the approved notice of the copy of the copy of the approved notice of the copy of the copy of the copy of the approved notice of the copy of t	If Yes, proposed zone: SQUIRREL RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: SQUIRREL RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 Idrilling rig; Y circulating cement to the top; in all cases surface pingle than be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard o	If Yes, proposed zone: SQUIRREL RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 Idrilling rig; CONSERVATION DIVISION In y circulating cement to the top; in all cases surface pipe CHIAN Se set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 Idrilling rig; CONSERVATION DIVISION In y circulating cement to the top; in all cases surface pipe set underlying formation. It office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 Idrilling rig; CONSERVATION DIVISION In all cases surface pipe SHATE Se set Underlying formation. In the control of t
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 Idrilling rig; CONSERVATION DIVISION In y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. In or office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If yes, proposed zone: CONSERVATION DIVISION If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. If yes, proposed zone: CONSERVATION DIVISION If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. If yes, proposed zone: CONSERVATION DIVISION If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. If yes, proposed zone: CONSERVATION DIVISION If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. If yes, proposed zone: CONSERVATION DIVISION If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. If y circulating cement to the top; in all cases surface pipe shafe be set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the state o	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified below the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the best of my	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proved that the statements made herein are true and to the best of my	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified below the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the best of my	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 Idrilling rig; CONSERVATION DIVISION In all cases surface pipe SHATE Se set Underlying formation. In to office on plug length and placement is necessary prior to plugging; In or production casing is cermented in; If rom below any usable water to surface within 120 DAYS of spud date. In surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. If the surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. If hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe SHAP be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Further Clark Title: Further Clark
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard to the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the first and ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe Ham be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief. Title: Publication (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of sould date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 23309 - ODDOO	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Further Clark Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard to the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the well be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the standard to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 223 309 - 00000000000000000000000000000000	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION Iging completed comply in all cases surface piper in the set of
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shaft be set underlying formation. ct office on plug length and placement is necessary prior to plugging; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Further Clark File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and to the best of my Date: Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shaft be set underlying formation. ct office on plug length and placement is necessary prior to plugging; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shafe be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and to the best of my Date: Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 5 2007 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe share be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031 - 22309 - 0000 Operator: Colt Energy Inc	Location of Well: County: Coffey
Lease: BEARD	
Well Number: 10-I Field: NEOSHO FALLS-LEROY	1,550 feet from X E /
Number of Acres attributable to well:	is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT e attributable acreage for prorated or spaced w

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		790 ft.	
 		0 -	 – 1550 ft. RECEIVED KANSAS CORPORATION COMMISSIO
 :	:		 MAY 1 5 2007
 			 CONSERVATION DIVISION WICHITA, KS
	11		EXAMPLE
 			 1980
 			 3390'
			SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

009380

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Colt Energy Inc			License Number: 5150		
Operator Address: P.O. Box 388			lola KS 667	49	
Contact Person: DENNIS KERSHNER			Phone Number: 620-365-3111		
Lease Name & Well No.: BEARD	10	-1	Pit Location (QQQQ):		
Type of Pit:	Pit is:	•	NE SE NW NE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 11 Twp. 23 R. 16 East West		
Settling Pit	If Existing, date co	onstructed:	790 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,550 Feet from East / West Line of Sec	tion	
(If WP Supply API No. or Year Drilled)	80	(bbls)	Coffey Cou	ınty	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:m	 g/l	
		-J	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL		
Yes No					
Pit dimensions (all but working pits):	Length (fe	eet)15	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	5 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and PERMATIUM COMMISSION notuding any special monitoring.		
material, trickness and installation procedure	.	MAY 1 5 2007			
			©ONSERVATION DIVISION WICHITA, KS		
Distance to progress water well within and mile of pit		Depth to shallo	west fresh waterfeet.		
Distance to nearest water well within one-mile of pit		Source of info	mation:		
N/A feet Depth of water wellfeet		measu	red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONLY:		
Producing Formation:			al utilized in drilling/workover: NATIVE SOIL		
Number of producing wells on lease:		Number of working pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment	procedure: PUMP OUT - PUSH IN		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.		
		an 1	\sim 10		
-5-11-07		Shirl	er stotler		
Date			Signature of Applicant or Agent		
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS		
i					
Date Received: 5 \ \(\s\ \c7 \) Permit Nun	sher.	Perm	nit Date: 5/(5/07 Lease Inspection: Yes ANO)	



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Molfet, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135. Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.