

For KCC Use:	5-20-07
Effective Date: .	5-200/
District #3	
SCA2 XV	a DNa

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009382

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:06/01/2007	Spot Description:	
month day year	SW . SW . NE . NE Sec. 11 Twp. 23 S. R. 16	
5150	(Q/Q/Q/Q) 4,125 feet from \(\backslash \) \(\backslash	Oction
OPERATOR: License#	(Q/Q/Q/Q) 4,125 feet from N / X S Line of S 1,075 feet from X E / W Line of S	ection
Address 1: P.O. Box 388	Is SECTION: Regular It is regular?	ection
Address 2:	<u> </u>	
City: lola	(Note: Locate well on the Section Plat on reverse side) County: Coffey	
Contact Person: DENNIS KERSHNER	Lease Name: BEARD Well #: 15-I	
Phone: 620-365-3111	Lease Name: BEARD Well #: 15-I Field Name: NEOSHO FALLS-LEROY	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	71
Name: Advise on ACO-1Must be licensed by KCC	Target Formation(s): SQUIRREL	ZINO
	Nearest Lease or unit boundary line (in footage): 1075	
Well Drilled For: Well Class: Type Equipment:	200	MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	_
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
Disposal Wildcat Cable	Depth to bottom of fresh water: 20	7140
Seismic; # of Holes Other	Depth to bottom of usable water: 200	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40	
	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth: 1020	
Well Name:	Formation at Total Depth: SQUIRREL	
Original Completion Date: RECEIVE in al Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Vestrue vertical denth:	DWR Permit #:	
Bottom Hole Location: MAY 1 5 2007	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	No
CONSERVATION DIVI SION WICHITA, KS	If Yes, proposed zone: SQUIRREL	
ग्राच्या ।। यु राज्य		
	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
1. Notify the appropriate district office prior to spudding of well;		
2. A copy of the approved notice of intent to drill shall be posted on each		
The minimum amount of surface pipe as specified below shall be set		
add a facilitation of the authority of the algebra and a second to the algebra and a second to the algebra and		
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.	
4. If the well is dry hole, an agreement between the operator and the dist	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ;	
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.	
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting.	
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of more districted. 	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.	0 1
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of must be completed. 	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.	Perd
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief Title: Production	
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials. Signature of Operator or Agent: Signature of Operator or Agent:	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.	lech 13
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of modern and the position of the position. Signature of Operator or Agent: For KCC Use ONLY	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. y knowledge and belief Title: Production Title: Production Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22311-0000	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. y knowledge and belief Title: Production File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	3
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22311-0000	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. y knowledge and belief Title: Production Title: Production File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 031 - 22311-0000 Conductor pipe required 0 feet.	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. y knowledge and belief Title: Production File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	11 23
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material points. For KCC Use ONLY API # 15 - O31 - 22311-0000 Conductor pipe required 0 feet Minimum surface pipe required 40 feet per ALT.	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. y knowledge and belief Title: Production Title: Production File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	11 23
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of mate: Solution	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief Title: Production Title: Production File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	11 23
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the statements of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the statement of the statement of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material part of the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date or the well shall be compared to the spud date	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. y knowledge and belief Title: Production Title: Production Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days - Obtain written approval before disposing or injecting salt water.	11 23
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of mate: Solution	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief Title: Production Title: Production File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	11 23

Side Two



DECEMBED

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031-22311-0000	
Operator: Colt Energy Inc	Location of Well: County: Coffey
Lease: BEARD	4,125 feet from N / N S Line of Section
Well Number: 15-I	1,075 feet from X E / W Line of Section
Field: NEOSHO FALLS-LEROY	Sec. 11 Twp. 23 S. R. 16 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SE

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

<u>;</u>	: :	:	: :	KANSAS CORPORATION COMMI	ISSIC
				MAY 1 5 2007	
			φ	CONSERVATION DIVISION 1075 ft. WICHITA, KS	١
	·				
	<u> </u>	^l ∣1 		EXAMPLE	
				■ • 1980	
				10	
				3390'	
	· · · · · · · · · · · · · · · · · · ·				
				SEWARD CO.	J

NOTE: In all cases locate the spot of the proposed drilling locaton.

4125 ft.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



MAY 1 5 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009382

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

OUNSERVATION DIVIGION WICHITA, KS

Submit in Duplicate

Operator Name: Colt Energy Inc		License Number: 5150			
Operator Address: P.O. Box 388		lola KS 66749			
Contact Person: DENNIS KERSHNER		Phone Number: 620-365-3111			
Lease Name & Well No.: BEARD 15-I		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW SW NE NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 11 Twp. 23 R. 16 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		4,125 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,075 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	80 (bbls)		Coffoy		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:		mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)		
Yes No	Yes X	No	How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL		
Pit dimensions (all but working pits):	lO Length (fe	eet)15	Width (feet)	N/A: Steel	Pits
Depth fr	om ground level to de	eepest point:	5 (feet)	No Pit	
If the pit is lined give a brief description of the			edures for periodic maintenance a	and determining	
material, thickness and installation procedure).	iner integrity, i	ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shall		,	llowest fresh waterfeet.		
Source of i			Source of information: measured well owner electric log KDWR		
leet Deptil of Water Well leet I liea			orkover and Haul-Off Pits ONLY:		
		aterial utilized in drilling/workover: NATIVE SOIL			
		working pits to be utilized:			
, , , , , , , , , , , , , , , , , , ,		nment procedure: PUMP OUT - PUSH IN			
Does the slope from the tank battery allow all spilled fluids to		Drill pits must	Abandonment procedure: PUMP OUT - PUSH IN Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and c	correct to the bes	t of my knowledge and belief.	<u></u>	
<i>-</i>	ı	CO- A	C+ Man		
3-11-07 Date Signature of Applicant or Agent					
	KCC	OFFICE USE O	NLY Steel Pit	RFAC RFAS	
proportion electron of the	hau.	B	it Date: 5 15 07 Lease I	nenestica: 🎞 🚾	K No
Date Received: 5/5/67 Permit Num	Del:	rerm	it Date 110 0 1 Lease	napection res	الأح



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135. Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.