

For KCC Use:

Effective Date:

District # 3

SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

009381

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Euroated Soud Date: 06/01/2007	
Expected Spud Date:	Spot Description:
•	NW SE NE Sec. 11 Twp. 23 S. R. 16 ▼E W
OPERATOR: License# 5150	feet from XN/ S Line of Section
Name: Colt Energy Inc	leet from ME / W Line of Section
Address 1: P.O. Box 388	is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Iola State: KS Zip: 66749 + Contact Person: DENNIS KERSHNER	County: Coffey
Phone: 620-365-3111	Lease Name: BEARD Well #: 8-I
	Field Name: NEOSHO FALLS-LEROY
CONTRACTOR: License# 5989	Is this a Prorated / Spaced Field?
Name: Finney, Kurt	Target Formation(s): SQUIRREL
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 620
Oil X Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 985feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes X No
DisposalWildcatCable	· · · · · · · · · · · · · · · · · · ·
Seismic ; # of Holes Other	Depth to bottom of fresh water: 20 Depth to bottom of usable water: 200
Other:	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 1020
Well Name:Original Total Depth:	Formation at Total Depth: SQUIRREL
Original Completion Date Original Total Deptit	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: SQUIRREL RECEIVED
	KANSAS CORPORATION COMMISSION
AFFI	KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugi It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION COMMISSION KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual pluggers is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office. 4. If the well is dry hole, an agreement between the operator and the district.	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. t office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the undersigned. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. t office on plug length and placement is necessary prior to plugging; if or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggets. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. t office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented on pursuant to Appendix "B" - Eastern Kansas surface casing order #130	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set underlying formation. t office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pluggers is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same of the approved notice of intent to drill <i>shall be</i> posted on each of the same o	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or more production casing is cemented in; If or more plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or more plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or production casing is cemented in; If or more plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or production casing is cemented in it is or production casing is cemented in it is or production casing is cemented in it is or p
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unimum of	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second	CONSERVATION DIVISION CONSERVATION DIVISION Wilchita, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unimum of	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Localutton Clash
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	CONSERVATION DIVISION willing rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. toffice on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Hemember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACC-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	CONSERVATION DIVISION CONSERVATION DIVISION Willing rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	CONSERVATION DIVISION willing rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. t office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plurging report (CP-4) after plurging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	CONSERVATION DIVISION CONSERVATION DIVISION Willing rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated on each of unconsolidated on each of unconsolidated on each of unconsolidated health be posted to the unconsolidated on each of unconsolidated health be posted to the unconsolidated on each of unconsolidated health be posted to the unconsolidated health be posted to the unconsolidated health be posted to the unconsolidate	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugical is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated on each of unconsolidated on each of unconsolidated on each of unconsolidated health be posted to the unconsolidated on each of unconsolidated health be posted to the unconsolidated on each of unconsolidated health be posted to the unconsolidated health be posted to the unconsolidated health be posted to the unconsolidate	CONSERVATION DIVISION willing rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. toffice on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031-22307-0000	
Operator: Colt Energy Inc	Location of Well: County: Coffey
Lease: BEARD	715 feet from N / S Line of Section
Well Number: 8-I	620 feet from X E / W Line of Section
Field: NEOSHO FALLS-LEROY	Sec. 11 Twp. 23 S. R. 16 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009381

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Colt Energy Inc.				
Operator Name: Colt Energy Inc		License Number: 5150		
Operator Address: P.O. Box 388			lola KS 66	749
Contact Person: DENNIS KERSH	HNER		Phone Number: 620-365-3111	
Lease Name & Well No.: BEARD	8-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NW . SE . NE . NE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 11 Twp. 23 R. 16 East Wes	t
Settling Pit Drilling Pit	If Existing, date co	onstructed:	715 Feet from North / South Line of S	ection
Workover Pit Haul-Off Pit	Pit capacity:		620 Feet from East / West Line of S	
(If WP Supply API No. or Year Drilled)	80	(bbls)	Coffey — —	ounty
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l
	Artificial Liner?		(For Emergency Pits and Settling Pits only)	
is the bottom below ground level? Yes No	Yes X	No	How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL	
Pit dimensions (all but working pits): 3	30 Length (fe	not) 15	Width (feet) N/A: Steel Pits	
` ` ` ` `	om ground level to de	•	5	
If the pit is lined give a brief description of the		Describe proce	edures for periodic maintenance and determining	
material, thickness and installation procedure		liner integrity, i	ncluding any special monitoring SANSAS CORPORATION COMMISS	ION
			MAY 1 5 2007	
			CONSERVATION DIVISION	
Distance to nearest water well within one-mile	of pit	1 '	WICHITA, KS west fresh waterfeet.	
N/A	·	Depth to shallo Source of infor	WICHITA, KS west fresh waterfeet. mation:	/R
	feet	Source of informeast	west fresh waterfeet.	/R
N/A feet Depth of water well	feet	Source of informeasu	west fresh waterfeet. mation: ired well owner electric log KDW over and Haul-Off Pits ONLY:	/R
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of informeast Drilling, Work Type of materia	west fresh waterfeet. mation: ured well owner electric log KDW	/R
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of informeast Drilling, Work Type of materia Number of wor	west fresh waterfeet. mation: uredwell ownerelectric logKDW. over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL	/R
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of informeast Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet. mation: ured well owner electric log KDW. over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL king pits to be utilized: 1	/R
N/A feet Depth of water well	feet spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh waterfeet. mation: Iredwell ownerelectric logKDW. Iredwell ownerelectric logKDW. In a utilized in drilling/workover:NATIVE SOIL king pits to be utilized:1 procedure:PUMP OUT - PUSH IN the closed within 365 days of spud date.	/R
N/A feet Depth of water well	feet spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh waterfeet. mation: Iredwell ownerelectric logKDW. Iredwell ownerelectric logKDW. In a utilized in drilling/workover:NATIVE SOIL king pits to be utilized:1 procedure:PUMP OUT - PUSH IN the closed within 365 days of spud date.	/R
N/A feet Depth of water well	feet spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must is correct to the bes	west fresh waterfeet. mation: uredwell owner electric logKDW. over and Haul-Off Pits ONLY: al utilized in drilling/workover: NATIVE SOIL king pits to be utilized: 1 procedure: PUMP OUT - PUSH IN the closed within 365 days of spud date. It of my knowledge and belief.	/R
N/A feet Depth of water well	spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh water	/R
N/A feet Depth of water well	spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must is correct to the bes	west fresh water	/R



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135. Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.