For KCC Use: Effective Date: District # SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date June 11 2007 month day year	Spot C - SE - NW Sec. 24 Twp. 27 S. R. 31 West
OPERATOR: License#	1980 feet from VN/S Line of Section
Name: Daystar Petroleum, Inc.	1980feet from E / V W Line of Section
Address PO Box 360	Is SECTION RegularIrregular?
City/State/Zip: Valley Center, KS 67147	
Contact Person: Charles Schmidt	(Note: Locate well on the Section Plat on reverse side) County: Seward
Phone: 316-755-3523	Lease Name: Unruh B Well #: 4-24
//	Field Name: Thirty-one SW
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Murfin Drilling Co.	Target Formation(s): Lansing/Kansas City, Morrow, Mississippian
	P Nearest Lease or unit boundary: 660 per operator.
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2790feet MSL
✓ Oil	Water well within one-quarter mile:
✓ Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
CWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 620
Seismic; # of Holes Other	Depth to bottom of usable water: 640
Other	Surface Pipe by Alternate: ✓ 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 5800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Original Competion SaleOriginal lotal Septis	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🕖)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
PRORATEO & SPACEO: HULOTON AFF	RECEIVED RANSAS CORPORATION COMMISSION
· · · · · · · · · · · · · · · · · · ·	
The undersigned hereby affirms that the drilling, completion and eventual p	MAY 1 5 2007
It is agreed that the following minimum requirements will be met:	MM1 1 3 2001
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the office to the appropriate district office will be notified before well is either plus office an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	et by circulating cement to the top; in all cases surface the shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of Date: 05/14/2007 Signature of Operator or Agent:	Title: Operations Manager
	Title: Of Carlons Traylage
Date: 05/14/2007 Signature of Operator or Agent: 1/2/0	
	Remember to:
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - 175 - 22087-0000	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
For KCC Use ONLY API # 15 - 175 - 22087-0000 Conductor pipe required None feet	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY API # 15 - 175 - 22087-0000	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
For KCC Use ONLY API # 15/75 - 22087-0000 Conductor pipe required	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15/75 - 22087-0000 Conductor pipe required	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
For KCC Use ONLY API # 15	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
For KCC Use ONLY API # 15/75 - 22087-0000 Conductor pipe required	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County: _Seward

Operator:	Daystar Pe	etroleum, In	с.				19	80		feet from	N / S Line of S	Section
Lease: U	nruh B							80	21	=	E / W Line of	
Well Numb	er: 4-24						_ Se	c. 24	Twp. 21	S. R. <u>31</u>		West
Field: Thir	ty-one SW											11000
			ta malla				- Is 8	Section:	✓ Regular o	r Irregular		
Number of QTR / QTF						NW	-					
GIN/GII	יס חוגט לר	i acreage.			 -						earest corner bour	idary.
							Sec	ction corr	ner used: NE	E NW SE	≣ ∐sw	
							PLAT					
			Show loca	ation of the	well and			acreage	for prorated or sp	paced wells.)		
			ફે						ooundary line.)			
			ó									
		•		t		•		•				
			:]			. ,	•			25050	
				()						נישנ	RECEIVE ANSAS CORPORATION	
			•	<u> </u>						, ·	MAAS CORPORATION	COMMISSIO
		•	•]		•					MAY 152	2007
				[.007
				ļ .							CONSERVATION	DIVISION
1980'		•	· _ · · <u></u>	1							WICHITA, K	S
				.								
				. !					EXAM	ADI E	,	
		•			4	·		•				
						•	•			· [1980	
			,					· · · ·		: 		
			•	.			•		1	10		
		•									3390'	
						• •					•	
			•	•			•					
				,			• • •				•	
	:	•		.		•			SEW!	ARD CO.	-	
	L		•]	ALID OQ.		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The distance to the nearest lease or unit boundary line.

API No. 15 - 175-22087-0000

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Daystar Petroleum, Inc.	License Number: 30931				
Operator Address: PO Box 360 Valley Cente	r, KS 67147	7			
Contact Person: Charles Schmidt	Phone Number: (316) 755 - 3523				
Lease Name & Well No.: Unruh B 4-24	Pit Location (QQQQ):				
Type of Pit: Pit is:					
☐ Emergency Pit ☐ Burn Pit ☑ Proposed	Existing	Sec. 24 Twp. 31 R. 31 East West			
Settling Pit Drilling Pit If Existing, date	constructed:	1980 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit Pit capacity:		1980 Feet from East / 🗸 West Line of Section			
(If WP Supply API No. or Year Drilled) 800	(bbls)	Seward County			
Is the pit located in a Sensitive Ground Water Area? Yes	Chloride concentration:mg/l				
Is the bottom below ground level?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
l — —	No	Thow is the pit lines in a plastic line is not used:			
Pit dimensions (all but working pits): 80 Length	(feet)80	Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point: 6(feet)					
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		edures for periodic maintenance and determining ncluding any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION			
		MAY 1 5 2007			
		MAY 1 5 2007 CONSERVATION DIVISION			
Distance to nearest water well within one-mile of pit	Depth to shallo	MAY 1 5 2007 CONSERVATION DIVISION WICHITA, KS Division feet.			
Distance to nearest water well within one-mile of pit 1000 feet Depth of water well 550 feet	Source of info	MAY 1 5 2007 CONSERVATION DIVISION WICHITA, KS Division feet.			
1000	Source of info	MAY 1 5 2007 CONSERVATION DIVISION WICHITA, KS rmation:			
feet Depth of water well	Source of info	MAY 1 5 2007 CONSERVATION DIVISION WICHITA, KS rmation: Lired well owner electric log KDWR			
	Source of informease Drilling, Work Type of materi Number of work	CONSERVATION DIVISION west fresh water			
feet Depth of water well	Source of informease Drilling, Work Type of materi Number of work	CONSERVATION DIVISION WICHITA, KS Transition: Ured well owner electric log KDWR Over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite			
	Source of informease Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION west fresh water			
	Source of informease Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS Invest fresh water			
	Source of informease Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS remation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Eking pits to be utilized: procedure: Air dry and backfill be closed within 365 days of spud date.			
	Source of informease Drilling, Work Type of materi Number of work Abandonment Drill pits must d correct to the bes	CONSERVATION DIVISION WICHITA, KS Invest fresh water			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No I hereby certify that the above statements are true an O5/14/2007 Date	Source of informease Drilling, Work Type of materi Number of work Abandonment Drill pits must discorrect to the bes	MAY 1 5 2007 CONSERVATION DIVISION WICHITA, KS Invest fresh water			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No I hereby certify that the above statements are true an O5/14/2007 Date	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must d correct to the bese C OFFICE USE O	CONSERVATION DIVISION WICHITA, KS mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: None procedure: Air dry and backfill be closed within 365 days of spud date. It of my knowledge and belief. Signature of Applicant or Agent			