RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	5-21-07
Effective Date:	3 2101
District #	<u> </u>
COAD TV	II No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 MAY 1 6 2007 December 2002 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL

Expected Spud Date May 23, 2007	Spot	✓ East
month day year	SW - SW - NW Sec. 33 Twp. 31 S. F	R. 18 West
OPERATOR: License# 9313	2805 feet from N / ✓ S	
Name: James D. Lorenz	4950'feet from/ E / W	Line of Section
543A 22000 Road	ls SECTIONRegularIrregular?	
City/State/Zip: Cherryvale, Kansas 67335-8515	(Note: Locate well on the Section Plat on rever	se side)
Contact Person, James D. Lorenz	County: Labette	07
Phone: 620-328-4433	Lease Name: Lorenz	Nell #: 21
CONTRACTOR: License# 33374	Field Name: Dartnell	
Name: L & S Well Service, LLC	is this a Prorated / Spaced Field? Target Formation(s): Bartlesville	Yes V No
	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 850'	feet MSL
✓ Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic;# of Holes Other	Depth to bottom of usable water: 200+	
Other	Surface Pipe by Alternate: 1 2 2	/
If OWWO: old well information as follows:	congin or canado ripo riaminos to so son	
Operator:	Length of Conductor Pipe required: N/A	<u> </u>
Well Name:	Projected Total Depth: 1000' Formation at Total Depth: Bartlesville	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	·
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Wall Farm Pond Other XX	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes V No
	if Yes, proposed zone:	
AFF	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p		
and endereigned hereby entitle time the diffillia, completion did eventual p	rugging or and well will comply with re.c.re. 20 et. seq.	
	lugging of this wall wall comply with N.S.A. 35 St. 354.	
It is agreed that the following minimum requirements will be met:	lagging of this wall will comply with R.S.A. 55 et. 3eq.	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	ch drilling rig;	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> se	ch drilling rig; of by circulating cement to the top; in all cases surface pip	e shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; of by circulating cement to the top; in all cases surface pip the underlying formation.	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> se	ch drilling rig; If by circulating cement to the top; in all cases surface pip the underlying formation. District office on plug length and placement is necessary p	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p aged or production casing is cemented in; ted from below any usable water to surface within 120 des	orior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; If by circulating cement to the top; in all cases surface pip the underlying formation. Jistrict office on plug length and placement is necessary p gged or production casing is cemented in; ted from below any usable water to surface within 120 dep #133,891-C, which applies to the KCC District 3 area, alt	erior to plugging; ys of spud date. temate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; If by circulating cement to the top; in all cases surface pip the underlying formation. District office on plug length and placement is necessary p ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	erior to plugging; ys of spud date. temate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; by oirculating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p toged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to f my knowledge and belief.	erior to plugging; ys of spud date. temate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the surface district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; by the circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p toged or production casing is cemented in; ted from below any usable water to surface within 120 dep #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to finy knowledge and belief.	erior to plugging; ys of spud date. temate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the surface district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; by oirculating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p toged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to f my knowledge and belief.	erior to plugging; ys of spud date. temate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the composition of the static office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall. For KCC Use ONLY	ch drilling rig; by by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p gged or production casing is cemented in; ted from below any usable water to surface within 120 de; #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to f my knowledge and belief.	prior to plugging; ys of spud date. temate II cementing any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	ch drilling rig; bit by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary proged or production casing is cemented in; ted from below any usable water to surface within 120 days at 133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to firm knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of the underlying the surface prior to the completion form ACO-1 within 120 days of spud of the underlying the	prior to plugging; ys of spud date. temate II cementing any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface price of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OPP - 24209-0000	ch drilling rig; bit by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p gged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration	prior to plugging; ys of spud date. temate II cementing any cementing. ; date; to orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus if an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the complete of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall. For KCC Use ONLY API # 15 - OPP - 2420 9 - OCD feet. Conductor pipe required feet.	ch drilling rig; bit by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p gged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to worko	prior to plugging; ys of spud date. temate II cementing any cementing. ; date; torders; over or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface property of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OPP - 24209-0000 Conductor pipe required feet feet per Alt. 122	ch drilling rig; bit by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p gged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration	prior to plugging; ys of spud date. demate II cementing. any cementing. date; date; dorders; ever or re-entry; sted;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface district office will be notified before well is either plus of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface pipe required feet feet minimum surface pipe required feet per Alt. 1 Approved by Sufface of the surface pipe required feet per Alt.	ch drilling rig; bit by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary proged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to firm with the prior to firm the plugged of the prior to firm the prior to firm the plugged. File Drill Pit Application (form CDP-1) with Intent to Drill in File Completion Form ACO-1 within 120 days of spud of the progeness of the progeness of the plugging report (CP-4) after plugging is complete.	rior to plugging; ys of spud date. temate II cementing. any cementing. ; date; date; orders; over or re-entry; sted; alt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface plus and the surface district office will be notified before well is either plus to the surface district office will be notified before well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the surface plus that the statements made herein are true and to the best of the surface pipe required to the surface plus feet within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the surface plus that the statements of the surface properties of the surface plus feet per Alt. For KCC Use ONLY API # 15 - OPP - 2420 - OPP - OPP - 2420 - Get per Alt. Approved by Last 51601 This authorization expires: 11-16-07	ch drilling rig; by by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p gged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to if my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to worko Submit plugging report (CP-4) after plugging is comple Obtain written approval before disposing or injecting sa	rior to plugging; ys of spud date. temate II cementing. any cementing. ; date; date; orders; over or re-entry; sted; alt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface district office will be notified before well is either plus of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface pipe required feet feet minimum surface pipe required feet per Alt. 1 Approved by Sufface of the surface pipe required feet per Alt.	ch drilling rig; by by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p gged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to if my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to worko Submit plugging report (CP-4) after plugging is comple Obtain written approval before disposing or injecting se If this permit has expired (See: authorized expiration de	rior to plugging; ys of spud date. temate II cementing. any cementing. ; date; date; orders; over or re-entry; sted; alt water.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24209-0000	Location of Well: County: Labette
Operator:	2805 feet from N / V S Line of Section
Lease: Lorenz	4950' feet from ✓ E / W Line of Section
Well Number: 27	Sec. 33 Twp. 31 S. R. 18 ✓ East Wes
Field: Dartnell	
Number of Acres attributable to well: 10	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW - SW - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 1 6 2007

Form CDP-1 April 2004 Form must be Typed

CONSERVATION DIVISION WICHITA, KS

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: James D. Lorenz			License Number: 9313		
Operator Address: 543A 22000 Road Cherryvale, Kansas 67335-8515					
Contact Person: James D. Lorenz			Phone Number: (620) 328 -4433		
Lease Name & Well No.: Lorenz #27			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>s/2</u> . <u>sw</u> . <u>s.w</u> . <i>NW</i>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 31 R. 18		
Settling Pit	If Existing, date constructed:		2805 Feet from North / 🗹 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		4950' Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)	1603	(bbls)	Labette County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration:mg/i		
	A-415-1-111-1-0-0		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? V Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used? Native Mud		
Dia diamandan (all bus sundiam also).	0	\ 30			
Pit dimensions (all but working pits):30 Length (feet) 80 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet)					
		[sdures for periodic maintenance and determining		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		liner integrity, including any special monitoring.			
Native Mud		If it rains in the pit, it will be pumped out and taken to			
		the disposal well			
	· · · · · · · · · · · · · · · · · · ·				
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh waterfeet.			
rlafeet Depth of water wellfeet		measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: fresh			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
5-14-07		(lelen)	S. Silver		
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 5/16/07 Permit Number: Permit Date: 5/16/07 Lease Inspection: Yes X No					