| For KCC Use: 5-26-07 Effective Date: 5-26-07 |
|--|
| Effective Date:                              |
| District #                                   |
| SGA? Yes No                                  |

### Kansas Corporation Commission Oil & Gas Conservation Division

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

|   | 2 (3) days prior to commencing well  |
|---|--|
| Expected Spud Date June 14th 2007   | Spot   |
| OPERATOR: License# 5145 day year  | NW NW SE Sec. 29 Twp. 15 S. R. 14 ✓ West   |
| 5145 V  | 2310feet from N / S Line of Section  |
| OPERATOR: License# 5145 / S   | 2470 feet from $\checkmark$ E / W Line of Section  |
| Name: Dreiling Oil, Inc.  Address: P.O. Box 550   | Is SECTIONRegularIrregular?  |
| Address: P.O. Box 550 City/State/Zip: Hays, Kansas 67601  | is SECTIONnegular irregular?   |
| City/State/Zip:   | (Note: Locate well on the Section Plat on reverse side)  |
| Contact Person: Terry W. Piesker  | County: Russell  |
| Phone: 763-023-6327   | Lease Name: Becker Well #: 1   |
| CONTRACTOR: License# 31548 C S S S S  | Field Name:  |
| Name: Discovery Drilling Co., Inc   | Is this a Prorated / Spaced Field?   |
| Name.   | Target Formation(s): Lansing/Kansas City Arbuckle  |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary: 330'   |
| ✓ Oil   | Ground Surface Elevation: EST 1850 feet MSL  |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile: Yes ✓ No   |
| OWO Disposal Wildcat Cable  | Public water supply well within one mile:  |
| Seismic;# of Holes Other  | Depth to bottom of fresh water: 120'   |
| Other   | Depth to bottom of usable water: 45e-340   |
|   | Surface Pipe by Alternate: 1 X 2   |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set: 200'+  |
| Operator:   | Length of Conductor Pipe required: None  |
| Weil Name:  | Projected Total Depth: 3400'   |
| Original Completion Date:Original Total Depth:  | Formation at Total Depth: Arbuckle   |
| · , , , , , , , , , , , , , , , , , , ,   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No  | Well V Farm Pond Other   |
| If Yes, true vertical depth:  | DWR Permit #:  |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR   |
| KCC DKT #:  | Will Cores be taken? Yes ✓ No  |
|   | If Yes, proposed zone:   |
| ) it fas Lease Attached (5/2)   | UD AVIIT   |
| The undersigned hereby affirms that the drilling, completion and eventual p   | FIDAVIT  |
|   | ragging of this well will comply with N.S.A. 33 et. seq.   |
| It is agreed that the following minimum requirements will be met:   |  |
| Notify the appropriate district office <i>prior</i> to spudding of well;  A copy of the appropriate district of intent to drill about the posterior of the process. | ما الله مام  |
| 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea  | et by circulating cement to the top; in all cases surface pipe <b>shall be set</b>   |
| through all unconsolidated materials plus a minimum of 20 feet into   | •  |
|   | district office on plug length and placement is necessary prior to plugging;   |
| 5. The appropriate district office will be notified before well is either plu   | gged or production casing is cemented in;  |
|   | ted from below any usable water to surface within 120 days of spud date.   |
|   | #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.       |
| · · · · · · · · · · · · · · · · · · ·   | , , ,  |
| I hereby certify that the statements made herein are true and to the best of  | of my knowledge and belief.  |
| Date: 5-8-07 Signature of Operator or Agent: Yenn   | w W. Riaskes Title: Expl. Man.   |
| Signature of Operator of Agent.   | mie. <u>Lapit 1707)</u>  |
|   | Remember to:   |
| For KCC Use ONLY  | - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| API#15-167-23433-0020   | - File Completion Form ACO-1 within 120 days of spud date;   |
| Conductor pipe required None feet   | - File acreage attribution plat according to field proration orders;   |
| 200   | <ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul> |
| Millian dariase pipo loganos lost por vit.  | Obtain written approval before disposing or injecting salt water.  |
| Approved by: With 5-21-07   |  |
| This authorization expires: 1 - 21-0 +  | - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.   |
| (This authorization void if drilling not started within 6 months of approval date.)   | ·  |
|   | Well Not Drilled - Permit Expired  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| APINO. 15- 167-23433-000                 | Location of Well: County:_Russell   |
|--|---|
| Operator: Dreiling Oil, Inc.             | 2310 feet from N / S Line of Section  |
| Lease: Becker                            | 2470 feet from VE / W Line of Section   |
| Well Number: 1                           | Sec Twp,15 S. R14   |
| Field:                                   | _   |
| Number of Acres attributable to well:    | Is Section: 📝 Regular or 🔲 Irregular  |
| QTR / QTR / QTR of acreage: NW - NW - SE | If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW |


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

|                       | •                                     |  | •                                     |
|-----------------------|---------------------------------------|--|---------------------------------------|
|                       |                                       |  |                                       |
|                       |                                       |  |                                       |
|                       |                                       |  |                                       |
| i .                   |                                       |  |                                       |
| · ·                   | •                                     |  |                                       |
| !                     |                                       |  |                                       |
| i                     |                                       |  |                                       |
|                       |                                       |  |                                       |
| 1                     |                                       |  |                                       |
|                       |                                       |  |                                       |
|                       |                                       | 1  |                                       |
|                       | •                                     | · · ·  | •                                     |
|                       |                                       |  |                                       |
|                       |                                       |  | •                                     |
|                       |                                       | i  |                                       |
|                       |                                       |  |                                       |
| i '                   |                                       |  | -                                     |
| 1                     |                                       | 1  |                                       |
|                       |                                       | 1  |                                       |
|                       |                                       |  |                                       |
|                       |                                       |  | _                                     |
|                       | •                                     | . ,  | -                                     |
| 1                     |                                       |  |                                       |
|                       |                                       |  | •                                     |
| 1                     |                                       |  |                                       |
| 1 .                   |                                       |  | _                                     |
| 1                     | •                                     | 1  | *                                     |
| I .                   |                                       | I .  |                                       |
| 1                     |                                       |  |                                       |
| 1 * * * * * * * * * * |                                       |  |                                       |
| 1 .                   | _                                     | 1 .  |                                       |
| 1                     |                                       |  | •                                     |
|                       |                                       | !  |                                       |
|                       | •                                     |  | •                                     |
| 1                     |                                       | 1  |                                       |
|                       |                                       | ٠  |                                       |
|                       |                                       |  |                                       |
|                       |                                       | to a second seco |                                       |
|                       |                                       | ~  | •                                     |
|                       | /`                                    | -  |                                       |
|                       |                                       |  |                                       |
|                       | <i>5</i> 7√                           | 1 330  |                                       |
|                       | ~                                     | 33c'   |                                       |
|                       |                                       | 330  |                                       |
|                       |                                       | 330  |                                       |
|                       |                                       | 330' 2470'   |                                       |
|                       |                                       | 330' 2470'   |                                       |
|                       |                                       | 330' 2470'   | •                                     |
| •                     | · · · · · · · · · · · · · · · · · · · | 9 330' 2470'   | •                                     |
|                       |                                       | 33c' 247 <u>c'</u>   | ·<br>·                                |
|                       |                                       | 33c' 247 <u>c'</u>   | •                                     |
|                       |                                       | 33c' 2470'   | •                                     |
|                       |                                       | 33c 2470'  | •                                     |
|                       |                                       | 33c' 247c'   | •                                     |
|                       |                                       | <b>1</b>   | •                                     |
|                       |                                       | ne. Lease  | · · · · · · · · · · · · · · · · · · · |
|                       |                                       | ne. Lease  | •                                     |
|                       |                                       | ne. Lease  |                                       |
|                       |                                       | <b>1</b>   |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       |                                       | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |
|                       | A11 0                                 | ne. Lease  |                                       |

RECEIVED KANSAS CORPORATION COMMISSION

MAY 1 8 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Dreiling Oil, Inc.  |                                |  | License Number: 5145  |  |
|--|--------------------------------|--|---|--|
| Operator Address: P.O. Box 550 Hays, Kansas 67601  |                                |  |   |  |
| Contact Person: Terry W. Piesker   |                                |  | Phone Number: ( 785 ) 625 - 8327  |  |
| Lease Name & Well No.: Becker #1   |                                | Pit Location (QQQQ):   |   |  |
| Type of Pit:   | Pit is:                        |  | <u>NW NW SE</u>   |  |
| Emergency Pit Burn Pit   | ✓ Proposed Existing            |  | Sec. 29 <sub>Twp.</sub> 15 <sub>R.</sub> 14 ☐ East 🗸 West   |  |
| Settling Pit   | If Existing, date constructed: |  | 2310 Feet from North / 🗸 South Line of Section  |  |
| Workover Pit Haul-Off Pit  | Pit capacity:                  |  | Feet from ✓ East / ☐ West Line of Section   |  |
| (If WP Supply AP! No. or Year Drilled)   | 3000                           | (bbls)   | Russell County  |  |
| Is the pit located in a Sensitive Ground Water   | Area? ☐ Yes 🗸                  | ] No   | Chloride concentration: mg/l  |  |
| Is the bottom below ground level?  | Artificial Liner?              |  | (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?   |  |
| ✓ Yes  No  | Yes 🗸                          | No   | Fresh Water and Native Mud  |  |
| Pit dimensions (all but working pits): 25  | 50' Length (fe                 | eet) 250'  | Width (feet) N/A: Steel Pits  |  |
|  | om ground level to de          |  | (feet)  |  |
| If the pit is lined give a brief description of the material, thickness and installation procedure |                                | Describe proce<br>liner integrity, i   | edures for periodic maintenance and 母話品配及ED ncluding any special monito的MASAS CORPORATION COMMISSION MAY 18 2007  |  |
|  |                                |  | CONSERVATION DIVISION WICHITA, KS   |  |
| Distance to nearest water well within one-mike   | e of pit                       | Depth to shallo  | CONSERVATION DIVISION WICHITA, KS west fresh water 28 feet.   |  |
| Distance to nearest water well within one-mile  1360' feet Depth of water well                     | e of pit                       | Source of infor  | CONSERVATION DIVISION WICHITA, KS west fresh water 28 feet.   |  |
| 4260   | 45' feet                       | Source of infor  | conservation division Wichita, Ks west fresh water 28 feet. mation:   |  |
| 1360'feet Depth of water well  | 45' feet                       | Source of informeasu   | CONSERVATION DIVISION WICHITA, KS  west fresh water 120° 28 feet. mation:  iredwell owner electric logKDWR  |  |
| 1360'feet  | 45' feet                       | Source of informers  Drilling, Work  Type of material  Number of wor               | CONSERVATION DIVISION WICHITA, KS  west fresh water 120° 28° feet. mation:  iredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: 3   |  |
|  | 45' feet                       | Source of informers  Drilling, Work  Type of material  Number of wor               | CONSERVATION DIVISION WICHITA, KS  west fresh water 120° 28 feet. mation:  iredwell owner electric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud  |  |
| feet   | 45' feet                       | Source of informeast  Drilling, Work  Type of materia  Number of work  Abandonment | CONSERVATION DIVISION WICHITA, KS  west fresh water 120° 28° feet. mation:  iredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: 3   |  |
|  | 45' feet                       | Drilling, Work Type of materia Number of wor Abandonment Drill pits must           | CONSERVATION DIVISION WICHITA, KS  west fresh water 120° 28 feet. mation:  iredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: 3  procedure: Evaporation and backfill  be closed within 365 days of spud date.  |  |
|  | 45' feet                       | Drilling, Work Type of materia Number of wor Abandonment Drill pits must           | CONSERVATION DIVISION WICHITA, KS  west fresh water 120° 28 feet. mation:  iredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: 3  procedure: Evaporation and backfill  be closed within 365 days of spud date.  |  |
|  | spilled fluids to              | Drilling, Work Type of materia Number of wor Abandonment Drill pits must           | CONSERVATION DIVISION WICHITA, KS  west fresh water 120° 28 feet. mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: 3  procedure: Evaporation and backfill  be closed within 365 days of spud date.  It of my knowledge and belief.  U. Planker  ignature of Applicant or Agent |  |