For KCC Use: 5-27-07 Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	6 1 2007	-	East
	. month day year	NE SE SE Sec. 6 Twp. 16 S. R. 13 KX	
OPERATOR: License#	9090	990 feet from N / XS Line of Section	
Name: Charter	Energy, Inc.	330feet from XE / W Line of Section	n
Address: P.O. Box		Is SECTION X Regular Irregular?	• .
	Bend, KS 67530	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Steve	Baize	County: Barton /	
Phone: 620 - 79	13 - 9090	Lease Name: Bitter Well #: 1-	
	5440	Field Name:Trapp	
CONTRACTOR: License#- Name: Sterling	5142 V g Drilling Company	Is this a Prorated / Spaced Field? Target Formation(s): Arbuckle Yes	XNo-
	W-11-01	Nearest Leasé of unit boundary: 330 t	
Well Drilled For:	Well Class: Type Equipment:	Ground Surface Elevation: 1915 / feet	MSL
∑ Oil Enh Re		Water well within one-quarter mile:	XNo /
∐Gas ∐Storage		Public water supply well within one mile:	No /
☐ OWWO ☐ Dispose		Depth to bottom of fresh water: 280 .	
Seismic;# of ł	Holes Other	Depth to bottom of usable water: 380 1/	·
Other		Surface Pipe by Alternate: 2	
IZ OLUBAZO - ald mall info	sia f-V	Length of Surface Pipe Planned to be set: 400' Min.	
If OWWO: old well informat		Length of Conductor Pipe required:None	
•		Projected Total Depth: 3350 -	
Well Name:	Odda I Zani Danka	Formation at Total Depth: Arbuckle	
Orginal Completion Dai	te:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Hor	rizontal wellbore? Yes X No	Well XX Farm Pond Other	
If Yes, true vertical depth:		DWR Permit #:	
•		(Note: Apply for Permit with DWR)	
		Will Cores be taken?	ชี พ₀
1100 Ditt 11		If Yes, proposed zone:	Aug
		11 165, proposod zone.	
		IDAVIT RECEIV	ED
The undersigned hereby at	ffirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. segansas Corporation	LLU M COMMISSION
	ng minimum requirements will be met:	TO THE TO DOMESTICATION	A COMMISSION
<u>-</u>	te district office prior to spudding of well;	MAY 2 2 2	7 0 07
2. A conv of the approx	ved notice of intent to drill shall be nosted on ea	ch ddlling rig:	•
3. The minimum amour	nt of surface pipe as specified below shall be s	et by circulating cement to the top; in all cases surface pipe stall be set	all distant
ากภายการเกานายายกรวกรวย	inaten materials nilis a minimum ot 20 teet into t	ne unoenvina iombalion	
4. If the well is dry hole	a, an agreement between the operator and the o	district office on plug length and placement is necessary prior to pluggli	幀;
	rict office will be notified before well is either plu		
		ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II come	
		be plugged. In all cases, NOTIFY district office prior to any cementing	
	atements made herein are true and to the basic	7	,
i neleby cermy mat the sta	mements made merein are true and to the last	triny and wiengs and belief.	
Date: May 21,	07Signature of Operator or Agent	withau the Ores.	
7 7	Togradio of operator of Agent		
		Remember to:	
For KCC Use ONLY	25056-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill;	h
		- File Completion Form ACO-1 within 120 days of spud date;	0/
Conductor pipe required_	NONE feet	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; 	
Minimum surfaçe pipe rec	quired GOO feet per Alt. (1)	Submit plugging report (CP-4) after plugging is completed;	!
	M 5-77-757	Obtain written approval before disposing or injecting salt water.	_
Approved by: WHV	11-77-07		6
This authorization expires:	***************************************	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	,
(This authorization void if d	Irilling not started within 6 months of approval date.)		I
	4	Well Not Drilled - Permit Expired	l.
Spud date:	Agent:	Signature of Operator or Agent:	2
	W-II VOO O		7
	mail to: KCC - Conservation Division, 130	S. Market - Room 2078, Wichita, Kansas 67202	' 🔾

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the Intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009 - 25 056 - 00 -00	Location of Well: County: Barton,
Operator: Charter Energy, Inc. Lease: Bitter Wett Number: #1	990 feet from N / X S Line of Section 330 feet from X E / W Line of Section Sec. 6 Twp. 16 S. R. 13 East X West
Field: Trapp	Is Section: Regular or Irregular
Number of Acres attributable to well: 160 QTR / QTR / QTR of acreage: NE - SE - SE	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (OREGIZINES)

 CG-8 for gas wells).

 KANSAS CORPORATION COMMISSION

MAY 2 2 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Charter Ene	rgy, Inc.		License Number: 9090
Operator Address: P O Box 25	2, Great Be	end, KS	67530
Contact Person: Steve Baize			Phone Number: (620) 793 - 9090
Lease Name & Well No.: Bitter	¥1		Pit Location (QQQQ):
Type of Pit:	Pit is:		NE SE SE_
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 6 Twp. 16 R.13 East X West
Settling Pit X Drilling Pit	If Existing, date or	onstructed:	990 Feet from North / X South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	3600	(bbls)	BartonCounty
Is the pit located in a Sensitive Ground Wate	Area? Yes X	No	Chloride concentration:mg/i
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	. I	How is the pit lined if a plastic liner is not used?
Yes No	Yes X	NO	Bentonite/Drilling Mud
Pit dimensions (all but working pits):8	D Length (fe	eet)80	Width (feet)N/A: Steel Pits
			A
		Describe proce	4 (feet) edures for periodic maintenance and determining any special monitoring.
Depth t	e liner	Describe proce	edures for periodic maintenance and determining
Depth of the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.	Describe proce finer integrity, i	edures for periodic maintenance and determining including any special monitoring.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi	e liner e. le of pit	Describe proce finer integrity, in Depth to shallo Source of infor	edures for periodic maintenance and determining including any special monitoring.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi	e liner e. le of pit	Describe proce finer integrity, in the control of t	edures for periodic maintenance and determining including any special monitoring. west fresh waterfeet.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N/A feet Depth of water well	e liner e. le of pitfeet	Describe proce inner integrity, is Depth to shallo Source of informeast Drillling, Work	edures for periodic maintenance and determining including any special monitoring. west fresh waterfeet. mation:
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N/A feet Depth of water well	e liner e. le of pit feet :	Describe proce liner integrity, is concerned by the shaller source of information measurements. Drilling, Work Type of material Number of works.	edures for periodic maintenance and determining including any special monitoring. west fresh waterfeet. mation: uredwell ownerelectric log _XKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh _Mud rking pits to be utilized:3
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi N/A feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	e liner e. le of pit feet :	Describe proce liner integrity, is concerned by the shaller source of information measurements. Drilling, Work Type of material Number of works.	edures for periodic maintenance and determining including any special monitoring. west fresh waterfeet. mation: aredwell owner electric log _X KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh_Mud
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minimum. N/A feet Depth of water well	e liner e. le of pitfeet	Describe proce liner integrity, is concerned by the shallo source of informers. Drilling, Work Type of materia Number of work Abandonment	edures for periodic maintenance and determining including any special monitoring. west fresh waterfeet. mation: uredwell ownerelectric log _XKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh_Mud rking pits to be utilized:3 procedure:Allow_to_dry & backfill be closed within 365 days of spud date.
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-minement of the material of the	e liner e. le of pitfeet ': Il spilled fluids to	Describe proce finer integrity, is been been been been been been been bee	edures for periodic maintenance and determining including any special monitoring. west fresh waterfeet. mation: uredwell owner electric log _X KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mud rking pits to be utilized:3 procedure: _Allow to dry & backfill be closed within 365 days of spud date.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mine. N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	e liner e. le of pitfeet ': Il spilled fluids to	Describe proce finer integrity, is been been been been been been been bee	edures for periodic maintenance and determining including any special monitoring. west fresh waterfeet. mation: uredwell owner electric log _X KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mud rking pits to be utilized:3 procedure: _Allow to dry & backfill be closed within 365 days of spud date.
Depth of the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mine. N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	e liner e. le of pitfeet ': Il spilled fluids to	Describe proce finer integrity, is been been been been been been been bee	edures for periodic maintenance and determining including any special monitoring. The special monitoring and determining including any special monitoring. The special monitoring is special monitoring is special monitoring. The special monitoring is special monitoring is special monitoring. The special monitoring is special monitoring is special monitoring is special monitoring. The special monitoring is special monitoring is special monito

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202