For KCC Use: 5-27-87 Effective Date: 5-27-87 SGA? Yes X No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date	Spot
	year <u>SW - SW - NW</u> Sec. 28 Twp. 16 S. R. 30
OPERATOR: License# 33629 -	2145feet from V N / S Line of Section
Name. Great Plains Energy, Inc. a NE Corp.	teet from E / V W Line of Section
Address: 429 N Linden PO Box 292 KANSAS CORPURA	Is SECTION Regular Irregular?
Wahoo, NE 68066	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dan Blankenau MAY 2	County: Lane
Phone: 402-277-5336	Lease Name: Foos-Sharp Well #: 1
CONSERVATI	ION DIVISION Field Name: Wildcat
JONT RACTOR. License#	IS this a Prorated / Spaced Field? Yes ✓
lame: WW Drilling, LLC	Target Formation(s): LKC
W 118 71 (F	Negrest Lease or unit boundary 80'
Well Drilled For: Well Class: Type Equip	Ground Surface Elevation: 2868' feet M
Oil Enh Rec Infield Mud Ro	otary • Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rote	ary Public water supply well within one mile: Yes 🗸
CWWO Disposal X Wildcat Cable	Depth to bottom of fresh water:
Seismic;# of Holes Other	Depth to bottom of usable water: 1525'
Other	Surface Pipe by Alternate: 1 2
OMMAO: ald wall information as follows:	Length of Surface Pipe Planned to be set: 220'
OWWO: old well information as follows:	1997 NAME
Operator:	B : T : . B :: 4620'
Well Name:	Miceiceinnian -
Original Completion Date:Original Total Depth	Water Source for Drilling Operations:
Pirectional, Deviated or Horizontal wellbore?	Yes ✓ No- ✓ Well Farm Pond Other
Yes, true vertical depth:	
· · · · · · · · · · · · · · · · · · ·	
3ottom Hole Location:	54411 6111114
	(Note: Apply for Permit with DWR)
KCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓
CC DKT #:	(Note: Apply for Permit with DWR)
KCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓
OIL & GAS LEASE ATTACHED	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT
CCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq.
CCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ If Yes, proposed zone: ☐ AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met:
The undersigned hereby affirms that the drilling, completion at is agreed that the following minimum requirements will be means. 1. Notify the appropriate district office prior to spudding of	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well;
The undersigned hereby affirms that the drilling, completion at is agreed that the following minimum requirements will be in 1. Notify the appropriate district office prior to spudding constant 2. A copy of the approved notice of intent to drill shall be	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig;
The undersigned hereby affirms that the drilling, completion at is agreed that the following minimum requirements will be m 1. Notify the appropriate district office prior to spudding of 2. A copy of the approved notice of intent to drill shall be 3. The minimum amount of surface pipe as specified below	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion at is agreed that the following minimum requirements will be m 1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging
The undersigned hereby affirms that the drilling, completion at its agreed that the following minimum requirements will be in a completion of the second of	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging II is either plugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion as is agreed that the following minimum requirements will be not in the appropriate district office prior to spudding to 2. A copy of the approved notice of intent to drill shall be 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shall provided the surface of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging II is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion as is agreed that the following minimum requirements will be not a copy of the appropriate district office <i>prior</i> to spudding to 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging all is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementi
The undersigned hereby affirms that the drilling, completion at its agreed that the following minimum requirements will be more as a supposed to the appropriate district office <i>prior</i> to spudding to 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or	(Note: Apply for Permit with DWR Yes Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging ill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementif the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion at its agreed that the following minimum requirements will be more as a supposed to the appropriate district office <i>prior</i> to spudding to 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or	(Note: Apply for Permit with DWR Yes Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging ill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementif the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion at it is agreed that the following minimum requirements will be in 1. Notify the appropriate district office <i>prior</i> to spudding considerable. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified before through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging all is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. It is easing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the best of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion at its agreed that the following minimum requirements will be not a copy of the appropriate district office <i>prior</i> to spudding to 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified between through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging all is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. It is easing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the best of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion at it is agreed that the following minimum requirements will be in 1. Notify the appropriate district office <i>prior</i> to spudding considerable. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified before through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging all is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. It is easing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the best of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion at is agreed that the following minimum requirements will be much a copy of the appropriate district office <i>prior</i> to spudding to 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and plate: May 18, 2007 Signature of Operator or Agent:	(Note: Apply for Permit with DWR Yes Y
The undersigned hereby affirms that the drilling, completion at it is agreed that the following minimum requirements will be in 1. Notify the appropriate district office <i>prior</i> to spudding constitution 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and that: May 18, 2007 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; posted on each drilling rig; posted on each drilling formation. rator and the district office on plug length and placement is necessary prior to plugging ill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementified the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. If Yes Yes Yes If Yes Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion at it is agreed that the following minimum requirements will be mean of the appropriate district office <i>prior</i> to spudding to a copy of the approved notice of intent to drill <i>shall be</i> . 3. The minimum amount of surface pipe as specified beloathrough all unconsolidated materials plus a minimum of the understand of the well is dry hole, an agreement between the oper some of the appropriate district office will be notified before well for an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and coate: May 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 27 024 - 000 - 000	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging ill is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementif the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. If the best of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion at its agreed that the following minimum requirements will be more as a surface of the appropriate district office prior to spudding to the appropriate district office prior to spudding to the appropriate district office prior to spudding to the appropriate district office prior to drill shall be through all unconsolidated materials plus a minimum of the unconsolidated materials plus a minimum of the appropriate district office will be notified before weld that a horizontal to the appropriate district office will be notified before weld that an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or hereby certify that the statements made herein are true and that: May 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 27 024 - 000 feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ww shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging and be cemented from below any usable water to surface within 120 days of spud date. The casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion as agreed that the following minimum requirements will be more as agreed that the following minimum requirements will be more as agreed that the following minimum requirements will be more as a copy of the appropriate district office prior to spudding to the appropriate district office prior to drill shall be as through all unconsolidated materials plus a minimum of the first through all unconsolidated materials plus a minimum of the appropriate district office will be notified before weld that a horizontal to the appropriate district office will be notified before weld that an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and that: May 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22 02 11 - 000 feet per feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging ill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. a casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementi the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. If to the best of my knowledge and belief. Title: Secretary Remember to: File Completion Form ACC-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
the undersigned hereby affirms that the drilling, completion a is agreed that the following minimum requirements will be in 1. Notify the appropriate district office <i>prior</i> to spudding considerable. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and state: May 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 27 02 11 - 07 07 16 16 18 18 18 18 18 18 18 18 18 18 18 18 18	(Note: Apply for Permit with DWR Yes Y
The undersigned hereby affirms that the drilling, completion as agreed that the following minimum requirements will be more as agreed that the following minimum requirements will be more as agreed that the following minimum requirements will be more as a copy of the appropriate district office prior to spudding to the appropriate district office prior to drill shall be as through all unconsolidated materials plus a minimum of the first through all unconsolidated materials plus a minimum of the appropriate district office will be notified before weld that a horizontal to the appropriate district office will be notified before weld that an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and that: May 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22 02 11 - 000 feet per feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging ill is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. Exacting order #133,891-C, which applies to the KCC District 3 area, alternate II cementify the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. If to the best of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion at its agreed that the following minimum requirements will be in a greed that the following minimum requirements will be in a greed that the following minimum requirements will be in a sagreed that the following minimum requirements will be in a complete of the appropriate district office prior to spudding to a complete of a specified below through all unconsolidated materials plus a minimum of all if the well is dry hole, an agreement between the oper some an all the properties of the appropriate district office will be notified before well as an alternate in COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and late: May 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 27 02 4 - 000 - 000 feet per Approved by: WHM 5-22 - 07	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging ill is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. a casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementify the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. If to the best of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion at its agreed that the following minimum requirements will be in a greed that the following minimum requirements will be in a copy of the approved notice of intent to drill shall be in through all unconsolidated materials plus a minimum of all unconsolidated materials plus a minimum of all if the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before well of it an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and pate: May 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DI - 22 02 1 - 000 feet Minimum surface pipe required 100 feet Minimum surface pipe required 100 feet This authorization expires: 11 72 07	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: Of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. If to the best of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box helow and return to the address helow.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No	. 15 - /() /	-Z20	24-00)00		Location of Well:	: County: Lane		
Operator: Great Plains Energy, Inc. a NE Corp. Lease: Foos-Sharp						2145 feet from VN/S Line o			
						80 feet from E / ✓ W Line of Sect			
	Well Number: 1					Sec. 28 Twp. 16 S. R. 30 East ✓ V			
Field:_	Wildcat								
Numbe	r of Acres at	ttributable to	wall:			Is Section: ✓	Regular or Irregular		
	QTR / QTR d		SW _	SW _	NW				
Q , .	GK 1117 GZ 171 C	n dorodgo					egular, locate well from nearest corner boundary.		
						Section corner us	sed: NE NW SE SW		
						_			
					PLA				
		(S				•	rorated or spaced wells.)		
プイモ			((Show footage	to the nearest I	ease or unit bound	dary line.)		
			•						
		: :				:	RECEIVED		
	.	. , .					KANSAS CORPORATION COMMISSION		
						•	MAY 2 4 2007		
]	•	,		•	•	MAY 2 1 2007		
	- -		• • • • • •		, ,		DONOCOMATION OF VICTOR		
							?ONSERVATION DIVISION MICHITALKS		
			•						
æn'	<u></u>								
<u> </u>	\top		•						
			:	ı			EXAMPLE		
					•				
			•		•	-			
			•	1	•	•	. 1980		
	' ' '		. , ,			•			
	ĺ		•		•	•	. ¹/mi m		

3390

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION

MAY 2 1 2007

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: Great Plains Energ	y, Inc. a NE Co	License Number: 33629					
Operator Address: 429 N Linden, PO Box 292, Wahoo, NE 68066							
Contact Person: Dan Blankenau		Phone Number: (402) 277 - 5336					
Lease Name & Well No.: Foos-Sharp	#1	Pit Location (QQQQ):					
Type of Pit:	Pit is:		<u>NW . SW . SW . NW</u>				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 28 Twp. 16 R. 30 East 🗸 West				
Settling Pit	If Existing, date o	onstructed:	2145 Feet from 🗸 North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		80 Feet from East / 📝 West_Line of Section				
(If WP Supply API No. or Year Drilled)		(bbls)	County				
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	∑ No	Chloride concentration:mg/l				
la the better below and to 10	A-1/5-1-1-1	(For Emergency Pits and Settling Pits only)					
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic liner is not used? Rentonite & Drilling Solids for Solf Soul				
			Bentonite & Drilling Solids for Self Seal				
Pit dimensions (all but working pits): 80 Length (feet) 60 Width (feet) N/A: Steel Pits							
Depth fr	om ground level to de	eepest point: **	(feet)				
			ncluding any special monitoring.				
Source e			n to shallowest fresh water/20feet. ce of information: (2)				
2486 feet Depth of water well	/ 80feet	measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY: Drilling, Wo			over and Haul-Off Pits ONLY:				
			al utilized in drilling/workover:				
			king pits to be utilized: 4				
Barrels of fluid produced daily: Ab			procedure: Allow to evaporate then cover for farming.				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
May 18, 2007 Date		Corc	Shading gnature of Applicant or Agent				
KCC OFFICE USE ONLY							
Date Received: 5/21/07 Permit Number	per:	Permi	t Date: <u>S/3/(07</u> Lease Inspection: Yes X No				