# For KCC Use: 5-28-07 Effective Date: 5-28-07 District # 3 SGA? Yes X No

## KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

May 29, 2007	S	East
Expected Spud Date May 29, 2007  month day year	Spot <u>✓</u> NE _ SE _ Sec. 15 Twp. 27 S. R. 19	West
	1980 sec. IWp. S. H	
OPERATOR: License# 33344	660 feet from $\checkmark$ E / W Line of Sect	
Name: Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?	.1011
Address: 9520 North May Avenue, Suite 300	is SECTIONnegularinegular?	
Address: Oklahoma City, Oklahoma 73120  City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person, Richard Marlin	County: Neosho  Lease Name: Casper, Jeffrey Well #: 15-2	
Phone: (405) 463-6880	Lease Name: Casper, Jeffrey Well #: 15-2	
CONTRACTOR: License# Will be licensed by the KCC /	Field Name: Cherokee Basin CBM	
Name: Will advise on the ACO-1		√ No~
Name:	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
Oil Enh Rec / Infield Mud Rotary		et MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	· · · · · · · · · · · · · · · · · · ·	No/
OWO Disposal Wildcat Cable		<b>√</b> No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100	
✓ Other Coalbed Methane	Depth to bottom of usable water: 200	
	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300 Cherokee Coals (	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals 1	<del></del>
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other Air	
If Yes, true vertical depth:  Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)	
KCC DKT #:		<b>√</b> No
NOC DICT #		W . 140
	If Yes, proposed zone:RECEIVED	
AFF	If Yes, proposed zone: ————————————————————————————————————	
AFF The undersigned hereby affirms that the drilling, completion and eventual p.	If Yes, proposed zone: ————————————————————————————————————	
AFF The undersigned hereby affirms that the drilling, completion and eventual p. It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: ————————————————————————————————————	
The undersigned hereby affirms that the drilling, completion and eventual p. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  WANSAS CORPORATION COMM  Uugging of this well will comply with K.S.A. 55 et. segMAY 2 3 2007  CONSERVATION DIVISIO	MISSION
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:    Conservation Division of drilling rig;    Conservation Division of the content of the	MISSION
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone:    RECEIVED	MISSION
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:    Conservation Division of this well will comply with K.S.A. 55 et. segmay 2 3 2007    Conservation Division of drilling rig;   Wichita, Ks   Set by circulating cement to the top; in all cases surface pipe shall be sent enderlying formation.	MISSION
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the content of the state of the sta	If Yes, proposed zone:    Conservation Division	MISSION
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each 3. The minimum amount of surface pipe as specified below <i>shall</i> be seen through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the se	If Yes, proposed zone:    Conservation Division	MISSION  N  et  ging;
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set	If Yes, proposed zone:    RECEIVED     MANSAS CORPORATION COMMITTED	MISSION  What  If the second of the second o
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the substitution of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the substitution of the substitut	If Yes, proposed zone:    RECEIVED     MANSAS CORPORATION COMM	MISSION  What  If the second of the second o
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the control of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be determined the control of the well is dry hole, an agreement between the operator and the control of the surface will be notified before well is either pluguation. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	If Yes, proposed zone:    RECEIVED     MANSAS CORPORATION COMMITTED     CONSERVATION DIVISION CONSERVATION	MISSION  What  If the second of the second o
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the control of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be determined the control of the well is dry hole, an agreement between the operator and the control of the surface will be notified before well is either pluguation. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	If Yes, proposed zone:    RECEIVED     MANSAS CORPORATION COMMITTED     CONSERVATION DIVISION CONSERVATION	MISSION  What  If the second of the second o
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the substitution of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the substitution of the substitut	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMM  CONSERVATION DIVISION  Wichita, Ks  If by circulating cement to the top; in all cases surface pipe shall be seen an underlying formation.  Identification of plug length and placement is necessary prior to plugging do or production casing is cemented in; ed from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title: VP.	MISSION  What  If the second of the second o
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the control of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be determined the control of the well is dry hole, an agreement between the operator and the control of the surface will be notified before well is either pluguation. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	IDAVIT  IUNGUIT  IUNG	MISSION  What  If the second of the second o
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the s	IDAVIT  IUDAVIT  IUUTA I	MISSION  What  If the conting the continue that continue the c
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the s	IDAVIT  IUDAVIT  IUUTA I	MISSION  of ging;  ate.  nenting  ng.
The undersigned hereby affirms that the drilling, completion and eventual p. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date:  May 22, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26941 - 00 - 00  Conductor pipe required None feet	IDAVIT  IUDAVIT  IUUTA I	MISSION  of ging; tte. nenting ng.
The undersigned hereby affirms that the drilling, completion and eventual p. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date:  May 22, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26941 - 00 - 00  Conductor pipe required None feet	IDAVIT  IUDAVIT  IUUTA I	MISSION  of ging; tte. nenting ng.
The undersigned hereby affirms that the drilling, completion and eventual points agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the decension of the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of Date: May 22, 2007  Signature of Operator or Agent: The surface of the points of th	IDAVIT  IUDAVIT  IUUTA I	MISSION  All Significants of the significant of the
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date:  May 22, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26941 - 00 - 00  Conductor pipe required NONE feet  Minimum surface pipe required feet per Alt. ** 20  Approved by: WHM 5-23-07	IDAVIT  IUDAVIT  IUUTA I	MISSION  of ging; tte. nenting ng.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the properties of the spud date or Agent:    For KCC Use ONLY	IDAVIT  IURGING of this well will comply with K.S.A. 55 et. segmay 2 3 2007  CONSERVATION DIVISION WICHITA, KS with by circulating cement to the top; in all cases surface pipe shall be seen and enderlying formation.  Idistrict office on plug length and placement is necessary prior to plugging ed or production casing is cemented in; ed from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title: VP.  Remember to: /// Title: VP.  Remember to: /// Within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	MISSION  All Significants of the significant of the
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date:  May 22, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26941 - 00 - 00  Conductor pipe required NONE feet  Minimum surface pipe required feet per Alt. ** 20  Approved by: WHM 5-23-07	IDAVIT  IURGING of this well will comply with K.S.A. 55 et. segmay 2 3 2007  CONSERVATION DIVISION WICHITA, KS with by circulating cement to the top; in all cases surface pipe shall be seen anderlying formation. Instrict office on plug length and placement is necessary prior to plugging of or production casing is cemented in; ed from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title: VP.  Remember to:	MISSION  All Significants of the significant of the
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and to describe the shall be posted on the district office of intent to drill shall be posted on each and to describe the shall be posted on each and the district office of intent to drill shall be posted on each and to describe the shall be posted on each and the district office of intent to drill shall be posted on each and to describe the posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office of intent to drill shall be posted on each and the district office will be posted on each and the drill be posted on each and the district office will be posted on each and the district office will be posted on each and the district office will be posted on each and the district office will be posted on each and the district office will be posted on each and the district office will be posted on each and the district office will be poste	IDAVIT  IURGING of this well will comply with K.S.A. 55 et. sequence of drilling rig;  In the production casing is cemented in;  In the plugged or production casing is cemented in;  In the plugged. In all cases, NOTIFY district office prior to any cementing form knowledge and belief.  It this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	MISSION  IN pet ging; ite. henting ng.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the properties of the spud date or Agent:    For KCC Use ONLY	If Yes, proposed zone:    RECEIVED     RANSAS CORPORATION COMM     Regular	MISSION  IN pet ging; ite. henting ng.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133 26941 -00-00	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	·
Lease: Casper, Jeffrey	
Well Number: 15-2	Sec. 15 Twp. 27 S. R. 19
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE _ SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Casper, Jeffrey #15-2			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 15 Twp. 27 R. 19 🗸 East 🗌 West	
☐ Settling Pit	If Existing, date constructed:		1980 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Feet from 🗸 East / West Line of Section  Neosho County	
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point:	10 (feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	edures for periodic maintenance and determining nocluding any special monitoring.  Operation Lasting Approx 3 Days	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet. mation:		
		red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Worl		1	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		al utilized in drilling/workover: Air Drilled		
·		king pits to be utilized: One		
Barrels of fluid produced daily:	Abandonment procedure: Air Dry, Back Fill and Cover  RECEIVED			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.  MAY 2 3 2007		
l hereby certify that the above statements are true and correct to the best of my knowledge and belief. CONSERVATION DIVISION WICHITA, KS				
May 22, 2007  Date	<u> </u>	//////////////////////////////////////	ignature of Applicant or Agent $F_{A,f}(\mathcal{K},f)$ . It is the second second in the second sec	
KCC OFFICE USE ONLY				
Date Received: 5/23/07 Permit Num	ber:	Perm	it Date: $5/23/07$ Lease Inspection: Yes $\boxed{V}$ No	