KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

OPERATOR: License# 33539 OPERATOR: License# 33059 OPERATOR: License# 33072 ONTRACTOR: License# 33072 OPERATOR: Licens
OPERATOR: Licenses #35050 Address: 4916 Camp Bowle BMd, Sute 204 Cotyl State Zip: Fire Worth, TX, 74107 Contact Person: Bronde Wilson Phone: (620) 378-3650 CONTRACTOR: Licenses #33072 Name: Well Refined Drilling Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment:
Name: Cherckee Wells LLC Address: 4316 Camp Bowle Bhrd, Suite 204 City/State/Zip: For Worth, TX 76107 Contact Person: Bronda Wilson Contact Person: Bronda W
Address: 4916 Camp Bowle BMd., Sulte 204 City/Stato/Tip: Fort Worth, TX 76107 City/Stato/Tip: Fort Worth, TX 76107 Contant Person: Rhonde Wilson Phone: (620) 378-3650 CONTRACTOR: Loensey 33072 Name: Well Refined Drilling Well Drilled For: Well Class: Type Equipment: Oil Enh Rec
City/State/Zip. Fort Worlt, TX 76107 Contact Person. Rhonda Wilson Contact Person. Rhonda Wilson Country. Wils
County: Vision Phone: (E020) 378-3950 Phone: (E020) 378-3950 CONTRACTOR: License# 33072 Is this a Prortated / Spaced Field? Well Drilled For: Well Class: Type Equipment: Oll Enh Rec Infield Mud Rotary Ground Surface Elevation: unknown feet MSL Seismisc: # of Holes Other Other Other Other Other Office Infield Name: Original Total Depth: Well Name: Original Completion Date: Original Total Depth: Well Name: Original Rotal Depth: Mississippian Directional, Deviated or Horizontal wellbore? If yes, true vertical depth: Directional, Deviated or Horizontal wellbore? AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface piplic/Staffunges set through all unconsolidated materials plus a minimum of 20 teet into the underlying formation. 4. If the well is of the CC District 3 area, alternate il completion to the CC District 3 area, alternate il comenting in surface are proposed and surface piple shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix of surface callengenes in the compliance of pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix of surface callengenes in the CC District 3 area, alternate il cementing of proper in the CC District 3 area, alternate il cementing or proper in the CC District 3 area, alternate il cementing or proper in the CC District 3 area, alternate il cementing or proper in the CC District 3 area, alternate il cementing or proper in the CC District 3 area, alternate il cementing or proper in the CC District 3 area, a
Phone: (620) 378-3650 Lease Name: Duckworth Well #: A-2 CONTRACTOR: License# 33072 Name: Well Refined Drilling Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Own Disposal Widdcat Cable Seismic; # of Holes Other Other Depth to bottom of usable water: 100 + Depth to bottom of usable water: 200 - Depth to Depth: Depth to Depth: Dep
CONTRACTOR: License# 39072 Name: Well Refined Orilling Well Drilled For: Wolf Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Mud Rotary Mare well within one mile: Yes No No Oil Enh Rec Infield Mud Rotary Water well within one mile: Yes No Oil Sessinic; # of Holes Other Other Other Other Other Other Other Other Other Oil New O Disposal Widcat Cable Operator: Operator: Operator: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Other Other Other Other Other Other Other Other Original Total Depth: Other Original Total Depth: Original Total Depth: Other Other Other Other Other Other Other Other Original Total Depth: Original Total Depth: Other Oth
CONTRACTOR: Locenset 35072 Name: Well Refined Orilling Well Orilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary I failed Society Infield Mud Rotary I failed Society Infield Mud Rotary I failed Society Infield Mud Rotary I failed Seismic: I failed Infield Society Infield Mud Rotary I failed William on equarter mile: Yes I No Water well within one quarter mile: Yes I No Depth to bottom of usable water: 100 + Depth to bottom of usable water: 200 + Depth to bottom of usable water:
Name: Well Drilled For: Well Class: Type Equipment: Oil
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary: 330 Ground Surface Elevation: unknown feet MSL Water well writhin one-quarter mile: Yes No No Other No Other Water well writhin one-quarter mile: Yes No No No No No No No No
Older Color Colo
Ground Surface Elevation:
Water well within one-quarter mile:
OWNO Disposal Widcat Cable Seismic; # of Holes Other Other Other Other Other Surface Pipe by Alternate: 1
Seismic;
Other
If OWWO: old well information as follows: Coperator:
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Original Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Oper
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Original Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Oper
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other DWR Permit #: Will Cores be taken? Water Source for Drilling Operations: Well Farm Pond Other Will Cores be taken? Will Cores be taken? Water Source for Drilling Operations: Well Farm Pond Other Will Cores be taken? Water Source for Drilling Operations: Well Farm Pond Other Will Cores be taken? Water Source for Drilling Operations: Well Farm Pond Other Water Source for Drilling Operations: Well Farm Pond Other Water Source for Drilling Operations: Well Farm Pond Other Water Source for Drilling Operations: Water Source for Drilling Operation And Drilling rig operations on the Milling rig operation on the Well operation And Drilling rig operation And Drilling rig operation And P
Original Completion Date: Original Total Depth: Formation at Total Depth: Mississippian Water Source for Drilling Operations: Water Source for Primit Arch Date of DWR Primit All Presented Interest Operation And Delease on Plant Interest Oper
Water Source for Drilling Operations: Yes No
If Yes, true vertical depth:
Bottom Hole Location: KCC DKT #: Will Cores be taken? Yes No
Will Cores be taken? Yes No
If Yes, proposed zone: RECEIVED RAFFIDAVIT RANSAS CORPORATION COMMISSION The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFIDAVIT AFFIDAVIT AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: MAY 2 3 2007 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe ast through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe ast through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: MAY 2 3 2007 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe and through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe as through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; CONSERVATION DIVISION The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe ast through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; CONSERVATION DIVISION The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
I hereby certify that the statements made herein are true and to the best of my knowledge and belief.
Date: 5/21/07 Signature of Operator or Agent: Title: Office Manager
Date: Signature of Operator of Agent The
Remember to:
For KCC Use ON! Y - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC 1 within 130 days of could date:
API # 15 - 205 - 27201-00-00 - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
Conductor pipe required WONE feet - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required feet per Alt. (2) - Submit plugging report (CP-4) after plugging is completed;
1 . \Land - 774 - Obtain written approval before disposing or injecting salt water
Approved by: VOVA
check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired
Spud date: Agent: Signature of Operator or Agent:
Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15- 205-27201-0000	Location of Well: County: Wilson		
Operator: Cherokee Wells, LLC	330feet from N / ✓ S Line of Section		
Lease: D Duckworth	330 feet from N / ✓ S Line of Section 330 feet from ✓ E / W Line of Section		
Well Number: A-2	Sec. 14 Twp. 27 S. R. 14 🗸 East 🗌 Wes		
Field: Cherokee Basin Coal			
Number of Acres attributable to well: OTR / QTR / QTR of acreage: SE - SE - SE	Is Section: 📝 Regular or 🔲 Irregular		
QTR / QTR / QTR of acreage: <u>St</u> - <u>St</u> - <u>St</u>	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

l .		I		
				- 1
1				
				•
1				
1				
1				
1				
t -				•
}				
1 -			•	-
1				
1 .	-		-	-
1				
)				
Ł				
•			•	-
1				_
		ı	•	•
1		ı	_	
			•	-
1		ı		
1		ı		i
	•		•	
1				
1	•	1	_	
		1		
1	=			
1		14		
				•
1				
				- !
1		1		
	•	1	•	٠. ا
1		- (
1		1		.D.T 13 i
1			· · · · · · · · · · · · · · · · · · ·	
1		i	/ i i	
1 -		1 1		
1	•			
1		.	IV. IV. K. AA.	•
		K	Nuch	
		N	Duck	•
		D	Duck	
		D	Duck	
		D	Duck	· ·
		$ \mathcal{D} $	Duckwo	
		p	Duck "	:
		p	Pack 4	:
		D	Duck w	
	: :	<i>p</i>	Duck w	
		p	Nuck W	
		<i>D</i>	Nuck W	
		D	buck in	
		<i>D</i>	buck in	
		D	buck in	
		D	Nuck in	
		D	Nuck w	
		D	Nuck w	
		D	buck w	
		D	Nuck w	
		D	Nuck w	



NOTE: In all cases locate the spot of the proposed drilling locaton.

MAY 2 3 2007

in plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Well, LLC		License Number: 33539			
Operator Address: 4916 Camp Bowie Blvd., Suite 204 Fort Worth, TX 76107					
Contact Person: Rhonda Wilson		Phone Number: (620) 378 - 3650			
Lease Name & Well No.: D Duckworth A-2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE SE SE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 27 R. 14 🗸 East 🗌 West		
Settling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No.	Chloride concentration:mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	Natural Clay & Earth		
Pit dimensions (all but working pits): 30 Length (feet) 40 Width (feet) N/A: Steel Pits					
Depth from ground level to deepest point: 6 (feet)					
Source of int			•		
			measured well owner electric log KDWR		
Emergency, country and part in the country			al utilized in dritting/workover: Fresh Water		
Number of producing wells on lease: Number of wo		working pits to be utilized: One			
			conment procedure: Remove Fluids, Allow to Dry and Level Surface		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must	t be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISSION					
5/21/07 MAY 2 3 2007 Date Signature of Applicant or Agent CONSERVATION DIVISION					
KCC OFFICE USE ONLY					
Date Received: 5/23/07 Permit Number: Permit Date: 5/23/07 Lease Inspection: Yes X No					