For KCC Use: Effective Date:_ District # ___ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot ✓ E	ast
month day year	25 27 40 E	est
OPERATOR: License# 33344	660feet from N / ✓ S Line of Section	
Name: Quest Cherokee LLC	1980	
Addrage: 9520 North May Avenue, Suite 300	Is SECTION _✓ RegularIrregular?	
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 463-6880	Lease Name: Ellis, Randall W. Well #. 35-1	
•	Field Name: Cherokee Basin CBM -	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
	Ground Surface Elevation: 930 feet M	ISL
Oil Enh Rec ✓ Infield- Mud Rotary	Water well within one-quarter mile:	No-
Gaer Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No -
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water:	
Seismic;# of Holes Other Other Coalbed Methane	Depth to bottom of usable water: 200 -	
V: Other Z	Surface Pipe by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25 -	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300 _	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee-Goals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR [])	
CCC DKT #:	Will Cores be taken?Yes ✓	No
	If Yes, proposed zone:RECEIVED	
AFF	IDAVIT KANSAS CORPORATION COMMI	SSIO
	lugging of this well will comply with K.S.A. 55 et. seg	SSIOI
The undersigned hereby affirms that the drilling, completion and eventual p		SSIOI
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et. seq. MAY 2 3 2007	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill chall be posted on as:	lugging of this well will comply with K.S.A. 55 et. seq. MAY 2 3 2007 Ch drilling rig:	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Ingging of this well will comply with K.S.A. 55 et. seq. MAY 2 3 2007 CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the	ch drilling rig; wichtra KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the second o	Ingging of this well will comply with K.S.A. 55 et. seq. MAY 2 3 2007 CONSERVATION DIVISION WICHITA KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent the intent of the	lugging of this well will comply with K.S.A. 55 et. seq. MAY 2 3 2007 CONSERVATION DIVISION The drilling rig; WICHITA KS Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent the intent the intent of the in	Ingging of this well will comply with K.S.A. 55 et. seq. MAY 2 3 2007 CONSERVATION DIVISION WICHITA KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging	ı <i>;</i>
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interest of the second of the	lugging of this well will comply with K.S.A. 55 et. seq. MAY 2 3 2007 CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.	ı <i>;</i>
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interest of the second of the	CONSERVATION DIVISION with the underlying formation. district office on plug length and placement is necessary prior to plugging god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementia be plugged. In all cases, NOTIFY district office prior to any cementing.	ı <i>;</i>
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the continuous of the approved notice of intent to drill <i>shall be</i> posted on each and the continuous of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the continuous of the well is dry hole, an agreement between the operator and the continuous of the specific to the sp	ch drilling rig; wichita KS set be underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate plugged. In all cases, NOTIFY district office prior to any cementing.	ı <i>;</i>
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the continuous of the approved notice of intent to drill <i>shall be</i> posted on each and the continuous of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the continuous of the well is dry hole, an agreement between the operator and the continuous of the specific to the sp	ch drilling rig; with the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementible plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	ı <i>;</i>
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the continuous of the approved notice of intent to drill <i>shall be</i> posted on each and the continuous of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the continuous of the well is dry hole, an agreement between the operator and the continuous of the specific to the sp	ch drilling rig; with the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementible plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	ı <i>;</i>
The undersigned hereby affirms that the drilling, completion and eventual pottis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interest of a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constant of the set of	ch drilling rig; wichtra KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementible plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP	;; ing
The undersigned hereby affirms that the drilling, completion and eventual pottis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interest of a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constant of the set of	ch drilling rig; wichtra KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	<i>;;</i> ing
The undersigned hereby affirms that the drilling, completion and eventual pottis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interest of a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constant of the set of	ch drilling rig; wichtra KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	;; ing
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	ch drilling rig; wichtra KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	<i>;;</i> ing
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	ch drilling rig; with the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ing S
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the se	ch drilling rig; wichting Ks. A. 55 et. seq. Wichting Ks. Wichting Ks. Wichting Ks. A. 55 et. seq. wichting Ks. Wichting Ks. Wichting Ks. A. 55 et. seq. wichting Ks. Wichting Ks. A. 55 et. seq. Wic	;; ing 25 2
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	ch drilling rig; wichtra KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: **P** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	ing S
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the se	ch drilling rig; wichtra ks set be underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: **P** **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	;; ing 25 2
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	CONSERVATION DIVISION WICHITA KS by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	;; ing 25 2
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	ch drilling rig; wichtra ks set be underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: **P** **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	;; ing 25 2

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 133-26942-00-00	Location of Well: County: Neosho	
Operator: Quest Cherokee LLC	660 feet from N / ✓ S Line of Section	
Lease: Ellis, Randall W.	1980 feet from VE / W Line of Section	
Well Number: 35-1	Sec. 35 Twp. 27 S. R. 19 🗸 East West	
Field: Cherokee Basin CBM		
Number of Acres attributable to well: SW SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			, , , , , , , , , , , , , , , , , , ,	
Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 -6880		
Lease Name & Well No.: Ellis, Randall W. #35-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 35 Twp. 27 R. 19 🗸 East 🗌 West	
Settling Pit	If Existing, date constructed:		660 North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1980 Feet from 📝 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level? ☐ Yes ✓ No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:(feet)				
· · · · · · · · · · · · · · · · · · ·		edures for periodic maintenance and determining notuding any special monitoring.		
		Air Drilling	Operation Lasting Approx 3 Days	
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:	
NA feet Depth of water well	feet	measu	redwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONLY:	
Producing Formation: Type of mate		Type of materia	al utilized in drilling/workover: Air Drilled	
		king pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		RECEIVED pe closed within 365 days of spud dateNSAS CORPORATION COMMISS		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. MAY 2 3 2007				
May 22, 2007	_1	W. Monde	CONSERVATION DIVISION WICHITA, KS.	
Date		s	ignature of Applicant or Agent / A / A COLO COLO COLO COLO COLO COLO COLO CO	
KCC OFFICE USE ONLY				
Date Received: 5/23/07 Permit Num	ber:	Perm	it Date: 5/23/67 Lease Inspection: Yes V No	