For KCC Use: 5 25-07
Effective Date: 5 4

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date June 1, 2007	Spot	East
month day year	SW - NE - SW Sec. 8 Twp. 13 S. R. 30	West
ODEDATOR 11	1650 feet from N / S Line of Section	
OPERATOR: License# 33934 / Name: White Rock Oil, LLC	3630 feet from VE / W Line of Section	
	Is SECTION _✓ RegularIrregular?	
Address: 10603 S. Waverly Street  City/State/Zip: Olathe, KS 66061-9040		
Contact Person: Don Parr	(Note: Locate well on the Section Plat on reverse side)  County: Gove	
Phone: (913) 583-1726 (913) 709-6693	Lease Name: JohnsonWell #: 1	
	Field Name: Gove -	
CONTRACTOR: License# Will be licensed by KCC	Is this a Prorated / Spaced Field?	/ N5
Name: Will advise on ACO-1 Form	Target Formation(s): Mississippian	_140
	Nearest Lease or unit boundary: 990'	
Well Drilled For: Well Class: Type Equipment:		MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary		No
Gas Storage Pool Ext. Air Rotary		No
OWWO Disposal V Wildcat Cable	Depth to bottom of fresh water: 100+-	
Seismic; # of Holes Other	Depth to bottom of usable water: 1250'	
Other	Surface Pipe by Alternate:  1  ✓ 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 320'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 5,000'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:		<b>7</b>
NOO BILL #.	Will Cores be taken?	' No
NOO BINI #.	If Yes, proposed zone:	<u>′</u> No
	If Yes, proposed zone: RECEIVED	
AFFI	If Yes, proposed zone: RECEIVED  CANSAS CORPORATION COM-	
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone:  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED	MISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED  CANSAS CORPORATION COM-	MISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COM  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RANSAS CORPORATION COM  RECEIVED  RECE	MISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  RE	MISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  ugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  ch drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe in the condensation.	IMISSION , ON
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dry	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Ugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Ch drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe SHAM be set the underlying formation.  In istrict office on plug length and placement is necessary prior to pluggling in the pluggling formation.	IMISSION , ON
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Ugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Ch drilling rig;  CONSERVATION DIVISION  To by circulating cement to the top; in all cases surface pipe SHATT ACC set  The underlying formation.  In istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	IMISSION ON
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Ugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Ch drilling rig;  CONSERVATION DIVISION  To by circulating cement to the top; in all cases surface pipe SHATT ACC set  The underlying formation.  In istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	IMISSION ON
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the transport	If Yes, proposed zone:  RECEIVED  RE	IMISSION ON oning;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the transport	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Unugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Ch drilling rig;  CONSERVATION DIVISION  To by circulating cement to the top; in all cases surface pipe Shift be set the underlying formation.  In istrict office on plug length and placement is necessary prior to pluggling ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme to plugged. In all cases, NOTIFY district office prior to any cementing	IMISSION ON oning;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the surface in the surface in the surface district office will be notified before well is either plug to the surface and the defense of the surface casing order must be completed within 30 days of the spud date or the well shall to the surface casing that the statements made herein are true and to the best of	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Unugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Conservation Division by circulating cement to the top; in all cases surface pipe Shall Moset the underlying formation.  In this proposed is a complete to the top; in all cases surface pipe Shall Moset the underlying formation.  In this proposed zone:  RECEIVED  MAY 2 3 2007  CONSERVATION DIVISION  The boundary of the conservation of	IMISSION ON oning;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Unugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Ch drilling rig;  CONSERVATION DIVISION  To by circulating cement to the top; in all cases surface pipe Shift be set the underlying formation.  In istrict office on plug length and placement is necessary prior to pluggling ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme to plugged. In all cases, NOTIFY district office prior to any cementing	IMISSION ON oning;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the surface in the surface in the surface district office will be notified before well is either plug to the surface and the defense of the surface casing order must be completed within 30 days of the spud date or the well shall to the surface casing that the statements made herein are true and to the best of	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Unugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Conservation Division by circulating cement to the top; in all cases surface pipe Shall Moset the underlying formation.  In this proposed is a complete to the top; in all cases surface pipe Shall Moset the underlying formation.  In this proposed zone:  RECEIVED  MAY 2 3 2007  CONSERVATION DIVISION  The boundary of the conservation of	IMISSION ON oning;
The undersigned hereby affirms that the drilling, completion and eventual pleats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the state of the specified below <i>shall be search</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the dropout of the specified below the specified below that the state of the specified below that the shall the search of the specified below that the state of the specified below that the specified	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COM  Unugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Conservation division of the top of the top of the conservation of the top of	IMISSION ON oning;
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at the second of the proof of the proof of the proof of the post of the second of the proof of the pro	If Yes, proposed zone:  RECEIVED  RAY 2 3 2007  CONSERVATION DIVISION  To by circulating cement to the top; in all cases surface piperished and placement is necessary prior to plugging ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	MISSION ON org; inting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the surface case of the	If Yes, proposed zone:  RECEIVED  RECEIVE  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RE	IMISSION ON oning;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the sum of the search of the sum of the	If Yes, proposed zone:  RECEIVED  RECEIVE  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RE	MISSION ON org; inting
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the provided below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the spudding of the spudding of the spudding or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be the provided of the spuddate or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the provided of the spudding of the spudding of the spuddate or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OG3 - 21 GGS - OGGO  Conductor pipe required NONE feet per Alt (2)	If Yes, proposed zone:    RECEIVED	ON  ON  ON  ON  ON  ON  ON  ON  ON  ON
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the december of the well is district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the place.  I hereby certify that the statements made herein are true and to the best of the place.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OLB - 21 GCS - OCGC  Conductor pipe required NONE feet per Alt (2)  Approved by: WHW 5 - 23 - 07	If Yes, proposed zone:  RECEIVED  (ANSAS CORPORATION COM-  ugging of this well will comply with K.S.A. 55 et. seq.  MAY 2 3 2007  Ch drilling rig;  CONSERVATION DIVISION  to by circulating cement to the top; in all cases surface pipe (Shair Asset)  the underlying formation.  istrict office on plug length and placement is necessary prior to pluggling  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date  #133,891-C, which applies to the KCC District 3 area, alternate II ceme  to plugged. In all cases, NOTIFY district office prior to any cementing  if my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	ON  ON  ON  ON  ON  ON  ON  ON  ON  ON
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the plant of the post of the spud shall be conductor pipe required None feet per Att (2)  For KCC Use ONLY  API # 15 - OLB - 21 GCS · OCGC  Conductor pipe required None feet per Att (2)  Approved by: WHW 5 - 23 - 07  This authorization expires: 1 - 23 - 07	If Yes, proposed zone:    RECEIVED	MISSION ON org; inting
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the december of the well is district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the place.  I hereby certify that the statements made herein are true and to the best of the place.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OLB - 21 GCS - OCGC  Conductor pipe required NONE feet per Alt (2)  Approved by: WHW 5 - 23 - 07	IDAVIT  ICANSAS CORPORATION COM  IMAY 2 3 2007  ICANSAS CORPORATION COM  ICANSAS CORPORATION  ICANSAS CORPORATION COM  IC	ON  ON  ON  ON  ON  ON  ON  ON  ON  ON
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the plant of the post of the spud shall be conductor pipe required None feet per Att (2)  For KCC Use ONLY  API # 15 - OLB - 21 GCS · OCGC  Conductor pipe required None feet per Att (2)  Approved by: WHW 5 - 23 - 07  This authorization expires: 1 - 23 - 07	If Yes, proposed zone:  RECEIVED  RAY 2 3 2007  Red rows below and will comply with K.S.A. 55 et. seq.  Red rows below and red to the top; in all cases surface piper red red plugging formation. Is necessary prior to plugging red or production casing is cernented in; red from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cerne be plugged. In all cases, NOTIFY district office prior to any cernenting red implementation from ACO-1 within 120 days of spud date;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ON  ON  ON  ON  ON  ON  ON  ON  ON  ON

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API NO. 15-063-21665 0000	Location of Well: County: Gove
Operator: White Rock Oil, LLC	1650 feet from N / S Line of Section 3630 feet from E / E / W Line of Section
Lease: Johnson	3630 feet from F E / W Line of Section
Well Number: 1	Sec. 8 Twp. 13 S. R. 30 East ✓ Wes
Field: Gove	Is Section: ✓ Regular or Irregular
Number of Acres attributable to well:	is Section: Y negular or I megular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· · · · · · · · · · · · · · · · · · ·		· · -	
•	•	•	•	•
•	•	•	• •	•
•	•	•	•	•
		.		•
		- !	•	•
			-	-
	•			
			· ·	
1	-		•	
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
	. 1			
	. I .			
		. 1		
,				
•		·	•	•
1	. •	<u> </u>	•	•
1		· [ <b>.</b>		·
1 •		į.		
•		•	•	•
		•	•	-
-		.	•	-
-	-		-	
		.	•	
		.		
		.		•
L				



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: White Rock Oil, LLC		License Number: 33934		
Operator Address: 10603 S. Waverly Street, Olathe, KS 66061-9040				
Contact Person: Don Parr		Phone Number: ( 913 ) 583 - 1726		
Lease Name & Well No.: Johnson #1	Haracon No. 2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SW _ NE _ SW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 8 Twp. 13 R. 30 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		1650 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		3630 Feet from ✓ East / West Line of Section	
Is the pit located in a Sensitive Ground Water		· · ·	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓ No		How is the pit lined if a plastic liner is not used?  native clay	
Pit dimensions (all but working pits):	Length (fe	et) <u>10</u>	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de	epest point: 6	(feet)	
Distance to nearest water well within one-mile of pit  Depth to shallowest fresh water				
1 22 4				
Emergency, Settling and Burn Pits ONLY:			redwell owner electric log KDWR  over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: drilling mud		
		king pits to be utilized: 3		
Barrels of fluid produced daily: Abandonment p		procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No Drill pits must be		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
May 23, 2007  Date  May 23, 2007  Date  MAY 2 3 2007  Signature of Applicant or Agent				
* *************************************	CONSERVATION DIVISION WICHITA, KS			
Date Received: 5/23/07 Permit Number: Permit Date: 5/23/07 Lease Inspection: Yes X No				