API Well Number: 15-015-22169-00-00 TO: STATE CORPORATION COMMISSION Spot: SWNWNE Sec/Twnshp/Rge: 6-27S-4E CONSERVATION DIVISION - PLUGGING 4309 feet from S Section Line, $\underline{2304}$ feet from \underline{E} Section Line 130 SOUTH MARKET, SUITE 2078 Lease Name: CORBIN Well #: 4 **WICHITA, KANSAS 67202** County: BUTLER Total Vertical Depth: 3085 feet Depth (ft) Pulled (ft) Comment String Size Operator License No.: 3842 PROD 5.5 3084 160 SX Op Name: LARSON ENGINEERING INC. DBA LAR 100.26 SURF 8.625 213 110 SX Address: 562 WEST STATE ROAD 4 **OLMITZ, KS 67564** Well Type: OIL **UIC Docket No: Date/Time to Plug:** 12/20/2006 8:00 AM Plug Co. License No.: 30437 Plug Co. Name: <u>UNITED CEMENTING AND ACID CO., INC.</u> Proposal Revd. from: KEVIN WILSON Company: LARSON ENGINEERING INC. Phone: (620) 617-6880 Proposed |See actual report. Plugging Method: Plugging Proposal Received By: <u>DUANE KRUEGER</u> WitnessType: PARTIAL **Date/Time Plugging Completed:** 12/20/2006 1:00 PM KCC Agent: DUANE KRUEGER **Actual Plugging Report:** Perfs: RIH with tubing at 1149'; solid bridge. Picked up 2' at 1147'. United Cementing mixed and Top Bot Thru Comments pumped 60 sacks of class A 2% cc cement. Waited two hours; tagged cement plug at 1089'. 2928 2929 RIH perforated 5-1/2" casing at 263'. RIH with tubing at 265'. Packed off 5-1/2" casing head. United Cementing established circulation; mixed and pumped 115 sacks of 60/40 posmix with RECEIVED 4% gel to surface. Cement circulated on backside of 5-1/2" casing; opened valve and circulated KCC DISTRICT #2 inside 5-1/2" casing. JAN 2 4 2007 Tagged top plug at 170' on 12/21/2006. RIH with tubing at 160'. United mixed and pumped 55 sacks of class A cement to surface. Cement circulated inside and outside of 5-1/2" casing. WICHITA, KS United Cementing #7633

Remarks:

Plugged through: TBG

District: 02

(TECHNICIAN) RECEIVED

KANSAS CORPORATION COMMISSION

Form CP-2/3

APR 1 0 2007

WICHITA, KS

CONSERVATION DIVISION