

For KCC Use:	5-29-07
Effective Date: _	32104
District #4	
SGA2 TVac	No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

1009540

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Phone: 316-267-3241 CONTRACTOR: Licenses	Must be approved by	y KCC five (5) days prior to commencing well
SSE_NW_SE_NE_Se_Se_SE_TIPLE SK Z SK	Expected Spud Date: 06/24/2007	Spot Description: 5' S & 5' W of
OPERATOR: Licensed 3.08606 Name: Meth Deligit (20, Inc.) Siste: N3	month day year	
Section Sect	30606	
Selection Sele	Nome: Murfin Dritting Co., Inc.	
Address 2:		
Country_Decality Country_Deca		
Contact Person: Shauna Gurradman Profiles: 316-267-3541 ContractOr: Licenses	City: Wichita State: KS Zip: 67202 +	
Section Sect	Contact Person: Shauna Gunzelman	County:
CONTRACTOR: Licenses 39906 Search Control C	Phone: 316-267-3241	1 A 20 A
Name Multi Orillary Co. Inc. Well Class: Type Equipment: Multi Orillary Co. Name Proc Ext. Multi Orillary Multi Orillary Proc Ext. Multi Orillary Proc Ext. Multi Orillary Proc Ext. Multi Orillary Proc Ext. Multi Orillary Multi Orilla	CONTRACTOR: License# 30606	ried Name.
Nearrest Lease or unit boundary line (in hortage): 590 feet MSL		
Ground Surface Elevation: _2006		Nearrost Lagge or unit boundary line (in footage): 830
Selismic soft holes Order Orde		Ground Surface Elevation: 2606 feet MSI
Gas Slorage Pool Ext Cable C		
Selsimic Josposal Montant Depth to bottom of fresh water. 180 Depth to bottom of usable water. 180 Depth to bottom of fresh water. 180 Depth to bottom of the bottom of the bottom of fresh water. 180 Depth to bottom of the		
Depth to bottom of usable water. 1340 Surface Pipe by Alternate: 340 Surface Pipe by Alternate: 350 Length of Surface Pipe Planned to be set: 280 Length of Conductor Pipe (if any): 0 Projected Total Depth: 4000 Formation at Total Depth: 4000 Fo		••••
Surface Pipe by Alternate: Surface Pipe Planned to be set: 380 Coperator: Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: 4000 Projectional, Deviated or Horizontal wellbore? Yes No If Yes, Irva vertical depth: 4000 Water Source for Drilling Operations: Water Source Operation Operations: Water Source Operation Operation Operations: Notice of Policy operations: Water Source Operation Op		
Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Surface Pipe Planned to be set: 260 Length of Conductor Pipe (Fany): 0 Length of Surface Pipe Planned to be set: 260 Length of Conductor Pipe (Fany): 0 Length of Surface Pipe Planned to be set: 260 Length of Conductor Pipe (Fany): 0 Length of Conductor Pipe (Fany): 0 Formation All Total Depth: 40000 Formation All Total Depth: 40000 Formation All Total Depth: 40000 Mater Source for Drilling Operators: (Note: Apply tor Permit with DWFI 100000 Water Source for Drilling Operators: (Note: Apply tor Permit with DWFI 100000 Water Source for Drilling Operators: (Note: Apply tor Permit with DWFI 100000 Water Source for Drilling Operators: (Note: Apply tor Permit with DWFI 1000000 Water Source for Drilling Operators: (Note: Apply tor Permit with DWFI 100000000 Water Source for Drilling Operators: (Note: Apply tor Permit with DWFI 100000000000000000000000000000000000	Other:	
Length of Conductor Pipe (if any): 0 Projected Total Depth: 4000	If OWWO: old well information as follows:	
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, Irus vertical depth: Bottom Hole Location: KCC DKT #: Well Farm Pond Other: Haul DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: WANSAS CORPORATION COMMISS AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: WANSAS CORPORATION COMMISS AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: WANSAS CORPORATION COMMISS AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: WANSAS CORPORATION COMMISS AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 2 4 2007 The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 2 4 2007 The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 2 4 2007 The undersigned hereby affirms that the drilling rig; 3. The minimum amount of surface pipe as specified below shall be set to record the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on pin and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugging to gip control surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C		Length of Conductor Pine (if april) 0
Original Completion Date: Original Total Depth: Arbuckle Valet Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operation Operation Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operation O	•	
Water Source for Drilling Operations: West No Water Apply for Permit with DWR		
Directional, Devitated or Horizontal wellbore? If Yes, rue vertical depth:	Original Completion Date: Original Total Depth:	
West true vertical depth: DWR Permit #:	Directional, Deviated or Horizontal wellbore?	
Note: Apply tor Permit with DWR Note: Apply tor Note: Ap		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 2 4 2007 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below ahall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials pius a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on piug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Hereby certify that the statements made herein are true and to the best of my knowledge and belief. Parts: 5-23-07. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0.39 - 2 0.02 - 0.00 feet Minimum surface pipe required 0 feet Min	Bottom Hole Location:	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 2 4 2007 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as a specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing as placement is necessary prior to plugging; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5-23-07. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 039 - 2 002 - 000	KCC DKT #:	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 2 4 2007 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as a specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing as placement is necessary prior to plugging; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5-23-07. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 039 - 2 002 - 000		If Yes, proposed zone:
For KCC Use ONLY API # 15 - 039 - 2 002 - 000 0 Conductor pipe required 0 feet f	It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	CONSERVATION DIVISION WICHITA, KS and on each drilling rig; will be set by circulating cement to the top; in all cases surface pipe shall be set beet into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. It is gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
For KCC Use ONLY API # 15 - 039 - 2 002 - 000 0 Conductor pipe required 0 feet f	• •	
For KCC Use ONLY API # 15 - 039 - 2 007 - 000 0 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT.	Date: 5-23-07 Signature of Operator or Agent:	Bhauna Sungelnan Title: Uglut for Operator
For KCC Use ONLY API # 15 - 039 - 2 007 - 000 0 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT.		Remember to:
Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I I I I I I I I I I I I I I I I I I I	For KCC Use ONLY	File Drill Pit Application (form CDP-1) with Intent to Drill;
Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I Sulfill I Sulfill I I I I I I I I I I I I I I I I I I	API#15-037-2 002-0000	
Minimum surface pipe required Approved by: WHW 5-24-07 This authorization expires: 1/-24-v7 (This authorization void if drilling not started within 6 months of approval date.) This authorization void if Operation void if Agency of Agent within 6 months of approval date.) Well Not Drilled - Permit Expired Date: Well Not Operator or Agent.	Conductor pipe requiredfeet	File acreage attribution plat according to field proration orders;
This authorization expires: 11-24-07 (This authorization void if drilling not started within 6 months of approval date.) - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. - Well Not Drilled - Permit Expired - Date:		- Notiny appropriate district office 48 hours prior to workover or re-entry, - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
Well Not Drilled - Permit Expired Date:	This authorization expires: 11-24-07	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Signature of Operator or Agent	् (ruis authorization void ii driiling not started within 6 months of approval (1 fact to the deposits of the Control of the Contro
	Soud date: Agent	



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-21002-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease: FSR	1,820 feet from N / S Line of Section
Well Number: 1-36	830 feet from E / W Line of Section
Field: Wildcat	Sec. 36 Twp. 2 S. R. 27 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

MAY 2 4 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009540

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: Murfin Drilling Co., In	C.		License Number: 30606		
Operator Address: 250 N. Water, S	ste 300		Wichita KS 67202		
Contact Person: Shauna Gunzelma	ın		Phone Number: 316-267-3241		
Lease Name & Well No.: FSR	1-3	36	Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NW SE NE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 36 Twp. 2 R. 27 East West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,820 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Dit consoits:	·····	830 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 600	(bbis)	Decatur County		
Is the pit located in a Sensitive Ground Water	Area? Yes X		Chloride concentration:mg/l		
to the pit located in a denotified Clothin water	L	7	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	NI.	How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	NO	Bentonite and solids self seal pits		
Pit dimensions (all but working pits): 100 Length (feet) 100			Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	4 (feet) No Pit		
		dures for periodic maintenance and determining acluding any special monitoring.			
•		west fresh water80feet.			
N/A feet Depth of water well 100 feet Source of information measu					
•		over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	ıl utilized in drilling/workover: Bentonite		
•		king pits to be utilized:4			
		procedure: Allow pits to evaporate until dry then			
Does the slope from the tank battery allow all spilled fluids to		Drill nite must b	backfill when conditions allow.		
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.		
6 22 AT N. h. 1 Martha Dant					
<u>5-23-07</u> Date	100	ruma D	undinan, Ugent for Operators ignature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS RFAS					
Date Received: 5/24/07 Permit Num	ber:	Permi	t Date: 5/24/07 Lease Inspection: Yes XNo		
			· — — · — — — — — — — — — — — — — — — —		