For KCC Use: Effective Date: District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date May 30, 2007 month day year	Spot
22741 1	1524feet from V N / S Line of Section
OPERATOR: License# 33741 V	880 feet from VE / W Line of Section
Name: Midwest Energy, Inc. Address: Commerce Plaza 1 Center, 7300 W. 110th St., 7th Floor	Is SECTION Regular Irregular?
Address: Overland Park, KS 66210	•
City/State/Zip: Brad Kramer	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brad Kramer Phone: (913) 693-4605	County: Douglas Lease Name: Thoren Well #: 25
	Field Name: Little Wakarusa
CONTRACTOR: License# 33030	
Name: Kimzey Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Yes V No
	Nearest Lease or unit boundary: 880'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 909 feet MSI
Oil Enh Rec Infield I Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic; # of Holes Other	Depth to bottom of itesh water: 250+
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 40'
If OWWO: old well information as follows:	Length of Conductor Pipe required: N/A
Operator:	Projected Total Depth: 700'
Well Name:	Formation at Total Depth; Squirrel
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Wall V Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	lé Voc. proposad zapa:
	KECEIVED
	グルドウィウ ぐつけつへきょうしょ ひんしゅうき
	IDAVIT KANSAS CORPORATION COMMIS
The undersigned hereby affirms that the drilling, completion and eventual plants	IVAVII
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	IDAVII
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plug that the set of the set	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set of the appropriate district office will be notified before well is either plug that a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plug that the set of the set	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA K8 It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second	lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Conservation Division Wichita KS At by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill are drill and the	lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Conservation Division WICHITA KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the constant of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be coment of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 5/30/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 045 - 21316 - 0000	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drilling of the second of the spudding of the second of the spudding of the second of the spudding of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of the spudding of the spudding of the spudding of the spudding of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of the spudding of the	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface casing order of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 5/30/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 045 - 21316 - 2000 Conductor pipe required	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the complete district office will be notified before well is either plug of the analyse of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plug of the spud date of the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted by that the statements made herein are true and to the best of the posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the spud date or the well shall be posted by the spud date or the spud date or the spud date or the spud date or the shall be posted by the spud date or the	lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Conservation Division Wichita KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the complete district office will be notified before well is either plug of the analyse of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plug of the spud date of the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted within 30 days of the spud date or the well shall be posted by that the statements made herein are true and to the best of the posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the well shall be posted by the spud date or the spud date or the well shall be posted by the spud date or the spud date or the spud date or the spud date or the shall be posted by the spud date or the	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KR It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second to the second	lugging of this well will comply with K.S.A. 55 et. seq. MAY 3 1 2007 CONSERVATION DIVISION WICHITA KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Project Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21316-0000	Location of Well: County: Douglas
Operator: Midwest Energy, Inc.	1524 feet from VN/S Line of Section
Lease: Thoren	880 reet from Feet from E / W Line of Section
Well Number: 25	Sec. 6 Twp. 14 S. R. 21
Field: Little Wakarusa	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - SE . NE	is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section corner used: NE NW SE SE

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

				-
			250	-
			L'a	
				. ,
-		İ	• •	
			•	•
-		1	•	•
•			•	•
	•			
			·	
			·	
			·	
			·	

RECEIVED KANSAS CORPORATION COMMISSION

MAY 3 1 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Midwest Energy, Inc.		License Number: 33741		
Operator Address: Commerce Plaz	a 1 Center, 73	300 W. 1101	h St., 7th Floor, Overland Park, KS 66210	
Contact Person: Brad Kramer		Phone Number: (913) 693 -4605		
Lease Name & Well No.: Thoren #25		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE . NW . SE . NE</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 6 Twp. 14 R. 21 🔽 East 🗌 West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	Feet from 🗾 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		880 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	120	(bbls)	Douglas	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes 🗸	No	Native Clay	
Pit dimensions (all but working pits):	30 Length (fe	eet)8	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de	eepest point: 3	(feet)	
material, thickness and installation procedure	9.	liner integrity, i	ncluding any special monitoring. RECEIVED	
			KANSAS CORPORATION COMMISSION MAY 3 1 2007 CONSERVATION DIVISION	
Distance to nearest water well within one-mil	e of pit	Depth to shalld	CONSERVATION DIVISION West fresh water	
Distance to nearest water well within one-mil	·	Source of info	CONSERVATION DIVISION West fresh water	
	feet	Source of info	CONSERVATION DIVISION west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY:	
N/A feet Depth of water well	feet	Source of info measu Drilling, Work Type of materi	CONSERVATION DIVISION west fresh waterfeet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native Mud	
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY	feet	Source of info mease Drilling, Work Type of materi Number of wo	CONSERVATION DIVISION West fresh waterfeet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native Mud king pits to be utilized: 2	
N/A feet Depth of water well	feet	Source of info mease Drilling, Work Type of materi Number of wo	CONSERVATION DIVISION west fresh waterfeet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native Mud	
N/A feet Depth of water well	feet	Source of info mease Drilling, Work Type of materi Number of wo	CONSERVATION DIVISION West fresh waterfeet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native Mud king pits to be utilized: 2	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet	Source of info mease Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	feet	Source of info mease Drilling, Work Type of materi Number of wo Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION west fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state 5/30/2007	feet I spilled fluids to ements are true and o	Source of info mease Drilling, Work Type of materi Number of wo Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION West fresh water	