RECEIVED

KANSAS CORPORATION COMMISSION For KCC Use: OIL & GAS CONSERVATION DIVISION Effective Date:

District #

JUN 0 4 2007

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

approved by KCC five (5) days prior to commencing Well-WATION DIVISION

Synasted Stud Data June 0, 2007	_ Spot ✓ East
Expected Spud Date	NE Sw Sec. 34 Twp. 27 S. R. 16 West
33344	1980 feet from N / V S Line of Section
OPERATOR: License# 33344 // OPERATOR: Quest Cherokee LLC	1980feet fromE /W Line of Section
9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
Address: Oklahoma City, Oklahoma 73120  City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip:	County: Wilson
Contact Person:	Lease Name: Stevens, William K. Well #: 34-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1016 feet MSL
Oil Enh Rec  Infield  Mud Rotary	Water well within one-quarter mile:
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water:
✓ Other Coalbed Methane	Surface Pipe by Alternate:   1   \sqrt{2}
Is OMBACO, and well information on follows:	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗍)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
A  The undersigned hereby affirms that the drilling, completion and eventu	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be certain or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well states.	If Yes, proposed zone:  AFFIDAVIT  Ital plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  It e set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  It he district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  In ented from below any usable water to surface within 120 days of spud date.  It refer #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be certain or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well statements made herein are true and to the best of the position of the statements made herein are true and to the best of the spud date.	If Yes, proposed zone:  AFFIDAVIT  Ital plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  It is set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing.  The set of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be certain or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well states.	If Yes, proposed zone:  AFFIDAVIT  Ital plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  In each drillin
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on:  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in:  4. If the well is dry hole, an agreement between the operator and to:  5. The appropriate district office will be notified before well is either:  6. If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well is inhereby certify that the statements made herein are true and to the best of the production of	If Yes, proposed zone:  AFFIDAVIT  Ital plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  It is set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing.  The set of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well is 1 hereby certify that the statements made herein are true and to the best of the spud date or the well is 2 June 1, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27208 - 0000  Conductor pipe required	If Yes, proposed zone:  AFFIDAVIT  Ital plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  It e set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  In edistrict office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  In ented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing that be plugged. In all cases, NOTIFY district office prior to any cementing.  It is of my knowledge and belief.  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well is 1 hereby certify that the statements made herein are true and to the best of the spud date or the well in the statements made herein are true and to the best of the spud date or the well in the statements made herein are true and to the best of the spud date or the well in the spud date or the spud date or the spud date or the well in the spud date or the spud	If Yes, proposed zone:  AFFIDAVIT  Ital plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  It e set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  In edistrict office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  In ented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. It is a sea, alternate II cementing that be plugged. In all cases, NOTIFY district office prior to any cementing.  It is a creage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well is 1 hereby certify that the statements made herein are true and to the best of the spud date or the well is 2 June 1, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27208 - 0000  Conductor pipe required	If Yes, proposed zone:  AFFIDAVIT  Ital plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  It e set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  In edistrict office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  In ented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing that be plugged. In all cases, NOTIFY district office prior to any cementing.  It is of my knowledge and belief.  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-27208-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	
Lease: Stevens, William K.	
Well Number: 34-1	Sec. 34 Twp. 27 S. R. 16 V East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	ls Section: ✓ Regular or Irregular
QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## RECEIVED KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

JUN 0 4 2007

Submit in Duplicate

CONSERVATION DIVISION WICHTALKS

		License Number: 33344		
Operator Name: Quest Cherokee LLC				
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Stevens, William K. #34-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NESW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 27 R. 16 📝 East 🗌 West	
Settling Pit	If Existing, date constructed:		1980 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1980 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	s the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes  No	Artificial Liner?  ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel F			Width (feet) N/A: Steel Pits	
	rom ground level to de		10(feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Air Drilling Operation Lasting Approx 3 Days				
Distance to nearest water well within one-mile of pit  Depth to shallo Source of info		owest fresh waterfeet.		
NA feet Depth of water well _	feet	meası	redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Wo		_	over and Haul-Off Pits ONLY:	
Producing Formation: Type of mate		Type of materi	al utilized in drilling/workover: Air Drilled	
· · · · · · · · · · · · · · · · · · ·			er of working pits to be utilized: One	
Barrels of fluid produced daily: Abandonmen		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
June 1, 2007 Date	R	Gard	Marlin Signature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 6/4/07 Permit Number: Permit Date: 6/4/07 Lease Inspection: Yes No				