For KCC Use:	6-10-07
Effective Date:_	3 1001
District #	<u>ح</u>

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five		
6-15-07	Spot	√ East
Expected Spud Date	SE NE NW Sec. 18 Twp. 18 S. I	R. 24 West
22222	948' feet from V N / S	
DPERATOR: License# 33233	= = =	Line of Section
lame: Heartland Oil and Gas Corporation Address: 1610 Industrial Park Drive	Is SECTION Regular Irregular?	
Address:	(Note: Locate well on the Section Plat on rever	se side)
Contact Person: Steve Littell	County, Miami	
Phone: 913-294-1400	Lease Name: Peckman	Well #: 21-18
/	Field Name: Lancaster	
CONTRACTOR: License# 5885	Is this a Prorated / Spaced Field?	Yes VNo
lame: Susie Glaze dba R.S. Glaze Drilling	Target Formation(s): Coal/Shale	
W. W. D. Street Free Mark Classes Time Equipment:	Nearest Lease or unit boundary: 372'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 908'	feet MSL
Oil Enh Rec / Infield Mud Rotary / Gas Storage Pool Ext. / Air Rotary	Water well within one-quarter mile:	Yes VNo
- Constant	Public water supply well within one mile:	Yes 🗸 No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water:	
Seismic;# of Holes Other	Depth to bottom of usable water: 250 260	
Other	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	·
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 990'	
Original Completion Date:Original Total Depth:	Formation at total Depth.	
Pirectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other City Water	
Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?	Yes ✓ No

	If Yes, proposed zone:	
	If Yes, proposed zone:	EN/En
AFF	REC	EIVED
he undersigned hereby affirms that the drilling, completion and eventual p	REC	EIVED 0 4 2007
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:	REC	EIVED 0 4 2007
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of	ch drilling rig; the by circulating cement to the top; in all cases surface plattine underlying formation. district office on plug length and placement is necessary if gged or production casing is cemented in; inted from below any usable water to surface within 120 days are #133,891-C, which applies to the KCC District 3 area, a	0 4 2007 NICHITA Per shall be set Prior to plugging; Bys of spud date. Iternate !! cementing
the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; atted from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to	0 4 2007 NICHITA Per shall be set Prior to plugging; Bys of spud date. Iternate !! cementing
the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on easy through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the test of the appropriate district office will be notified before well is either plushed. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; atted from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to	NCHITA pe shall be set prior to plugging; lys of spud date. Iternate II cementing of any cementing.
the undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of th	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary in ged or production casing is cemented in; ited from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to find the placement of the plugged. In all cases, NOTIFY district office prior to the plugged of the plugged. Title: Area Management of the plugged of the plugged of the plugged of the plugged. Remember to:	O 4 2007 NICHITA, pe shall be set prior to plugging; sys of spud date. Iternate II cementing of any cementing.
the undersigned hereby affirms that the drilling, completion and eventual processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of	ch drilling rig; Ach by circulating cement to the top; in all cases surface plants to filter on plug length and placement is necessary ach ged or production casing is cemented in; at the from below any usable water to surface within 120 day at 133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to find the filter of the filter o	O 4 2007 NICHITA pe shall be set prior to plugging; lys of spud date. Iternate II cementing o any cementing.
the undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of th	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; inted from below any usable water to surface within 120 days are #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to find the placement of the plugged. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud	O 4 2007 NICHITA pe shall be set prior to plugging; lys of spud date. Iternate II cementing o any cementing.
the undersigned hereby affirms that the drilling, completion and eventual processing is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the appropriate of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into a surface of the well is dry hole, an agreement between the operator and the answer of the second o	ch drilling rig; Ach drilling r	prior to plugging; nys of spud date. Iternate II cementing to any cementing. er
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the set into the set into the sethinough all unconsolidated materials plus a minimum of 20 feet into the set into the sethinough all unconsolidated materials plus a minimum of 20 feet into the set into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a specified before well; 5. If an ALTERNATE II COMPLETION, production pipe shall be sethinough and the sethinough all unconsolidated materials plus a specified before well; 6. If an ALTERNATE II COMPLETION, production pipe shall be sethinough and the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 feet into the sethinough all unconsolidated materials plus a minimum of 20 fee</i>	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; inted from below any usable water to surface within 120 days are #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to find the placement of the plugged. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud	prior to plugging; bys of spud date. Iternate II cementing, any cementing. er II; date; on orders; over or re-entry;
the undersigned hereby affirms that the drilling, completion and eventual processing is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary in gged or production casing is cemented in; ited from below any usable water to surface within 120 days of spud plugged. In all cases, NOTIFY district office prior to find the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged plugged prior to the plugged pl	prior to plugging; bys of spud date. Iternate II cementing or any cementing. er II; date; on orders; over or re-entry; eted; salt water.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into a strong all unconsolidated materials plus a minimum of 20 feet into a strong all unconsolidated materials plus a minimum of 20 feet into a strong all unconsolidated materials plus a minimum of 20 feet into a strong all unconsolidated materials plus a minimum of 20 feet into a strong all unconsolidated materials plus a minimum of 20 feet into a strong all unconsolidated materials plus a minimum of 20 feet into a strong and a strong and the strong and the operator and the appropriate district office will be notified before well is either plus and a strong a	ch drilling rig; whether the underlying formation. district office on plug length and placement is necessary in ged or production casing is cemented in; the from below any usable water to surface within 120 days of spud plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged and belief. Title: Area Manage. Remember to: File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completed.	O 4 2007 NICHITA Per shall be set Prior to plugging; Prys of spud date. Iternate II cementing. Per shall be set Prior to plugging; Prys of spud date. Iternate II cementing. Per shall be set Prior to plugging; Prior
the undersigned hereby affirms that the drilling, completion and eventual processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second of the approved notice of intent to drill shall be posted on each as the second of the s	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary gaged or production casing is cemented in; atted from below any usable water to surface within 120 days are #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is compile. Obtain written approval before disposing or injecting states.	NICHITA, pe shall be set prior to plugging; sys of spud date. Iternate !! cementing or any cementing. er II; date; or orders; over or re-entry; leted; salt water. Iterate) please
the undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on easy through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the 15. The appropriate district office will be notified before well is either plus of 16. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the particles of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spud date of the spu	ch drilling rig; et by circulating cement to the top; in all cases surface plate underlying formation. district office on plug length and placement is necessary in gged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases surface plugged	NICHITA, pe shall be set prior to plugging; sys of spud date. Iternate II cementing to any cementing. er II; date; over or re-entry; eted; salt water. Idate) please
the undersigned hereby affirms that the drilling, completion and eventual processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second of the approved notice of intent to drill shall be posted on each as the second of the s	check the box below and return to the address below.	NICHITA, pe shall be set prior to plugging; sys of spud date. Iternate !! cementing or any cementing. er II; date; on orders; over or re-entry; leted; salt water. Iterate) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28456-0000	Location of Well: County: Miami
Operator: Heartland Oil and Gas Corporation	948' feet from VN / S Line of Section
Lease: Peckman	E / 🗸 W Line of Section
Well Number: 21-18	Sec. 18 Twp. 18 S. R. 24 ✓ East Wes
Field: Lancaster	
Number of Acres attributable to well: 80 acre spacing	is Section: ✓ Regular or ☐ Irregular
QTR / QTR of acreage: SE - NE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-	2262'n ●	

RECEIVED
JUN 0 4 2007
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Heartland Oil & Gas Corporation		License Number: 33233		
Operator Address: 1610 Industrial			6071	
Contact Person: Steve Littell		Phone Number: (913) 294 - 1400		
Lease Name & Well No.: Peckman 2	1-18		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE _ NE _ NW _	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 18 Twp. 18S R. 24	
Settling Pit	If Existing, date constructed:		948 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			2262 Feet from East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	400 (bbls)	Miami	
			County	
is the pit located in a Sensitive Ground Water	·Area?Yes _ _	No No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	40' Length (fe	eet)12'	Width (feet) N/A: Steel Pits	
	from ground level to de			
			JUN 0 4 2007 KCC WICHITA	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
NA feet Depth of water wellfeet		measuredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY	'	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: City Water		
Number of producing wells on lease:		Number of working pits to be utilized: 2 with a crossover		
Barrels of fluid produced daily:		Abandonment procedure: Remove water to the nearest disposal well and doze pits in. Also reseed area.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	tements are true and	correct to the bes	st of my knowledge and belief.	
6-01-07 Date		Thu	Signature of Applicant or Agent	
	V C C	OFFICE USE O	NIY	
	NCC			
Date Received: 6/4/01 Permit Nur	mber:	Perm	nit Date: 6/4/01 Lease Inspection: Yes No	