Fir KCC Use:	6-10-07		
District #	.3/		
SGA? Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date 06/10/2007	Spot East
month day year	SE NE NW Sec. 33 Twp. 28 S. R. 22 West
OPERATOR: License# 6766	4290 feet from N / S Line of Section
Name: N & W Enterprises, Inc.	leet libit.
Address: 1111 S Margrave	Is SECTION Regulartrregular?
Address: 1111 S Margrave City/State/Zip: Fort Scott, KS 66701	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tom Norris	County: Crawford
Phone: 620-224-0006 or 620-223-6559	Lease Name: Walsh/Meyer Well #: 42
	Field Name: Walnut SE
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?
Name: Hat Drilling, LLC	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 990'
	Ground Surface Elevation: NA feet MSL
✓ Oil / Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 1000'+
Seismic;# of Holes Other	Depth to bottom of usable water: 1000'+
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: NA
Well Name:	Projected Total Depth: 425
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	כמתר או נאווו
It is agreed that the following minimum requirements will be met:	
	KCO March
·	NGC WICHTA
Notify the appropriate district office <i>prior</i> to spudding of well;	h drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> 	h drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 	h drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di 	h drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plug. 	h drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	h drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is 	h drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is 	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set If the underlying formation. It is necessary prior to plugging; It is necessary prior to any cementing. It is necessary prior to any cementing.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the post of 	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the prest of 	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving of the well is dry hole, an agreement between the operator and the difference of the specified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically of the appropriate district office will be notified before well is either plugically o	h drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugically for the appropriate district office will be notified before well is either plugically for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the post of the post of the spudicipal of the statements of the post of the spudicipal of the statements. [For KCC Use ONLY]	the drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of soud date:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving of the well is dry hole, an agreement between the operator and the drift of the appropriate district office will be notified before well is either plugical for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be completed. I hereby certify that the statements made herein are true and to the post of the post of the complete of the production of the post of the complete of the post of the post of the complete of the complete of the post of the complete of the post of the complete of th	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and to the post of the post	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of 5. The appropriate district office will be notified before well is either plugical for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the post of the post of the complete o	h drilling rig; the circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lifeth that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the post of the post of the post of the property o	h drilling rig; the circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of 5. The appropriate district office will be notified before well is either plugical for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the post of the post of the complete o	h drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugically for the appropriate district office will be notified before well is either plugically for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements made herein are true and to the property of the statements of the statement of the property of the statement of the statement of the property of the statement of the stateme	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second to the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be increased in the statements made herein are true and to the post of the post of the spudication of the post of the statements of the post of the spudication of the post of the spudication of the statement of the post of the spudication of the statement of the post of the spudication of the statement of the post of the spudication of the statement of the spudication of the statement of the spudication of the spudication of the statement of the spudication of the statement of the spudication of the spudication of the spudication of the surface place of the spudication of the surface place of the spudication of the surface place of the surface place of the spudication of the surface place of the spudication of the surface place of the spudication of the surface place of the surface place of the surface place of the spudication of the surface place of the surfa	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be interested in the post of the production of of the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-2/9/1 0000	Location of Well: County: Crawford
Operator: N & W Enterprises, Inc.	
Lease: Walsh/Meyer	4290 feet from N / ✓ S Line of Section 2970 feet from ✓ E / W Line of Section
Well Number: 42	Sec. 33 Twp. 28 S. R. 22
Field: Walnut SE	, man
Number of Acres attributable to well: 2.5	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW/4	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

· ·	•						
			_				
	•	•	•		и .		•
l							
,							
			<u>.</u>		+		
	•		-		4		
				ļ			
	•				-		•
	•		•		-		
	•				4		
		•	•			•	•
1		•	•	i		•	•
	•			·	-		-
1							
							
	•			· 			
							•
	•		•				•
			•				•
	•		•				
						· · · ·	
					,	· · · · ·	
						· · · · ·	
					,	· · · · ·	
					,	· · · · ·	
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · ·				
	· · · · · · · · · · · · · · · · · · ·	 	· · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		
					· · · · · · · · · · · · · · · · · · ·		

RECEIVED
JUN 0 4 2007
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: N & W Enterprises, Inc			License Number: 6766		
Operator Address: 1111 S Margrave, Fort Scott, KS 66701					
Contact Person: Tom Norris			Phone Number: (620) 223 - 6559		
Lease Name & Well No.: Walsh/Meyer #42			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW/4 SE NE NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 28 R. 22		
Settling Pit	If Existing, date constructed:		4290 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity: 80 (bbls)		4970 Feet from 🗸 East / West Line of Sectio		
(If WP Supply API No. or Year Drilled)			Crawford County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: NA mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	Clay		
Pit dimensions (all but working pits):	5' Length (fe	eet) 5'	<u></u>		
ł	rom ground level to de		(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			RECEIVED JUN 0 4 2007		
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	west fresh water 1000+ feet.		
2000 feet Depth of water well 1000+ feet		f a	redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover; Water			
Number of producing wells on lease:		Number of working pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment	procedure: Fill with earth		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
06/01/2007 Date Johnson Lower Signature of Applicant or Agent			ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 6/4/07 Permit Num	ber:	Permi	t Date: <u>6/4/07</u> Lease Inspection: Yes No		