For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date06/14/2007		✓ East
month day year	NEA Sec. 33 Twp. 28 S. R. 22	West
OPERATOR: License# 6766	3960feet fromN / V S Line of Sec	
Name: N & W Enterprises, Inc	2310 feet from VE / W Line of Sec	ction
Address: 1111 S Margrave	is SECTIONRegularirregular?	
City/State/Zip: Fort Scott, KS 66701	(Note: Locate well on the Section Plat on reverse side)	
Contact Person. Tom Norris	County: Crawford	
Phone: 620-224-0006 or 620-223-6559	Lease Name: Walsh/Meyer Well #: 45	
	Field Name: Walnut SE	
CONTRACTOR: License# 33734		✓ No
Name: Hat Drilling, LLC	Target Formation(s): Bartlesville	
Mad Dallad Communication and	Nearest Lease or unit boundary: 1320'	
Well Drilled For: Well Class: Type Equipment:		et MSL
Oit Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	✓ No
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 1000'+	
Seismic; # of Holes Other	Depth to bottom of usable water: 1000'+	
Other	Surface Pipe by Alternate: 1 2	
If OWWQ: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: NA	
Well Name:	Projected Total Depth: 425	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	_
KCC DKT #:		No
	If Yes, proposed zone: RECEIVET)
AFF	IDAVIT	•
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seg. JUN 0 4 20	07
It is agreed that the following minimum requirements will be met:		
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	ch drilling rig:	TA
3. The minimum amount of surface pipe as specified below shall be se	of by circulating cement to the top; in all cases surface pipe shall be	set
through all unconsolidated materials plus a minimum of 20 feet into t	, ,	
 If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plug 		ging;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement		ate.
	#133,891-C, which applies to the KCC District 3 area, alternate II ce	
must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cement	ing.
I hereby certify that the statements made herein are true and to the best of	f my knowledge and belief.	
Date: 6/1/67 Signature of Operator or Agent:	in f. flow Title: pure	
, , , , , , , , , , , , , , , , , , , ,	Remember to:	
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;	<u> </u>
API # 15 - 037-21914-0000	- File Completion Form ACO-1 within 120 days of spud date;	ω
Conductor pipe requiredfeet	File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workeyer or recent	
Minimum surface pipe required 20 feet per Alt. (2)	 Notify appropriate district office 48 hours prior to workover or re-ent Submit plugging report (CP-4) after plugging is completed; 	ıy, i
Approved by: Last 6:5:07	- Obtain written approval before disposing or injecting salt water.	
12 507	- If this permit has expired (See: authorized expiration date) please	K.
This authorization expires: 12.507	check the box below and return to the address below.	8
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired	ı
Spud date:Agent:	Signature of Operator or Agent:	
Open date	Date:	_ &

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21914-0000	Location of Well: County: Crawford
Operator: N & W Enterprises, Inc	
Lease: Walsh/Meyer	
Well Number: 45	Sec. 33 Twp. 28 S. R. 22
Field: Walnut SE	_
Number of Acres attributable to well: 2.5	Is Section: Regular or Integular
QTR / QTR / QTR of acreage: NE/4	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	نب نے اسما


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1	•	•	•		٠ .		•
1							
				i	, .		
1				1			
1				1			
1				1			
1				1			
1							
1 ' '							
i				1			
1							
	•	•	•			•	•
!							
i	•	•	•		• .		
1				l .			
1							
1				· • X •			
1					,	,	
ł				•			
1			_	l			_
1		-		1			
1							
i	•	•	•	1			•
l				I			
[•	-	•	l	٠ ,		•
1				1			
1				1			
1							
[I			
1							
L	_			!			
i			•				
l				i			
1	•	•	•			•	•
ŀ							
1	•	•	•				•
							,
							•
							•
	·		· · · ·				
	·		· · · ·				· · · · ·
	· · · · · · · · · · · · · · · · · · ·		· · · ·		·		· · · · ·
	· · · · · · · · · · · · · · · · · · ·		· · · ·				
	· · · · · · · · · · · · · · · · · · ·		· · · ·		·		
	· · · · · · · · · · · · · · · · · · ·		· · · ·		·		
	· · · · · · · · · · · · · · · · · · ·		· · · ·		·		
	· · · · · · · · · · · · · · · · · · ·		· · · ·		·		
			· · · · · · · · · · · · · · · · · · ·			,	
			· · · · · · · · · · · · · · · · · · ·			,	
	•	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		·	,	
	•	,	· · · · · · · · · · · · · · · · · · ·			,	
	•		· · · · · · · · · · · · · · · · · · ·			,	
	•						
	•						
	•	,				,	
	•						
	•						

RECEIVED
JUN 0 4 2007
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit In Duplicate

Operator Name: N & W Enterprises, Inc			License Number: 6766		
Operator Address: 1111 S Marg	rave, Fort S	Scott, KS	66701		
Contact Person: Tom Norris			Phone Number: (620) 223 - 6559		
Lease Name & Well No.: Walsh/Meyer #45			Pit Location (QQQQ): いこ いこ		
Type of Pit:	Pit is:		NW/4 SW N	<u>E</u>	
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 33 Twp. 28 R. 22	East West	
Settling Pit	If Existing, date of	onstructed:	3960 Feet from Nort	th / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2310 Feet from 🗸 Eas	t / West Line of Section	
(If WP Supply API No. or Year Drilled)	80 <u>80</u>	(bbis)	Crawford	County	
Is the pit located in a Sensitive Ground Water	r Area? Yes	' No	Chloride concentration: NA	mg/l	
			(For Emergency Pits an		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic line	er is not used?	
Yes No	Yes 🗸	140	Clay		
Pit dimensions (all but working pits):	5' Length (fe	eet) 5'	Width (feet)	N/A: Steel Pits	
Depth t	from ground level to de	eepest point: 5'	(feet)		
	e.	inter unogray,	ncluding any special monitoring.	RECEIVED	
			,	JUN 9 4 2007 CC WICHITA	
Distance to nearest water well within one-mi		Depth to shalk	K(west fresh water 1000+	JUN 9 4 2007	
Distance to nearest water well within one-mi	le of pit	Depth to shallo Source of info	K(west fresh water 1000+	JUN 0 4 2007 CC WICHITA	
2000	le of pit 1000+ feet	Depth to shallo Source of info	west fresh water 1000+	JUN 0 4 2007 CC WICHITA	
2000 feet Depth of water well	le of pit 1000+ feet	Depth to shalk Source of information measured Drilling, Work	west fresh water 1000+ mation: ured well owner ele	JUN 0 4 2007 CC WICHITA feet. ectric log KDWR	
2000 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY	ie of pit	Depth to shalld Source of information measurements. Drilling, Work Type of material	west fresh water 1000+ mation: ured well owner ele over and Haul-Off Pits ONLY:	JUN 0 4 2007 CC WICHITA feet. ectric log KDWR	
2000 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	ie of pit	Depth to shallo Source of informeast Drilling, Work Type of materi	west fresh water 1000+ mation: uredwell ownerele over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water	JUN 0 4 2007 CC WICHITA feet. ectric log KDWR	
2000 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	le of pit 1000+ feet	Depth to shalld Source of info mease Drilling, Work Type of materi Number of work Abandonment	west fresh water 1000+ mation: uredwell ownerele over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water	JUN 0 4 2007 CC WICHITA feet. ectric log KDWR	
2000 feet Depth of water well	le of pit 1000+ feet : Il spilled fluids to	Depth to shalle Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must	owest fresh water 1000+ mation: uredwell ownerele over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water king pits to be utilized: 2 procedure: Fill with earth	JUN 0 4 2007 CC WICHITA feet. ectric log KDWR	
2000 feet Depth of water well	le of pit 1000+ feet : Il spilled fluids to	Depth to shalle Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the best Meriman	owest fresh water 1000+ mation: uredwell ownerele over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water king pits to be utilized: 2 procedure: Fill with earth	JUN 0 4 2007 CC WICHITA feet. ectric log KDWR	
	le of pit 1000+ feet : Il spilled fluids to	Depth to shalle Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the best Meriman	west fresh water 1000+ mation: aredwell ownerele over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water king pits to be utilized: 2 procedure: Fill with earth be closed within 365 days of spud det of my knowledge and belief.	JUN 0 4 2007 CC WICHITA feet. ectric log KDWR er	