RCC Use:	6-10-07
District #	3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

SGA? Yes No Must be approved by KCC five (5) days prior to commencing well
06/28/2007	a
Expected Spud Date	Spot NE NW SW Sec. 33 Twp. 28 S. R. 22 West
	2310 Sec. IWp. S. H. West
OPERATOR: License# 6766 V	4290 feet from VE / W Line of Section
Name: N & W Enterprises, Inc.	is SECTION RegularIrregular?
Address: 1111 S Margrave City/State/Zip: Fort Scott, KS 66701 Contact Person: Tom Norris	
City/State/Zip; Tom Norris	(Note: Locate well on the Section Plat on reverse side) County: Crawford
Phone: 620-224-0006 or 620-223-6559	Lease Name: Walsh/Meyer Well #: Inj 11
	Field Name: Walnut SE
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?
Name: Hat Drilling, LLC	Target Formation(s): Bartlesville
Matt Class Time Conjuments	Nearest Lease or unit boundary: 990'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation; NA feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water: 1000'+
Other	Depth to bottom of usable water: 1000'+
Otriet	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 425'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other
If Yes, true vertical depth:	Well Farm Pond Other
Bottom Hole Location:	(Note: Apply for Permit with DWR
B) 4 - 1 (B + E'	Ves V No.
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AECI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual place.	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plats is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	th drilling rig; th drilling rig; th drilling rig; th underlying formation. Strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	PAVIT RECEIVED Lugging of this well will comply with K.S.A. 55 et. sequence of the drilling rig; The dril
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to	PAVIT RECEIVED Lugging of this well will comply with K.S.A. 55 et. sequence of the drilling rig; The dril
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the formal to the surface propriate district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE it COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the complete statements and the prior of the surface complete statements are true and to the best of the surface complete statements are true and to the best of the surface complete statements are true and to the best of the surface complete statements are true and to the best of the surface complete statements and the surface complete statements are true and to the surface complete statements are true and the surface complete statements are true and the surface complete statements are tru	The drilling rig; the underlying formation. In the top; in all cases surface pipe shall be set the underlying formation. In the top; in all cases surface pipe shall be set the underlying formation. In the top; in all cases surface pipe shall be set the underlying formation. In the top; in all cases surface pipe shall be set the underlying formation. In the top; in all cases surface pipe shall be set the underlying formation. In the top; in all cases surface pipe shall be set the underlying formation. In the top; in all cases surface pipe shall be set to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The top of the top; in all cases surface pipe shall be set to surface pipe
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expective of the approved notice of intent to drill <i>shall be</i> posted on each an expective of the approved notice of intent to drill <i>shall be</i> posted on each an expective of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the first office will be notified before well is either plug of the specified	PAVIT RECEIVED Lugging of this well will comply with K.S.A. 55 et. seq JUN 0 4 2007 The drilling rig; The drilling rig; The victuality comment to the top; in all cases surface pipe shall be set to underlying formation. In this comment is necessary prior to plugging; ged or production casing is cemented in; Led from below any usable water to surface within 120 days of spud date. Let 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Little: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an infimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to find a national surface casing order and the district office will be notified before well is either plug to the surface casing order and the district office will be notified before well is either plug to the surface casing order and the district office will be notified before well is either plug to the surface casing order and the district office will be notified before well is either plug to the surface casing order and the district office will be notified before well is either plug to the surface plug to the surfa	PAVIT RECEIVED Lugging of this well will comply with K.S.A. 55 et. seq JUN 14 2007 The drilling rig; The drilling rig; The circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In its rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; The drilling rig; The drilling rig; The complete of the top; in all cases surface pipe shall be set to underlying formation. The plugged or production casing is cemented in; The plugged. In all cases, NOTIFY district office prior to any cementing. The plugged in all cases, NOTIFY district office prior to any cementing. The plugged in the plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drilling and the posted on each and the drilling and the set of the well is dry hole, an agreement between the operator and the drilling appropriate district office will be notified before well is either plug and to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the properties of the statements made herein are true and to the best of the plant is a signal to the plant is a signal to the post of the plant is a signal to the plant is a signal to the plant. For KCC Use ONLY API # 15 - O37 - 21903 - OOO Conductor pipe required feet per Alt. (2) Approved by: Alt 6-507	PAVIT RECEIVED Lugging of this well will comply with K.S.A. 55 et. seq JUN 1 4 2007 The drilling rig; The drilling rig; The circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In its complete to the state of the stat
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the driving and unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before well is either plug to 15. The appropriate district office will be notified before wel	PAVIT RECEIVED Lugging of this well will comply with K.S.A. 55 et. seq JUN 1 4 2007 The drilling rig; The drilling rig; The circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In its complete to the state of the stat
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the set o	PAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sequence of the drilling rig; the drilling rig; the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any camenting. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each and the driving hall unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the driving appropriate district office will be notified before well is either plug and the set of the appropriate district office will be notified before well is either plug and to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the set of the	PAVIT RECEIVED ugging of this well will comply with K.S.A. 55 et. sequence of the drilling rig; the drilling rig; the policy of the complete of the top; in all cases surface pipe shall be set to be underlying formation. In the underlying formation of the top; in all cases surface pipe shall be set to underlying formation. In the underlying formation of the top; in all cases surface pipe shall be set to underlying formation. In the complete of the top in all cases and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21903-0000	Location of Well: County: Crawford
Operator: N & W Enterprises, Inc.	2310 feet from N / S Line of Section
Lease: Walsh/Meyer	4290 feet from E / W Line of Section
Well Number: Inj 11 Field: Walnut SE	Sec. 33 Twp. 28 S. R. 22
Number of Acres attributable to well: 2.5	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:SW/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-						
		•				
		•				
1						
Į.						
ì						
	•	•				•
1						•
1						
1						
!						
1	•	•	'			•
L				· · · · · · · · · · · · · · · · · · ·		
l .	•					
1 '		•		•	•	
	X .					
<i>.</i>						
1						
(-					
1		•				
		•				
		•				· ·
		•			'	
				,	'	· · • • • •
		•				· · · · · ·
	•	,		·		· • • • •
	•	,				
	•	,		·		
	•	,		·		
	•	,		·		
	•	,		·		
	•	,		·		
	•	,		·		
	•	,		·		

RECEIVED JUN 0 4 2007 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: N & W Enterprises, Inc		License Number: 6766			
Operator Address: 1111 S Marg	rave, Fort S	Scott, KS	66701		
Contact Person: Tom Norris		Phone Number: (620) 223 - 6559			
Lease Name & Well No.: Walsh/Meyer Inj 11		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW/# NE NW	. <u>SW</u>	
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 33 Twp. 28 R.	22 East West	
Settling Pit Drilling Pit	If Existing, date of	onstructed:	2310 Feet from	North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	·	4290 Feet from 🗸	East / West Line of Section	
(If WP Supply API No. or Year Drilled)	80	(bbis)	Crawford	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No No	Chloride concentration: NA	mg/l	
1- Ab- b-Mars balance	1 4-45-1-114-1-0		(For Emergency F	Pits and Settling Pits only)	
Is the bottom below ground level? Ves No	Artificial Liner?	No	How is the pit lined if a plasti	ic liner is not used?	
Pit dimensions (all but working pits):	5' Length /fa	set) 5'	<u>. </u>	N/A: Steel Pits	
i -	rom ground level to de		(feet)	WA. Siber Fils	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance ncluding any special monitoring	•	
				RECEIVED JUN 0 4 2007	
Distance to nearest water well within one-mil イタら のん たえか いらい		Depth to shallo Source of info	west fresh water 1000+		
Distance to nearest water well within one-mil 495 01 Field w 5 W 2000 feet Depth of water well	e of pit 1000+ feet	Source of info	mation: uredwell owner	JUN () 4 2007 KGC WICHITA electric log KDWR	
	1000+ feet	Source of information measurements brilling, Work	mation: ured well owner over and Haul-Off Pits ONLY	JUN () 4 2007 KGC WICHITA electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation:	1000+ feet	Source of informal measurements Drilling, Work Type of materia	mation: ured well owner over and Haul-Off Pits ONLY al utilized in drilling/workover:	JUN () 4 2007 KGC WICHITA electric log KDWR	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	1000+ feet	Source of informal measurements Drilling, Work Type of material Number of work	mation: uredwell owner over and Haul-Off Pits ONLY al utilized in drilling/workover: \(\frac{1}{2} \) king pits to be utilized: \(\frac{2}{2} \)	JUN () 4 2007 KGC WICHITA electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation:	1000+ feet	Source of informeast Drilling, Work Type of materia Number of work Abandonment	mation: ured well owner over and Haul-Off Pits ONLY al utilized in drilling/workover:	JUN () 4 2007 KGC WICHITA electric log KDWR water	
Feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	1000+ feet	Drilling, Work Type of materi Number of wor Abandonment Drill pits must	mation: uredwell owner over and Haul-Off Pits ONLY al utilized in drilling/workover: king pits to be utilized: procedure: Fill with earth be closed within 365 days of sp	JUN () 4 2007 KGC WICHITA electric log KDWR water	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	1000+ feet	Drilling, Work Type of materia Number of work Abandonment Drill pits must	mation: uredwell owner over and Haul-Off Pits ONLY al utilized in drilling/workover: king pits to be utilized: procedure: Fill with earth be closed within 365 days of sp	JUN () 4 2007 KGC WICHITA electric log KDWR water	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state 06/01/2007	1000+ feet	Drilling, Work Type of materia Number of work Abandonment Drill pits must	mation: uredwell owner over and Haul-Off Pits ONLY al utilized in drilling/workover: king pits to be utilized: procedure: Fill with earth be closed within 365 days of sp t of my knowledge and belief. January signature of Applicant or Agent	JUN () 4 2007 KGC WICHITA electric log KDWR water	



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135. Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.