For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Sour Date	Spot Se
Expected Spud Date 06/08/2007 month day year	Spot SE SW NW Sec. 33 Twp. 28 S. R. 22 West
	3465 feet from N / S Line of Section
OPERATOR: License# 6766	4125 feet from VE / W Line of Section
Name: N & W Enterprises, Inc.	Is SECTION Regular Irregular?
Address: 1111 S Margrave	IS SECTION
City/State/Zip: Fort Scott, KS 66701	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tom Norris	County: Crawford
Phone: 620-224-0006 or 620-223-6559	Lease Name: Walsh/Meyer Well #: Inj 25
CONTRACTOR: License# 33734	Field Name: Walnut SE
Name: Hat Drilling, LLC	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1155
Oil V Enh Rec Infield V Mud Rotary	Ground Surface Elevation: NA feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWNO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 1000'+
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: WO
Well Name:	Projected Total Depth: 425'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
if Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Witl Cores be taken? Yes ✓ No
	if Yes, proposed zone:
AFF	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl	agging of this well will comply with 12.5.7. 33 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to soudding of well:	JUN 0 4 2007
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an adversarial specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the east of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the specific that the statements in the specific that the statements are specified to specific that the statements are specified to specified the specified that the statements are specified to specified the specified that the specified that the statements are specified to specified the specified that the specified	ch drilling rig; In the property of the top; in all cases surface procedure. It is the circulating cement to the top; in all cases surface procedure. It is the underlying formation. It is the und
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the specified district office will be notified before well is either plug than ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the spud date of the well shall in the spud date.	ch drilling rig; the by circulating cement to the top; in all cases surface procedure the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the well is either plug to the appropriate district office will be notified before well is either plug to the analysis of the spud date or well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the set	ch drilling rig; In the production casing is comented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug to the specified	ch drilling rig; In the production casing is comented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the surface case of the sur	ch drilling rig; In the process of t
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface pipe shall be cement. 5. The appropriate district office will be notified before well is either plug to the surface and to describe the operator and the description of the surface casing order must be completed within 30 days of the spud date or the well shall be the notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be the notified before well is either plug to the plug to the surface casing order must be completed within 30 days of the spud date or the well shall be the notified before well is either plug to the plug to the spud date or the well shall be completed within 30 days of the spud date or the well shall be the spud date or the well shall be the notified before well is either plug to the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - O.37 - 2/908 - O.0000 Conductor pipe required	ch drilling rig; In the process of t
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the well is all the set of the well is all the sufficient of the set	ch drilling rig; In the process of t
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the surface case of the sur	ch drilling rig; If by circulating cement to the top; in all cases surface ppositions are underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21908-0000	Location of Well: County: Crawford
Operator: N & W Enterprises, Inc.	
Lease: Walsh/Meyer	4125 feet from N / ✓ S Line of Section ✓ E / W Line of Section
Well Number: Inj 25	Sec. 33 Twp. 28 S. R. 22
Field: Walnut SE	
Number of Acres attributable to well: 2.5	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW/4	if Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•		•			
		•		:		
		·			•	
		•				
	X					•
1				• • • •		
	•				•	•
1			,		•	
			•			•
		•				•
i						•
		•				
	· ·					· · · · · · · · · · · · · · · · · · ·
	· · · · · ·	•	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	· · ·	•	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	· · · · ·	· · · · · ·	· · · · · · · · · · · · · · · · · · ·			
	· · · · ·	•	· · · · · · · · · · · · · · · · · · ·			

RECEIVED
JUN 0 4 2007
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: N & W Enterprises, Inc			License Number: 6766		
Operator Address: 1111 S Marg	rave, Fort S	cott, KS	66701		
Contact Person: Tom Norris			Phone Number: (620) 223 - 6559		
Lease Name & Well No.: Walsh/Meyer Inj 25		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW4 NE SW NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 28 R. 22		
Settling Pit Drilling Pit	If Existing, date constructed:		3465 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		4125 Feet from Fast / West Line of Section		
(If WP Supply API No. or Year Drilled)	80	(bbls)	Crawford County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: NA mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes V	No	Clay		
Pit dimensions (all but working pits):	5' Length (fe	_{eet)} 5'	L		
	rom ground level to de		(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			edures for periodic maintenance and determining notuding any special monitoring.		
			RECEIVED		
			RECEIVED JUN 0 4 2007		
Distance to nearest water well within one-mil	e of pit	Depth to shallo	JUN 0 4 2007 west fresh water 1000+ KCC WICHITA		
o'il Fièho WSW	•	Source of info	JUN 0 4 2007 west fresh water 1000+ KCC WICHITA		
o'il Fièho WSW	1000+ _{feet}	Source of info	JUN 0 4 2007 west fresh water 1000+ KCC WICHITA		
61L Frèlia WSW 2000 feet Depth of water well	1000+ feet	Source of info	JUN 0 4 2007 west fresh water 1000+ KCC WICHITA mation: uredwell ownerelectric logKDWR		
のル Frèko WSW 2000 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	1000+ feet	Source of informal measurements Drilling, Work Type of material Number of work	JUN 0 4 2007 west fresh water 1000+ KCC WICHITA mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water rking pits to be utilized: 2		
6/L Frèho WSW 2000 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	1000+ feet	Source of informal measurements Drilling, Work Type of material Number of work	JUN 0 4 2007 wwest fresh water 1000+ KCC WICHITA mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water		
SIL FIELD WSW 2000 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	1000+ feet	Source of informeast Drilling, Work Type of materi Number of work Abandonment	JUN 0 4 2007 west fresh water 1000+ KCC WICHITA mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water rking pits to be utilized: 2		
2000 feet Depth of water well	1000+ feet	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must	JUN () 4 2007 wwest fresh water 1000+ KCC WICHITA mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water rking pits to be utilized: 2 procedure: Fill with earth be closed within 365 days of spud date.		
2000 feet Depth of water well	1000+ feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	JUN () 4 2007 wwest fresh water 1000+ KCC WICHITA mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water rking pits to be utilized: 2 procedure: Fill with earth be closed within 365 days of spud date.		
2000 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state 06/01/2007	1000+ feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	JUN () 4 2007 weest fresh water 1000+ KCC WICHITA mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water rking pits to be utilized: 2 procedure: Fill with earth be closed within 365 days of spud date. It of my knowledge and belief.		



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.