For KCC Use: Effective Date: SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

5-10-07	Spot E	ast
expected Spud Date	NE Sw NE Sec. 8 Twp. 28 S. R. 5 W	lest
	1650feet from ✓ N / S Line of Section	
DPERATOR: License#	1650 feet from ✓ E / W Line of Section	
lame: Lario Oil & Gas Company	,	
ddress: 301 S. Market	Is SECTION Regular Irregular?	
Sity/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Jay G. Schweikert	County: Kingman	
hone: 316-265-5611	Lease Name: Dalton Well #: 2-8	
5929	Field Name: Dewey	
ONTRACTOR: License# 5929 Duke Drilling Co., Inc.	Is this a Prorated / Spaced Field? Yes ✓	No
ame:	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 990'	
	Ground Surface Elevation: 1397 feet M	
	Water well within one-quarter mile:	
	Public water supply well within one mile:	No
OWWO Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water:	
	Depth to bottom of usable water:	
Other	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 4100' Kinderbook	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kinderhook	
	Water Source for Drilling Operations:	
oirectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🚺)	
(CC DKT #:	Will Cores be taken? Yes ✓	N _a
	Will Cores be takert:	JINO
	If Von proposed zone:	
	If Yes, proposed zone: RECEIVE	D_
AFFI	If Yes, proposed zone: RECEIVE DAVIT KANSAS CORPORATION (D_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone: RECEIVE DAVIT KANSAS CORPORATION (ugging of this well will comply with K.S.A. 55 et. seg.	D COMM
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone: RECEIVE DAVIT KANSAS CORPORATION (D COMM
AFFI The undersigned hereby affirms that the drilling, completion and eventual place tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVE CANSAS CORPORATION O APR 1 2 20	D COMM 007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	If Yes, proposed zone: RECEIVE CANSAS CORPORATION O RECEIVE KANSAS CORPORATION O APR 1 2 20 Ch drilling rig;	D COMM 007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se	If Yes, proposed zone: RECEIVE CANSAS CORPORATION O APR 1 2 20 Ch drilling rig; If yes, proposed zone: RECEIVE CANSAS CORPORATION O APR 1 2 20 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set	D COMM 007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVE RANSAS CORPORATION O APR 1 2 20 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	D COMM DO7
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the description. 4. If the well is dry hole, an agreement between the operator and the description of the descri	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF APR 1 2 20 Control drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	D COMM DO7
AFFI he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone: RECEIVE CHANSAS CORPORATION OF APR 1 2 20 CHANCE CHANCE CHANCE CHANCE CHANCE CHANCE CHANCE CHAN	D COMM 007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF the drilling rig; the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented.	DOOMMADOT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; the set of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing.	DOOMMADOT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the form the superpriate district office will be notified before well is either plug for the superpriate district office will be notified before shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; the set of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing.	DOOMMADOT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statements of the well is dry hole, an agreement between the operator and the statements of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the bask of	If Yes, proposed zone: RECEIVE CANSAS CORPORATION OF APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. It by circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. It is received in the case of the condition of the case of the	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; the set of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing.	D COMM
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statements of the well is dry hole, an agreement between the operator and the statements of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the bask of	If Yes, proposed zone: RECEIVE CANSAS CORPORATION OF APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. It by circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. It is received in the case of the condition of the case of the	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set in eunderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineering in the composition of the compos	D COMM
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set in eunderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineering in the complex control of the control of	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the most office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the complete of the plus of the spud date of the well shall the plus of the plus of the spud date of the well shall the plus of the plus of the spud date of the well shall the plus of the plus of the spud date of the well shall the plus of the plus	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set in eunderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed in the description of the	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set in eunderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set in enderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the posted on the posted below shall be set through all unconsolidated materials plus a minimum of 20 feet into the posted in the set of the set of the set of the set of the posted is either plug. 4. If the well is dry hole, an agreement between the operator and the post of the set of	If Yes, proposed zone: RECEIVE XANSAS CORPORATION OF ugging of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set in eunderlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement on plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the search of the minimum amount of surface pipe as specified below shall be search or the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of coate: Coate:	DAVIT WANSAS CORPORATION OF APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 A	D COMM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough sether plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - O95-22106-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt 1) Approved by: Mtt 6-6-07 This authorization expires: 12-6-07	If Yes, proposed zone: RECEIVED XANSAS CORPORATION OF APR 1 2 20 Control drilling rig; APR 1 2 20 APR 1 2 20 Control drilling rig; APR 1 2 20 Control drilling rig; APR 1 2 20 Control drilling rig; APR 1 2 20 Control drilling rig; APR 1 2 20 APR 1	D COMM
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search and the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of coate: For KCC Use ONLY API # 15 - O95-22106-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt 1 Approved by: Minimum surface pipe required feet per Alt 1 Approved by: Minimum surface pipe required feet per Alt 1	DAVIT WANSAS CORPORATION OF APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 A	D COMM
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the well shall the post of the spud date of the post of the post of the spud date of the post of the post of the spud date	If Yes, proposed zone: RECEIVED XANSAS CORPORATION OF APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will comply with K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will be set to be set of the K.S.A. 55 et. seq. APR 1 2 20 Condition of this well will be set to be set of this be set of t	D COMM


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 095-22106-0000	Location of Well: County: Kingman
Operator: Lario Oil & Gas Company	· · · · · · · · · · · · · · · · · · ·
Lease: Dalton	feet from V N / S Line of Section 1650 feet from V E / W Line of Section
Well Number: 2-8 Field: Dewey	Sec. 8 Twp. 28 S. R. 5 East ✓ Wes
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: NE SW NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.d. 1 section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214
Operator Address: 301 S. Marke	, Wichita, KS 6720)2
Contact Person: Jay G. Schweik	ert	Phone Number: (316) 265 5611
Lease Name & Well No.: Dalton #2-		Pit Location (QQQQ):
Type of Pit:	Pit is:	NE _ SW _ NE
Emergency Pit Burn Pit	Proposed Existin	ing Sec. 8 Twp. 28 R. 5 East V West
Settling Pit	If Existing, date constructed:	: 1650 Feet from 🗸 North / South Line of Section
Workover Pit Haul-Off Pit	Dit conneity:	1650 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 7100	
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? Yes V No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	00 Length (feet)	100 Width (feet) N/A: Steel Pits
, , , ,	rom ground level to deepest poir	_
Distance to nearest water well within one-mil	e of pit Depth to	to shallowest fresh water16feet. of information:
3365 feet Depth of water well		measured well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY		g, Workover and Haul-Off Pits ONLY:
Producing Formation: Type of materi		f material utilized in drilling/workover: Bentonite Mud
Number of producing wells on lease: Number of working pits to be utilized: 2		of working pils to be utilized.
Barrels of fluid produced daily:	Abando	onment procedure: Allow for evaporation.
Does the slope from the tank battery allow at flow into the pit? Yes No		Fill in & cover pits. s must be closed within 365 days of spud date.
I hereby certify that the above state	Jay G. Sørweik	the best of my knowledge and belief. APR 1 2 2 APR 1 3 3 APR 1 3 2 APR 1 4 3 APR 1 4 3 APR 1 4 3 APR 1 5 3 APR 1
	KCC OFFICE L	-1
1 1		,



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

June 6, 2007

Mr. Jay G. Schweikert Lario Oil & Gas Company 301 S. Market Wichita, KS 67202

Re:

Drilling Pit Application
Dalton Lease Well No. 2-8
NE/4 Sec. 08-28S-05W
Kingman County, Kansas

Dear Mr. Schweikert:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File

KANSAS

CORPORATION COMMISSION

permission to haul-off pit application.

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.		DISPOSAL OF DIKE AND PIT CONTENTS.
(a)		Each operator shall perform one of the following when disposing of dike or pit contents:
	(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
	(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
	(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
		(A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
		(B) removal and placement of the contents in an on-site disposal area approved by the commission;
		(C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
		(D) removal of the contents to a permitted off-site disposal area approved by the department.
(b)		Each violation of this regulation shall be punishable by the following:
	(1) (2) (3)	A \$1,000 penalty for the first violation; a \$2,500 penalty for the second violation; and a \$5,000 penalty and an operator license review for the third violation.
Comple	te a	nd return with Haul-Off Pit Application, Form CDP1(2004)
Haul-off	pit v	ill be located in an on-site disposal area: ☐ Yes ☐ No
Haul-off □Yes		located in an off-site disposal area on acreage owned by the same landowner: Output Discrete the same landowner is a second owner of the same landowner is a second owner is a second owner of the same landowner.

located, to the haul-off pit application.

Conservation Division, Finney State Office Building, 130 S. Market, Room 2078, Wichita, KS 67202-3802

Voice 316.337.6200 Fax 316.337.6211 www.kcc.state.ks.us

Haul-off pit is located in an off-site disposal area on another **producing** lease or unit operated by the same operator:

Yes No If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be