For KCC Use: 6-12-07 District # _______

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date		ist
month day year		est
OPERATOR: License# 33344	1980 feet from V N / S Line of Section 660 feet from E / V W Line of Section	
Quest Cherokee LLC	Teet nom	
9520 North May Avenue, Suite 300	Is SECTION RegularIrregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person, Richard Marlin	County: Neosho Lease Name: John, Velma	
Phone: (405) 463-6880	Lease Name: John, Velma Well #: 28-3	—
CONTRACTOR: License# Will be licensed by the KCC /	Field Name: Cherokee Basin CBM	NI.
CONTRACTOR: License# 17th be licensed by which the Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Yes ✓ Yes	NO
Name: Will advise on the Accord	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 Cround Surface Flavation: 1057 feet M	
Oil Enh Rec Infield Mud Rotary	Glound Surface Lievation.	
Gas Storage Pool Ext. ✓ Air Rotary	Water Well William one quarter miner	_
OWO Disposal Wildcat Cable		1140
Seismic:# of Holes Other	Depth to bottom of fresh water: 100 Depth to bottom of usable water: 200 /50	
✓ Other Coalbed Methane	Surface Pine by Alternate: 1 \sqrt{2}	
V 0.1101	Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1300	
Well Name:	Formation at Total Depth: Cherokee Coals	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓	No
NOO BIX II.	If Yes, proposed zone: RECEIVED	
- w	KANSAS CORPORATION COMMISSION	
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pl		
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. JUN 0 7 2007	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. JON 0 7 2007 CONSERVATION DIVISION	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	ugging of this well will comply with K.S.A. 55 et. JCN 0 7 2007 CONSERVATION DIVISION WICHITA, KS	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	conservation division with the top; in all cases surface pipe shall be set the underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the second	conservation division th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging.	7 ;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second	conservation division th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the s	conservation division th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and the set of the production can below any usable water to surface within 120 days of spud date.	
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	CONSERVATION DIVISION WICHITA, KS th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; the drilling days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented.	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE IS COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the plug that the shall the shall that the shall the shall the shall that the shall the shall the shall the shall the shall that the shall the shall that the shall that the shall the shall the shall that the shall	CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.	ting
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	CONSERVATION DIVISION WICHITA, KS th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that the statements of the spud date or the well shall thereby certify that the statements made herein are true and to the pest of the spud to the specific to the spud to the specific that the statements made herein are true and to the specific to the specific that the statements made herein are true and to the specific to the specific that the statements made herein are true and to the specific to the specific that the statements made herein are true and the specific to the specific that the statements made herein are true and the specific that the statements made herein are true and the specific true and true are true and true and true are true are true and true are true	CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug to the shall be computed to the personal to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the pest of	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the test of the complete of the spud date of the sext of the complete of the statements of the spud date of the sext of the complete of the statements are true and to the sext of the complete of the spud date of the sext of the sext of the spud date of the sext of the sext of the spud date of the sext of the spud date of the sext of the	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the test of Date: June 6, 2007 Signature of Operator or Agent: For KCC Use ONLY	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of th	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the diest of the complete of the complete of the diest of the complete of the diest of the complete of the com	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the appropriate of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the specified below <i>shall be set</i> through an agreement between the operator and the description of the specified below <i>shall be set</i> through an appropriate district office will be notified before well is either plug to the specified below <i>shall be set</i> through an appropriate district office will be notified before well is either plug to the description of the specified below <i>shall be set</i> through an appropriate district office will be notified before well is either plug to the description of the specified below <i>shall be set</i> through the specified below <i>shall be set</i> through a posterior of the specified below <i>shall be posted</i> through the specified below <i>shall be posted</i> to the specified below <i>shall be posted</i> through the specified below <i>shall be posted</i> to the specified below <i>shall be posted</i> through through the specified below <i>shall be posted</i> through through through through the specified below <i>shall be posted</i> through th	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the posted on each as the posted on each as the posted all unconsolidated materials plus a minimum of 20 feet into the posted on each as the posted of the posted on each as the posted on e	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Permember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the test of the post of the specific pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26956-0000 Conductor pipe required	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the posted on each as the posted on each as the posted all unconsolidated materials plus a minimum of 20 feet into the posted on each as the posted of the posted on each as the posted on e	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second and an accordance of the posted on each as the second and the s	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	28 29
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	CONSERVATION DIVISION WICHITA, KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ting

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133 - 26956-000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: John, Velma	1980 feet from N / S Line of Section 660 feet from E / W Line of Section
Well Number: 28-3	Sec. 28 Twp. 29 S. R. 18 V East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well: OTR / OTR / OTR of garage; NW	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SW NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: John, Velma	a #28-3		Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 28 Twp. 29 R. 18 🗸 East 🗌 West	
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		Feet from ☐ East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water Area? Yes V No		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes 🗸 No	Yes ✓	No		
Pit dimensions (all but working pits):	BO Length (fe	eet)10		
Depth fr	om ground level to de	eepest point:	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		1	dures for periodic maintenance and determining ncluding any special monitoring.	
,		Air Drilling	Operation Lasting Approx 3 Days	
/ ··· - ········9				
		west fresh waterfeet.		
			rredwell owner electric logKDWR	
			over and Haul-Off Pits ONLY:	
		Type of materia	al utilized in drilling/workover: Air Drilled	
Number of producing wells on lease: Number of wo		king pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		Abandonment	procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED				
KANSAS CORPORATION COMMISSION				
June 6, 2007 Date June 6, 2007 Signature of Applicant or Agent				
CONSERVATION DIVISION WICHITA, KS				
KCC OFFICE USE ONLY				
Date Received: 6/7/07 Permit Num	nber:	Perm	it Date: 6/7/67 Lease Inspection: Yes 🖳 No	