For KCC Use: Effective Date: Yes X No SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date month day year	Spot 36' NE _ <u>\$/2, \$/2</u> - <u>\$/2</u> Sec. 23 Twp. 14 S. R. 30	East ✓ West
31691	360feet from N / ✓ S Line of Se	ction
OPERATOR: License# 31691 Vame: Coral Coast Petroleum, L.C.	- <u>2620</u> feet from ✓ E / W Line of Se	
Name: Cotal Coast Participant, E.G. Address: B100 E. 22nd St. N. Bldg. 100 Suite 2	Is SECTIONRegularIrregular?	
Address: Bloc E. 22II of the Blog. To Call 2 City/State/Zip: Wichita/Kansas/67226	-	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Daniel M. Reynolds	County: Gove Lease Name: Roemer Well #: 1	
Phone: 316-269-1233		
CONTRACTOR: License# 30606	Field Name: wildcat	
Varie: Murfin Drilling Company, Inc.		. ∡N
Name: Institut printing data party, was	Target Formation(s): Mississippi	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 20'	
		eet MSI
	Water well within one-quarter mile:Yes	i <u>₹</u> N
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	: ✓ Ne
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150	
Seismic;# of Holes Other	Depth to bottom of usable water: 1100 /200	
Other	Surface Pipe by Alternate: 1 🗸 2	
CARRADO, and wall information as follows:	Length of Surface Pipe Planned to be set: 200	
OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 4500	
Well Name:	Formation at Total Depth: Mississippi	
Original Completion Date:Original Total Depth:		
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
· · · · · · · · · · · · · · · · · · ·	Well ✓ Farm Pond Other	
Yes, true vertical depth:	DWR Permit #:	
Sottom Hole Location:	(Note: Apply for Permit with DWR)	_
CC DKT #:	Will Cores be taken?Yes	. <u>√</u> N
	If Yes, proposed zone:	
_	!?#WEIVE!!	
Declaration of Unitization Attached.	VANSAS CORPORATION CO.	Migeiou
Declaration of Unitization Attacked. All the understand hereby affirms that the drilling completion and eventual	VANSAS CORPORATION CO.	Mission
The undersigned hereby affirms that the drilling, completion and eventual	VANSAS CORPORATION CO.	Mission
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	FFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. Sept N 0 8 2007	
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	FFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. Sed. N 0 8 2007	
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. Sept. 0 8 2007 ONSERVATION DIVISION	L í
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i>	each drilling rig; set by circulating cement to the top; in all cases surface place.	L í
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the complete that the constant of th	each drilling rig; set by circulating cement to the top; in all cases surface pipe skill be to the underlying formation.	N set
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the	each drilling rig; set by circulating cement to the top; in all cases surface pipe skill be to the underlying formation. e district office on plug length and placement is necessary prior to plug.	N set
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either processing the shall be completed by the complete shall be completed.	each drilling rig; set by circulating cement to the top; in all cases surface plus formation. e district office on plug length and placement is necessary prior to plug length or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the plug length and placement is necessary prior to plug length and placement is	N set gglng; date.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the foundation of the strict office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemed to pressuant to Appendix "B" - Eastern Kansas surface casing or	each drilling rig: set by circulating cement to the top; in all cases surface place of the underlying formation. e district office on plug length and placement is necessary prior to plug blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the #133,891-C, which applies to the KCC District 3 area, alternate II celebrated in the surface within 120 days of spud of the results	N set gging; date. ementin
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the first to the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point and the complex of the properties of th	each drilling rig; set by circulating cement to the top; in all cases surface plus formation. e district office on plug length and placement is necessary prior to plug length or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the plug length and placement is necessary prior to plug length and placement is	N set gging; date. ementin
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall be completed.	each drilling rig; each drilling rig; each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be to the underlying formation. e district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the right shall be plugged. In all cases, NOTIFY district office prior to any cemented all be plugged. In all cases, NOTIFY district office prior to any cemented.	N set gging; date. ementin
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either properties of the surface of the surface of the surface of the surface casing or must be completed within 30 days of the spud date or the well shereby certify that the statements made herein are true and to the best	each drilling rig; each drilling rig; each drilling rig; set by circulating cement to the top; in all cases surface of the underlying formation. e district office on plug length and placement is necessary prior to plugleged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the #133,891-C, which applies to the KCC District 3 area, alternate II ce all be plugged. In all cases, NOTIFY district office prior to any cement of ormy knowledge and belief.	N set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall be completed.	each drilling rig; each drilling rig; each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be to the underlying formation. e district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the right shall be plugged. In all cases, NOTIFY district office prior to any cemented all be plugged. In all cases, NOTIFY district office prior to any cemented.	N set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either properties of the surface of the surface of the surface of the surface casing or must be completed within 30 days of the spud date or the well shereby certify that the statements made herein are true and to the best	each drilling rig; each drilling rig; each drilling rig; each drilling romation. e district office on plug length and placement is necessary prior to pluginged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Managing Title: Managing Title: Managing	N set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the formal transpropriate district office will be notified before well is either properties of the spuddate of the well is dry hole, an agreement with the statements of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be certify that the statements made herein are true and to the best of the spuddate. Signature of Operator or Agent:	each drilling rig: each drilling rig: each drilling rig: each drilling rig: each drilling romation. e district office on plug length and placement is necessary prior to pluglength and plugged or production casing is cemented in; enter #133,891-C, which applies to the KCC District 3 area, alternate II call be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Managing Remember to:	N set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either propriate district office will be notified before well is either propriate district office will be notified before well is either propriate district office will be notified before well is either propriate district office will be notified before well is either propriate district office will be notified before well is either propriate district office will be notified before well is either propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be not	each drilling rig; each d	N set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well sh hereby certify that the statements made herein are true and to the bes Date: 1 7-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 063-21668-0000	each drilling rig; each d	N set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either price of the specified before well is either price or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well show the properties of the specified before to the well show the specified before the well show the specified before the specified before well is either price or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well show the specified before the specified before well is either properties. Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required to the district of the specified before well is either properties.	each drilling rig; each d	set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate of the spund date or the well should be completed within 30 days of the spund date or the well should be completed within 30 days of the spund date or the well should be completed within 30 days of the spund date or the well should be completed within 30 days of the spund date or the well should be completed within 30 days of the spund date or the well should be completed within 30 days of the spund date or the well should be completed within 30 days of the spund date or the well should be completed before a specified before a specified before a specified before a specified below shall be completed before as provided before well is either point of the well should be provided before well shall be completed before well shall be compl	each drilling rig; each d	set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the specified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best poate:	each drilling rig; each d	set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either point of an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well show the properties of the spud date or the well show the properties of the spud date or the well show the properties of the properties o	each drilling rig; each drilling rig; each drilling rig; each drilling romation. e district office on plug length and placement is necessary prior to pluglength and plugged. In all cases, NOTIFY district office prior to any cemer at of my knowledge and belief. Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en- Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poster. For KCC Use ONLY API # 15 - Signature of Operator or Agent: Conductor pipe required feet Minimum surface pipe required feet per Alt.	each drilling rig; each drilling rig; each drilling rig; each drilling romation. e district office on plug length and placement is necessary prior to pluginged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent of this permit has expired (See: authorized expiration date) please	set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either por pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by: Signature of Operator or Agent:	each drilling rig; each drilling rement to the top; in all cases surface place within be to the underlying formation. e district office on plug length and placement is necessary prior to plug blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the right	set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either proposed on the surface of	each drilling rig; each drilling rement to the top; in all cases surface place within be to the underlying formation. e district office on plug length and placement is necessary prior to plug blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the right	set gging; date. ementin sting.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either price or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best part of the price	each drilling rig; each drilling rement to the top; in all cases surface place within be to the underlying formation. e district office on plug length and placement is necessary prior to plug blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud of the right	set gglng; date. ementin sting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063 2/668-0000	Location of Well: County: Gove		
Operator: Coral Coast Petroleum, L.C.	360feet from N / ✓ S Line of Section		
Lease: Roemer	2620 feet from ✓ E / W Line of Section		
Well Number: 1 Field: wildcat	Sec. 23 Twp. 14 S. R. 30 East West		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage: 36' NE _ s/2, s/2 _ S/2	If Section is irregular, locate well from nearest corner boundary. Section corner used:NENWSESW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				n
			· · · · ·	
	·			RECEIVED KANSAS CORPORATION COMMISSIO
		·	·	JUN 0 8 2007
				CONSERVATION DIVISION WICHITA, KS
	: : - :	: 73	· · · · · · · · · · · · · · · · · · ·	EXAMPLE : :
	·	·	· · · · · · · · · · · · · · · · · · ·	1980
,				3390
	360-	- 8	Z6,26' 	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Coral Coast Petroleum			License Number: 31691		
Operator Address: 8100 E. 22nd St. N. Bldg 100, Ste 2			Wichita, Kansas 67226		
Contact Person: Daniel M. Reynolds			Phone Number: (316) 269 - 1233		
Lease Name & Well No.: Roemer #1			Pit Location (QQQQ): ຮັບ ຮັບ ຮັ		
Type of Pit:	Pit is:		36' NE _ S/2 _ S/2 _ S/2		
Emergency Pit Burn Pit	☑ Proposed ☐ Existing		Sec23_ _{Twp14} R30 East <u>√</u> West		
Settling Pit	If Existing, date constructed:		400 Feet from ☐ North / ✓ South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1720 Feet from ✓ East / ☐ West Line of Section		
The Supply At The Street Dilled		(bbls)	Gove County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 💆	No	Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	Compacted Earth		
Pit dimensions (all but working pits):	30 Length (fe	eet) 80	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 3	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe		Describe proce liner integrity, in	dures for periodic maintenance and determining CECEIVED CORPORATION COMMISSION JUN 0 8 2007 CONSERVATION DIVISION		
		I .	owest fresh waterfeet.		
		Source of information: measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of		Type of materia	Type of material utilized in drilling/workover:		
			vorking pits to be utilized: one		
Barrels of fluid produced daily: Abandon		Abandonment (Abandonment procedure: Allow to dry, backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must b	ill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.		
4-7-07 Daila. Lys					
Date		Si	gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 6/5/07 Permit Number: Permit Date: 6/5/07 Lease Inspection: Yes \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					